

四輪自動車用バッテリー適合車種表

FB Battery

Battery Replacement Data Book 2005 Edition



この適合表には、記載されていない車両もあります。ご購入の際は、現在ご使用中のバッテリーをご確認頂き、特に端子のRとLをお間違いないようご注意ください。



THE FURUKAWA BATTERY CO., LTD.

Оглавление:

ISUZU	3
SUZUKI	14
SUBARU	23
DAIHATSU	31
TOYOTA	41
HONDA	126
MAZDA	134
MITSUBISHI	144
MITSUBISHI FUSO	172
NISSAN	184
NISSAN DIESEL	213
HINO	215

ISUZU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
ASKA CX (BC)	G	2000	E-BCM/L	EJ20G	1990	1994	MT	55D23L	55D23L	75D23L 80D23L	75D23L			
					1990	1994	AT	75D23L	75D23L	80D23L	75D23L			
		1800	E-BCK	EJ18G	1990	1994	MT	55D23L	55D23L	75D23L 80D23L	75D23L			
					1990	1994	AT	75D23L	75D23L	80D23L	75D23L			
ASKA (CJ)	G	2000	E-CJ11	F20B	1994	-		70D23L	75D23L	80D23L	75D23L			
ASKA (JJ)	G	2000	E-JJ120	4ZC1	1988	1989		34B19L	38B19L	40B19L 42B19L	46B24L			
					1983	1988		46B24L	46B24L	55B24L 60B24L	75D23L			
		1800	E-JJ110	4ZB1	1983	1989		34B19L	38B19L	40B19L 42B19L	46B24L			
					1988	1989		80D26L	80D26L	85D26L 90D26L	95D31L			
	D	2000	N-JJ510	4FC1	1988	1989		80D26L	80D26L	85D26L 90D26L	95D31L			
					1983	1988		75D26L	80D26L	85D26L 90D26L	95D31L			
ELF	G	2000	GB-ASK2F23	NA20	1997	-		34B19R	38B19R	40B19R 42B19R	55D23R			
				NA20	1997	-		34B19R	38B19R	40B19R 42B19R	55D23R			
	D	4800 4300	U-NPR70 KC-VKR66K KC-NKS66 KD/U-NKR66 KD/U-NPR66 U-NPS66/NKS66 U-NKR61/NPR61	4HE1-T 4HF1	1993	-	MT TAB	75D26R×2	75D26R×2	80D26R×2 85D26R×2	80D26R×2			
					1995	-		75D23R×2	75D23R×2	-	75D23R×2			
					1995	-		80D26R×2	80D26R×2	85D26R×2	120E41R×2			
					1991	-	AT	80D26R×2	80D26R×2	85D26R×2	120E41R×2			
					1993	-	AT	115E41R×2	120E41R×2	130E41R×2	120E41R×2			
					1990	-	MT	75D26R×2	75D26R×2	80D26R×2 85D26R×2	80D26R×2			
					1993	-	MT	80D26R×2	80D26R×2	85D26R×2	110E41R×2			
					1993	-		130E41R×2	130E41R×2	-	130E41R×2			
					1991	-	AT	80D26R×2	80D26R×2	85D26R×2	120E41R×2			
					1993	-	AT	115E41R×2	120E41R×2	130E41R×2	120E41R×2			
					1990	-	MT	75D26R×2	75D26R×2	80D26R×2 85D26R×2	80D26R×2			
					1993	-	MT	80D26R×2	80D26R×2	85D26R×2	110E41R×2			
					1993	-		75D26R×2	75D26R×2	80D26R×2 85D26R×2	80D26R×2			
					1989	1993		65D23R×2	65D23R×2	75D23R×2	80D26R×2			
					3900	U/P-NPR59	4BD1	1984	1993		65D23R×2	65D23R×2	75D23R×2	80D26R×2
						U-NPS59		1989	1993		65D23R×2	65D23R×2	75D23R×2	80D26R×2
					3600	KC-VKR66	4HF1	1997	-	AT	80D26R×2	80D26R×2	85D26R×2	80D26R×2
	U/P-NKR58	4BE1	1987	1993			55D23R×2	55D23R×2	65D23R×2 75D23R×2	80D26R×2				
			1987	1993		FIRE-ENGINE	105E41R×2	110E41R×2	120E41R×2 130E41R×2	110E41R×2				
	U/P-NKS58		1987	1993			55D23R×2	55D23R×2	65D23R×2 75D23R×2	80D26R×2				
	U/P-NPR58		1989	1993			55D23R×2	55D23R×2	65D23R×2 75D23R×2	80D26R×2				
			1987	1989			65D23R×2	65D23R×2	75D23R×2	80D26R×2				

ISUZU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA					
ELF		3300	U/P-NPS58	4BC2	1989	1993	FIRE-ENGINE	55D23R×2	55D23R×2	65D23R×2 75D23R×2	80D26R×2					
			P-NKR57		1984	1989		55D23R×2	55D23R×2	65D23R×2 75D23R×2	80D26R×2					
					1984	1989		105E41R×2	110E41R×2	120E41R×2 130E41R×2	110E41R×2					
		3200 3100	KC-VHR69K	QD32 4JG2	KG-ASR8F23	1997	-	AT	95D31R	95D31R	105D31R	95D31R×2				
						1995	-		75D23R×2	75D23R×2	-	75D23R×2				
						1995	-		MT	115E41R	120E41R	130E41R	120E41R			
					KC/U-NKR69	1993	-		AT	75D26R×2	75D26R×2	80D26R×2 85D26R×2	80D26R×2			
						1993	-		MT	115E41R	120E41R	130E41R	80D26R×2			
					KC/U-NHR69	1993	-		AT	75D26R×2	75D26R×2	80D26R×2 85D26R×2	80D26R×2			
						1993	-		MT	115E41R	120E41R	130E41R	80D26R×2			
					KC/U-NHS69	1993	-		AT	75D26R×2	75D26R×2	80D26R×2 85D26R×2	80D26R×2			
						1993	-		MT	115E41R	120E41R	130E41R	80D26R×2			
					KC/U-WHR69	1993	-		AT	130E41R	130E41R	-	130E41R			
						1993	-		MT	115E41R	120E41R	130E41R	130E41R			
					2800	U-NKR55	U/S-NHR55		1989	1993		95D31R	95D31R	105D31R	130E41R	
										1989	1993	AT	115E41R	120E41R	130E41R	75D26R×2
										1989	1993	MT	95D31R	95D31R	105D31R	130E41R
										1989	1993		115E41R	120E41R	130E41R	75D26R×2
			1984	1993					95D31R	95D31R	105D31R	130E41R				
			1985	1989					95D31R	95D31R	105D31R	130E41R				
			P-NKR55		1987	1989	24V	55D23R×2	55D23R×2	65D23R×2 75D23R×2	80D26R×2					
		2700	KC-ASP8F23	TD27	1995	-	100	95D31R	95D31R	105D31R	95D31R×2					
		2500	KC-ASN2F23	TD25	1997	-		80D26R	80D26R	85D26R	80D26R×2					
						1997	-	24V	75D31R×2	75D31R×2	95D31R×2 105D31R×2	75D31R×2				
						1997	-		80D26R	80D26R	85D26R	80D26R×2				
				KC-ASN6F23		1997	-	24V	75D31R×2	75D31R×2	95D31R×2 105D31R×2	75D31R×2				
				KC-ASN2F23	TD25	1995	-	100	95D31R	95D31R	105D31R	95D31R×2				
				KC-ASN6F23		1995	-	100	95D31R	95D31R	105D31R	95D31R×2				
			S/P-NHR54	4JA1	1984	1993		95D31R	95D31R	105D31R	130E41R					
		2000	GB-ASK2F23	TD20	1995	-		95D31R	95D31R	105D31R	95D31R×2					
		GIGA/BIG TRUCK	D	30400	KC-EXZ75J2	10TD1	1997	-	TRACTOR	145G51×2	145G51×2	155G51×2 180G51×2	-			
				22800	KC-EXR82	12PE1	1997	-	TRACTOR	170F51×2	170F51×2	170F51×2	-			
					KC-CYH82		1994	-		145G51×2	145G51×2	155G51×2 180G51×2	165G51×2			
KC-CYM82	1994				-			145G51×2	145G51×2	155G51×2 180G51×2	165G51×2					
KC-CYZ82	1994				-			145G51×2	145G51×2	155G51×2 180G51×2	165G51×2					
KC-CXH82	1994				-			145G51×2	145G51×2	155G51×2 180G51×2	165G51×2					
KC-CXM82	1994				-			145G51×2	145G51×2	155G51×2 180G51×2	165G51×2					
KC-CXZ82	1994				-			145G51×2	145G51×2	155G51×2 180G51×2	165G51×2					
19000	KC-CYL81			10PE1	1997	-		115F51×2	115F51×2	130F51×2 150F51×2	-					

ISUZU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
GIGA / BIG TRUCK	D	19000	KC-CYJ81	10PE1	1997	-		115F51×2	115F51×2	130F51×2 150F51×2	-
			KC-CYG81		1994	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CYH81		1994	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CYM81		1994	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CYZ81		1994	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CXG81		1994	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CXH81		1994	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CXM81		1994	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CXZ81		1994	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CXG80		1994	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CXM80		1994	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CXZ80		1994	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
		15600	KC-EXR52	6WG1	1997	-	TRACTOR	115F51×2	115F51×2	130F51×2 150F51×2	-
			KC-EXZ52		1997	-	TRACTOR	115F51×2	115F51×2	130F51×2 150F51×2	-
		12000	KC-CYL50	6WA1	1997	-		115F51×2	115F51×2	130F51×2 150F51×2	-
			KC-CYJ50		1997	-		115F51×2	115F51×2	130F51×2 150F51×2	-
			KC-EXR50		1997	-	TRACTOR	115F51×2	115F51×2	130F51×2 150F51×2	-
			KC-CYG50	6WA1-T	1994	-	INTERCOOL ER TURBO	115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CYH50		1994	-	INTERCOOL ER TURBO	115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CYM50		1994	-	INTERCOOL ER TURBO	115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CYZ50		1994	-	INTERCOOL ER TURBO	115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CXG50		1994	-	INTERCOOL ER TURBO	115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CXH50		1994	-	INTERCOOL ER TURBO	115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CXM50		1994	-	INTERCOOL ER TURBO	115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
		KC-CXZ50	6WA1-T	1994	-	INTERCOOL ER TURBO	115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
		9800	KC-CYL23	6SD1	1997	-		115F51×2	115F51×2	130F51×2 150F51×2	-
			KC-CXG23		1994	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2

ISUZU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
GIGA/BIG TRUCK	D	9800	KC-CXH23	6SD1	1994	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CXM23		1994	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			KC-CYG23		1994	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
COMO (E25)	G	2400	GE-JCQGE25	KA24DE	2001	-		55D23R	65D23R	75D23R 80D23R	80D26R
			GE-JDQGE25		2001	-		55D23R	65D23R	75D23R 80D23R	80D26R
			GE-JVPE25		2001	-		55D23R	65D23R	75D23R 80D23R	80D26R
		2000	GE-JCQGE25		2001	-		55D23R	65D23R	75D23R 80D23R	80D26R
			GE-JDQGE25		2001	-		55D23R	65D23R	75D23R 80D23R	80D26R
			GE-JVPE25		2001	-		55D23R	65D23R	75D23R 80D23R	80D26R
	D	3000	KG-JVWE25	ZD30DD	2001	-	L FOR COLD AREA	115D31R	115D31R	-	110D26L×2
			KG-JDWGE25		2001	-	L FOR COLD AREA	115D31R	115D31R	-	110D26L×2
			KG-JCWGE25		2001	-	L FOR COLD AREA	115D31R	115D31R	-	110D26L×2
			KG-JDWMGE25		2001	-	L FOR COLD AREA	115D31R	115D31R	-	110D26L×2
			KG-JVWME25		2001	-	L FOR COLD AREA	115D31R	115D31R	-	110D26L×2
			KG-JCWMGE25		2001	-	L FOR COLD AREA	115D31R	115D31R	-	110D26L×2
GEMINI (JT1)	G	1600	E-JT191F	4XE1	1992	1993	AT	55B24L	55B24L	60B24L	55B24L
					1991	1993	AT, 2 DOOR CUPE	46B24L	46B24L	55B24L 60B24L	46B24L
					1991	1993	MT	34B19L	38B19L	40B19L 42B19L	46B24L
					1990	1991		34B19L	38B19L	40B19L 42B19L	46B24L
			E-JT191S		1992	1993		34B19L	38B19L	40B19L 42B19L	55B24L
					1990	1992		34B19L	38B19L	40B19L 42B19L	46B24L
		1500	E-JT151F	4XC1	1992	1993	3HB, AT	34B19L	38B19L	40B19L 42B19L	46B24L
					1992	1993	AT	46B24L	46B24L	55B24L 60B24L	46B24L
					1992	1993	MT	34B19L	38B19L	40B19L 42B19L	46B24L
					1990	1992		34B19L	38B19L	40B19L 42B19L	46B24L
			E-JT150		1985	1990	NAVI 5	46B24L	46B24L	55B24L 60B24L	46B24L
					1985	1990	AT	34B19L	38B19L	40B19L 42B19L	46B24L

ISUZU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
GEMINI (JT1)	G	1500		4XC1	1985	1990	MT	28B17L	34B17L	38B19L 40B19L	46B24L
			X-JT641F	4EE1	1992	1993	AT	95D31L	95D31L	105D31L 115D31L	95D31L
		1992			1993	MT	75D26L	80D26L	85D26L 90D26L	95D31L	
		Q-JT641F			1990	1992	AT	80D26L	80D26L	85D26L 90D26L	95D31L
				1990	1992	MT	75D26L	80D26L	85D26L 90D26L	95D31L	
	X-JT641S		1991	1993		75D26L	80D26L	85D26L 90D26L	95D31L		
	D	1500	N/Q-JT600	4EC1	1985	1990	AT	80D26L	80D26L	85D26L 90D26L	80D26L
					1985	1990	MT, NAVI5	75D26L	80D26L	85D26L 90D26L	80D26L
GEMINI (MJ)	G	1600	E-MJ4	D16A	1997	-		55B24R	55B24R	60B24R	55B24R
			E-MJ1	ZC	1993	-		55B24R	55B24R	60B24R	55B24R
			E-MJ2		1993	-	4WD	55B24R	55B24R	60B24R	55B24R
		1500	E-MJ5	D15B	1997	-		55B24R	55B24R	60B24R	55B24R
			E-MJ6		1997	-		55B24R	55B24R	60B24R	55B24R
			E-MJ3	D15B	1994	-		55B24R	55B24R	60B24R	55B24R
GEMINET T	G	1600	L/R-AP8	EA71	1988	1993		34B19R	38B19R	40B19R 42B19R	46B24R
			L/R-AP9		1988	1993		46B24R	46B24R	55B24R 60B24R	46B24R
JOURNEY	D	7200	U-LR232	6HE1	1990	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			U-LR332		1990	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			U-MR312		1990	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
		6500	U-LR312	6BG1	1990	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			U-LR212		1990	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			P-LR312		1984	1990		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			P-LR212		1984	1990		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			P-MR112		1984	1990		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			P-LR211		1984	1990		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
		5800	P-LR311	6BD1	1984	1990		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
					1984	1990		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
		4300	U-BL38	4BG1	1989	-		65D23R×2	65D23R×2	75D23R×2	80D26R×2
			U-BE38		1989	-		65D23R×2	65D23R×2	75D23R×2	80D26R×2
		4200	KC-JR(Y)W40	TD42	1995	-	HIGH ROOF	95D31R×2	95D31R×2	105D31R× 2	95D31R×2
			KC-JRGW40		1995	-	HIGH ROOF	95D31R×2	95D31R×2	105D31R× 2	95D31R×2
		3900	P-BE22	4BD1	1983	1990		65D26R×2	65D26R×2	75D26R×2 80D26R×2	80D26R×2
		3500	KC-JB(G)W40	ED35	1995	-		95D31R×2	95D31R×2	105D31R× 2	95D31R×2
		3300	P-BL46	4BC2	1983	1990		65D26R×2	65D26R×2	75D26R×2 80D26R×2	80D26R×2
P-BL36	1983		1990			65D26R×2	65D26R×2	75D26R×2 80D26R×2	80D26R×2		

ISUZU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
PIAZZA	G	1800	E-JT221F	4XF1	1991	1993		34B19L	38B19L	40B19L 42B19L	46B24L		
PIAZZA (JR)	G	2000	E-JR130	G200 (DOHC)	1987	1991		50D20L	50D20L	-	75D23L		
				G200 (SOHC)	1987	1991	BELLA, AT	50D20L	50D20L	-	75D23L		
					1987	1991	MT	34B19L	38B19L	40B19L 42B19L	50D20L		
			E-JR120	4ZC1	1984	1990		46B24L	46B24L	55B24L 60B24L	50D20L		
VehiCROSS	G	3200	E-UGS25DW	6VD1	1997	-	AT	65D23R	75D23R	80D23R	-		
BIGHORN	G	3500	E-F-UBS26DW/GV	6VE1	1998	-		65D23R	75D23R	80D23R	75D23R		
					3200	E-UBS25	6VD1	1995	1998		65D23R	75D23R	80D23R
					1992			1995	AT	75D26R	80D26R	85D26R 90D26R	80D26R
					1992	1995	MT	65D23R	75D23R	80D23R	75D23R		
							1991	1992	AT	80D26R	80D26R	85D26R 90D26R	80D26R×2
							1991	1992	MT	75D26R×2	80D26R×2	85D26R×2 90D26R×2	80D26R×2
		2600	E-UBS17	4ZE1	1989	1991		55D23R	55D23R	75D23R 80D23R	55D23R		
		2000	L-UBS12	4ZC1	1985	1989		36B20L	38B19L	40B19L 42B19L	46B24L		
		D	3100	KD-UBS69	4JG2	1993	1998	AT	115D31R	115D31R	-	80D26R×2	
						1993	1998	MT	115D31R	115D31R	-	80D26R×2	
				Q-UBS69	4JG2-T	1991	1993	AT,TURBO	115D31R	115D31R	-	80D26R×2	
						1991	1993	MT,TURBO	115D31R	115D31R	-	80D26R×2	
			3000 2800	K/H-UBS73DW/GV Q-UBS55	4JX1(Dd) 4JB1	1998	-		115D31R	115D31R	-	115D31R	
1990	1991					AT	115D31R	115D31R	-	115D31R			
	S-UBS55		1990	1991	MT	105D31R	105D31R	115D31R	115D31R				
			1985	1991		105D31R	105D31R	115D31R	105D31R				
2200	N/Q-UBS52	C223	1981	1989		95D31R	95D31R	105D31R 115D31R	95D31R				
FARGO (E50)	D	3200	KD-JAVE50 KD-JAVWE50	QD32	1997	-		115D31R	115D31R	-	80D26R+L		
					1997	-		115D31R	115D31R	-	80D26R+L		
FARGO (E24)	G	3000	E-JFEGE24	VG30	1995	-		115F51	115F51	130F51 150F51	115F51		
					D	2700	KD-JAR(M)E24 KD-JKR(M)GE24 KC-JCR(M)GE24 KC-JVR(M)GE24 KC-JVR(G)E24	TD27ETi TD27	1995	-	WAGON	95D31L	95D31L
	1995	-	WAGON AT	95D31L					95D31L	105D31L	130E41L		
	1995	-	WAGON MT	75D31L					75D31L	95D31L 105D31L	130E41L		
	1995	-	AT	95D31L					95D31L	105D31L	130E41L		
	1995	-	MT	75D31L					75D31L	95D31L 105D31L	130E41L		
	1995	-	AT	95D31L					95D31L	105D31L	130E41L		
	1995	-	MT	75D31L					75D31L	95D31L 105D31L	130E41L		
	1995	-	AT	95D31L					95D31L	105D31L	130E41L		
	1995	-	MT	75D31L	75D31L	95D31L 105D31L	130E41L						
FARGO (NF, WF)	G	2000	T/L-NFR12	4ZC1	1988	-		34B19R	38B19R	40B19R 42B19R	55D23R		
			L/T-WFR12		1988	-		34B19R	38B19R	40B19R 42B19R	46B24R		

ISUZU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
FARGO (NF, WF)	G	2000	L/T-WFR12	4ZC1	1988	-	AMBULANCE CAR	46B24R	46B24R	55B24R 60B24R	46B24R		
	D	2400	KD-WFR62	4FG1	1993	1995	AT	95D31R	95D31R	105D31R	115D31R		
					1993	1995	MT	75D31R	75D31R	95D31R 105D31R	95D31R		
			KD-WFS62		1993	1995	AT	95D31R	95D31R	105D31R	115D31R		
					1993	1995	MT	75D31R	75D31R	95D31R 105D31R	95D31R		
			U-N/WFR62		1991	1993	AT	95D31R	95D31R	105D31R	115D31R		
					1991	1993	MT	75D26R	75D26R	80D26R 85D26R	95D31R		
					1988	1991		75D26R	75D26R	80D26R 85D26R	95D31R		
			S-WFR62		1991	1993		75D26R	75D26R	80D26R 85D26R	95D31R		
			U-N/WFS62		1988	-		75D26R	75D26R	80D26R 85D26R	95D31R		
			Q-WFR62		1991	1993	AT	95D31R	95D31R	105D31R	115D31R		
			Q-WFS62		1991	1993	MT	75D26R	75D26R	80D26R 85D26R	95D31R		
					1991	1993		75D26R	75D26R	80D26R 85D26R	95D31R		
					1983	1988		75D26R	75D26R	80D26R 85D26R	95D31R		
			2200		U/N-WFR53	4FD1	1983	1988		75D26R	75D26R	80D26R 85D26R	95D31R
					U/N-WFS53		1983	1988		75D26R	75D26R	80D26R 85D26R	95D31R
2000	N/Q-WFR51	4FC1	1984	1988		75D26R	75D26R	80D26R 85D26R	95D31R				
	N/Q-WFS51		1984	1988		75D26R	75D26R	80D26R 85D26R	95D31R				
FASTAR/ RODEO	D	2800	S-TFR55F/H	4JB1	1989	1993		105D31R	105D31R	115D31R	105D31R		
			S-TFS55F/H(D)		1989	1993		105D31R	105D31R	115D31R	105D31R		
		2200	S/U-TFS52	C223	1988	1989		80D26R	80D26R	85D26R 90D26R	95D31R		
			S/U-TFR52		1988	1989		80D26R	80D26R	85D26R 90D26R	95D31R		
FORWARD	D	8400	U-FRR13/FTR13	6SA1	1989	-		65D23R×2	65D23R×2	75D23R×2	80D26R×2		
			P-FRR13/FTR13		1985	1989		80D26R×2	80D26R×2	85D26R×2	95D31R×2		
		8200	KC-NRR13	6HH1	1995	-		65D23R×2	65D23R×2	75D23R×2	95D31R×2		
			KC-FTS33		1997	-		65D23R×2	65D23R×2	75D23R×2	-		
			KCFSS33		1997	-		65D23R×2	65D23R×2	75D23R×2	-		
			KC-FRS33		1997	-		65D23R×2	65D23R×2	75D23R×2	-		
			KC-FRR33		1997	-		65D23R×2	65D23R×2	75D23R×2	-		
		7100	KC-GTR32	6HE1	1997	-		65D23R×2	65D23R×2	75D23R×2	-		
			KC-FVZ32		1997	-		65D23R×2	65D23R×2	75D23R×2	-		
			U-NRR32		1989	-		65D23R×2	65D23R×2	75D23R×2	95D31R×2		
			U-FRR32		1989	-		65D23R×2	65D23R×2	75D23R×2	95D31R×2		
			U-FTR32		1989	-		65D23R×2	65D23R×2	75D23R×2	95D31R×2		
			U-FSR32		1989	-		65D23R×2	65D23R×2	75D23R×2	95D31R×2		
			U-FRD32		1989	1993		65D23R×2	65D23R×2	75D23R×2	95D31R×2		
			U-FSD32		1989	1993		65D23R×2	65D23R×2	75D23R×2	95D31R×2		
			W-ETR32		1989	1993		65D23R×2	65D23R×2	75D23R×2	95D31R×2		
		6500	U/P-FRR12	6BG1(T)	1984	-		65D23R×2	65D23R×2	75D23R×2	95D31R×2		
			U/P-FSR12		1984	-		65D23R×2	65D23R×2	75D23R×2	95D31R×2		
U/P-FTR12	1984		-			65D23R×2	65D23R×2	75D23R×2	95D31R×2				

ISUZU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA				
FORWARD	D	6500	P-FRS12	6BG1(T)	1990	-		65D23R×2	65D23R×2	75D23R×2	95D31R×2				
			P-NRR12/NPR12		1986	1990		65D23R×2	65D23R×2	75D23R×2	95D31R×2				
			P-NRR12		1986	-	JUSTON	65D23R×2	65D23R×2	75D23R×2	80D26R×2				
			P-FRD12/FSD12		1984	1989		65D23R×2	65D23R×2	75D23R×2	95D31R×2				
			P-FSS12/ESR12		1984	1989		65D23R×2	65D23R×2	75D23R×2	95D31R×2				
		P-HST12/HTW12	1984	1989		65D23R×2	65D23R×2	75D23R×2	95D31R×2						
		5800	P-ESR12/FRD12	6BD1	1984	-		65D23R×2	65D23R×2	75D23R×2	95D31R×2				
			P-FRR12/FTR12		1984	-		65D23R×2	65D23R×2	75D23R×2	95D31R×2				
		5000	KC-NQR70GN	4HE1-T	1997	-		75D26R×2	75D26R×2	80D26R×2	85D26R×2	80D26R×2			
					1997	-		75D26R×2	75D26R×2	80D26R×2	85D26R×2	115E41R×2			
					1997	-		75D26R×2	75D26R×2	80D26R×2	85D26R×2	115E41R×2			
					1997	-		75D26R×2	75D26R×2	80D26R×2	85D26R×2	115E41R×2			
					1997	-		75D26R×2	75D26R×2	80D26R×2	85D26R×2	115E41R×2			
			KC-NQR70LN	4HJ1	1997	-		75D26R×2	75D26R×2	80D26R×2	85D26R×2	80D26R×2			
			KC-NQR70PN		1997	-		75D26R×2	75D26R×2	80D26R×2	85D26R×2	115E41R×2			
		KC-NQR70RN	1997	-		75D26R×2	75D26R×2	80D26R×2	85D26R×2	115E41R×2					
		KC-NQR70 T N	1997	-		75D26R×2	75D26R×2	80D26R×2	85D26R×2	115E41R×2					
KC-NQR72GN	4HJ1	1997	-		75D26R×2	75D26R×2	80D26R×2	85D26R×2	80D26R×2						
KC-NQR72LN		1997	-		75D26R×2	75D26R×2	80D26R×2	85D26R×2	115E41R×2						
KC-NQR72P N		1997	-		75D26R×2	75D26R×2	80D26R×2	85D26R×2	115E41R×2						
4800	KC-NQR70PN	4HE1-T	1995	-		75D26R×2	75D26R×2	80D26R×2	85D26R×2	-					
MU	G	2600	E/T-UCS17	4ZE1	1989	1993		50D20R	50D20R	-	80D26R				
			KD-UCS69GW	4JG2	1995	-	WIZARD	115D31R	115D31R	-	80D26R×2				
	D	3100	KD-UCS69DWM	4JG2-T	1993	-	AT	115D31R	115D31R	-	80D26R×2				
					1993	-	MT	115D31R	115D31R	-	80D26R×2				
					1992	-	AT	115D31R	115D31R	-	115D31R				
	2800	Q-UCS55DW(M)	4JD1	1992	-	MT	105D31R	105D31R	115D31R	105D31R					
1991				1992		105D31R	105D31R	115D31R	115D31R						
MU/ WIZARD	G	3200	GF-UES25FW	6VD1	1998	-		75D26L	75D26L	80D26L	85D26L	-			
					D	3000	KH-UES73EW	4JX1	1998	-	TURBO VEHICLE	115D31R	115D31R	-	80D26L×2
									1998	-	TURBO VEHICLE	115D31R	115D31R	-	80D26L×2
PA-NERO	G	1600	E-JT191F	4XE1	1991	1993	MT	34B19L	38B19L	40B19L	42B19L	46B24L			
					1991	1993	AT	46B24L	46B24L	55B24L	60B24L	46B24L			
					1990	1991		46B24L	46B24L	55B24L	60B24L	46B24L			
			1990		1993		34B19L	38B19L	40B19L	42B19L	46B24L				
E-JT191S	D	20000	U-CXG72	12PD1	1989	-		145G51×2	145G51×2	155G51×2	180G51×2	195G51×2			
					1989	-		145G51×2	145G51×2	155G51×2	180G51×2	195G51×2			
					1989	-		145G51×2	145G51×2	155G51×2	180G51×2	195G51×2			
					1990	-	TRACTOR	170F51×2	145G51×2	155G51×2	180G51×2	195G51×2			
U-CXM72	D	20000	U-CXM72	12PD1	1989	-		145G51×2	145G51×2	155G51×2	180G51×2	195G51×2			
					1989	-		145G51×2	145G51×2	155G51×2	180G51×2	195G51×2			
					1989	-		145G51×2	145G51×2	155G51×2	180G51×2	195G51×2			
					1990	-	TRACTOR	170F51×2	145G51×2	155G51×2	180G51×2	195G51×2			
U-CXZ72	D	20000	U-CXZ72	12PD1	1989	-		145G51×2	145G51×2	155G51×2	180G51×2	195G51×2			
					1989	-		145G51×2	145G51×2	155G51×2	180G51×2	195G51×2			
					1989	-		145G51×2	145G51×2	155G51×2	180G51×2	195G51×2			
					1990	-	TRACTOR	170F51×2	145G51×2	155G51×2	180G51×2	195G51×2			
W-EXD72	D	20000	W-EXD72	12PD1	1989	-		145G51×2	145G51×2	155G51×2	180G51×2	195G51×2			
					1989	-		145G51×2	145G51×2	155G51×2	180G51×2	195G51×2			
					1989	-		145G51×2	145G51×2	155G51×2	180G51×2	195G51×2			
					1990	-	TRACTOR	170F51×2	145G51×2	155G51×2	180G51×2	195G51×2			

ISUZU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
TRUCK (B289 810)	D	20000	W-EXR72	12PD1	1990	-	TRACTOR	170F51×2	145G51×2	155G51×2 180G51×2	195G51×2			
			W-EXZ72		1990	-	TRACTOR	170F51×2	145G51×2	155G51×2 180G51×2	195G51×2			
		18000	P-CXG21	12PC1	1983	1990			145G51×2	145G51×2	155G51×2 180G51×2	165G51×2		
			P-CXM21		1988	1989			145G51×2	145G51×2	155G51×2 180G51×2	165G51×2		
			P-CXR21		1983	1989			145G51×2	145G51×2	155G51×2 180G51×2	165G51×2		
			P-CXZ21		1983	1989			145G51×2	145G51×2	155G51×2 180G51×2	165G51×2		
			P-EXD21		1983	1989			145G51×2	145G51×2	155G51×2 180G51×2	165G51×2		
			P-EXR21		1983	1989			145G51×2	145G51×2	155G51×2 180G51×2	165G51×2		
			P-EXZ21		1983	1989			145G51×2	145G51×2	155G51×2 180G51×2	165G51×2		
			16700		U-CXG71	10PD1	1989	-			115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
		U-CXH71		1989	-				115F51×2	115F51×2	130F51×2 150F51×2	145G51×2		
		U-CXK71		1989	-				115F51×2	115F51×2	130F51×2 150F51×2	145G51×2		
		U-CXL71		1989	-				115F51×2	115F51×2	130F51×2 150F51×2	145G51×2		
		U-CXM71		1989	-				115F51×2	115F51×2	130F51×2 150F51×2	145G51×2		
		U-CXW71		1993	-				115F51×2	115F51×2	130F51×2 150F51×2	145G51×2		
		U-CXZ71		1989	-				115F51×2	115F51×2	130F51×2 150F51×2	145G51×2		
		U-CVS71		1993	-				115F51×2	115F51×2	130F51×2 150F51×2	145G51×2		
		U-CVZ71		1993	-				115F51×2	115F51×2	130F51×2 150F51×2	145G51×2		
		U-EXD71		1993	-				115F51×2	115F51×2	130F51×2 150F51×2	195G51×2		
		W-EXR71		1991	-		TRACTOR	115F51×2	115F51×2	130F51×2 150F51×2	195G51×2			
		W-EXD71		1991	-			115F51×2	115F51×2	130F51×2 150F51×2	195G51×2			
		15000		P-CXH19	10PC1		1983	-			115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
				P-CXK19			1983	-			115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			P-CXM19	1983		-			115F51×2	115F51×2	130F51×2 150F51×2	145G51×2		
			P-CVS19	1983		-			115F51×2	115F51×2	130F51×2 150F51×2	145G51×2		
			P-CXW19	1983		-			115F51×2	115F51×2	130F51×2 150F51×2	145G51×2		
			P-CXZ19	1983		-			115F51×2	115F51×2	130F51×2 150F51×2	145G51×2		
			P-EXR19	1983		1990	TRACTOR	115F51×2	115F51×2	130F51×2 150F51×2	145G51×2			

ISUZU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
TRUCK (B289 8 1 0)	D	14000	U-CXM70	8PD1	1989	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			U-CXZ70		1989	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			U-CVR70		1989	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			U-CVZ70		1989	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			P-CXR18	8PC1	1983	1989		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			U-CXG18	6RB1	1989	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			U-CXH18		1989	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			P-CXG18		1986	1989		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			P-CXM18		1983	1989		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			P-CXZ18	1983	1989		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2		
		P-EXR18	1983	1989	TRACTOR	115F51×2	115F51×2	130F51×2 150F51×2	145G51×2			
		12000	U-CXH50	6WA1	1992	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			U-CXM50		1992	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			U-CXZ50		1992	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			U-CXK50		1992	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			U-CXL50		1992	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			U-CXG50		1992	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			P-CXG17		8PC1	1983	1986		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			P-CXK17	1983		1986		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			P-CXM17	1983		1986		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			P-CVR17	1983		1989		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			P-CXG16	6RA1	1983	1986		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			P-CXM16		1983	1986		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
			11000	P-CVR14	6QA1	1983	1989		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			9800	U-CXG23	6SD1	1989	-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
		U-CXH23		1989		-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
		U-CXK23		1989		-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	
		U-CXM23		1989		-		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2	

ISUZU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TRUCK (B289 8 1 0)	D		P-CXG23	6SD1	1986	1989		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			P-CXK23		1986	1989		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			P-CXM23		1986	1989		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			P-CXH23	6RB1	1988	1989		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			P-CXM18		1983	1989		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			P-CXG18		1986	1989		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			P-CXZ18		1983	1989		115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
			P-EXR18		1983	1989	TRACTOR	115F51×2	115F51×2	130F51×2 150F51×2	145G51×2
BUS (L V)	D	19000	KC-LV781	10PE1	1995	-		190H52×2	190H52×2	210H52×2 225H52×2	190H52×2
		17000	U-LV771	10PD1	1990	-		165G51×2	180G51×2	195G51×2	190H52×2
		15000	P-LV719	10PC1	1990	-		165G51×2	180G51×2	195G51×2	190H52×2
		14000	P-LV318	6QB2	1984	1990		145G51×2	145G51×2	155G51×2 180G51×2	190H52×2
		12000	P-LV217	8PC1	1990	-		165G51×2	180G51×2	195G51×2	190H52×2
		11000	P-LV314	6QA2	1984	1990		145G51×2	145G51×2	155G51×2 180G51×2	190H52×2
		6500	P-LT312	6BG1	1990	-		145G51×2	145G51×2	155G51×2 180G51×2	145G51×2
		BUS	D	22800	KC-LV782R1	12PE1-C	1998	-		190H52×2	190H52×2
12PE1-S	1998					-		190H52×2	190H52×2	210H52×2 225H52×2	-
12PE1-C	1998					-		190H52×2	190H52×2	210H52×2 225H52×2	-
19000	KC-LV781N1			10PE1-H	1998	-		190H52×2	190H52×2	210H52×2 225H52×2	-
				10PE1-N	1998	-		190H52×2	190H52×2	210H52×2 225H52×2	-
KC-LV781R1	10PE1-H			1998	-		190H52×2	190H52×2	210H52×2 225H52×2	-	
	10PE1-N			1998	-		190H52×2	190H52×2	210H52×2 225H52×2	-	
	12PE1-S			1998	-		190H52×2	190H52×2	210H52×2 225H52×2	-	
15200	KC-LV780H1			8PE1-S	1998	-		115F51×2	115F51×2	130F51×2 150F51×2	-

SUZUKI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
ALTO(HA24)	G	660	CBA-HA24S	K6A	2004	-		38B20L	38B20L	40B19L 44B19L	-
			DBA-HA24S		2004	-		38B20L	38B20L	40B19L 44B19L	-
			CBA-HA24S		2004	-	4WD	38B20L	38B20L	40B19L 44B19L	-
ALTO(HA23)	G	660	LA-HA23S	K6A	2002	-		28B17L	28B17L	34B17L	38B19L
			UA-HA23S	K6A VVT	2002	-		28B17L	28B17L	34B17L	38B19L
			LA-HA23S	K6A	2002	-	4WD	28B17L	28B17L	34B17L	38B19L
			UE-HA23V	K6A VVT	2002	-	VAN	28B17L	28B17L	34B17L	38B19L
			LE-HA23V	K6A	2002	-	VAN	28B17L	28B17L	34B17L	38B19L
			TA-HA23S		2002	-	LEAN BURN ENGINE	38B20L	38B20L	40B19L 44B19L	38B19L
ALTO/ FRONTE	G	660	E-HA21S	K6A	1994	-		28B17L	34B17L	38B19L 40B19L	40B19L
			E-HB21S		1994	-		28B17L	34B17L	38B19L 40B19L	40B19L
			E-HA11S	F6A	1994	-		28B17L	34B17L	38B19L 40B19L	40B19L
			E-HB11S		1994	-		28B17L	34B17L	38B19L 40B19L	40B19L
			V-HC11V		1994	-		28B17L	34B17L	38B19L 40B19L	40B19L
			V-HD11V		1994	-		28B17L	34B17L	38B19L 40B19L	40B19L
			E-CR22S		1991	1994		28B17L	34B17L	38B19L 40B19L	40B19L
			E-CS22S		1991	1994		28B17L	34B17L	38B19L 40B19L	40B19L
			V-CL22V		1991	1994		28B17L	34B17L	38B19L 40B19L	40B19L
			V-CM22V		1991	1994		28B17L	34B17L	38B19L 40B19L	40B19L

SUZUKI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
			E-CN21S		1990	1991		28B17L	34B17L	38B19L 40B19L	40B19L
			E-CP21S		1990	1991		28B17L	34B17L	38B19L 40B19L	40B19L
			M-CL21V		1990	1991		28B17L	34B17L	38B19L 40B19L	40B19L
			M-CM21V		1990	1991		28B17L	34B17L	38B19L 40B19L	40B19L
		550	M-CL11V	F5B	1988	1990		26A17LT	34A19LT	-	40B19L
			M-CM11V		1988	1990		26A17LT	34A19LT	-	40B19L
			M-CN11S		1988	1990		26A17LT	34A19LT	-	40B19L
			M-CP11S		1988	1990		26A17LT	34A19LT	-	40B19L
			M-CA72V	F5A	1988	1990		28B19L	38B19L	40B19L 42B19L	40B19L
ESCUDO	G	2500	LA-TD62W	H25A	2002	-	V 6	55D23L	75D23L	80D23L	-
ESCUDO	G	2000	LA-TL52W	J20A	2002	-	5 DOOR	55D23L	75D23L	80D23L	-
		2500	E-TD61W	H25A	1996	-		55D23L	55D23L	75D23L 80D23L	55D23L
			GF-TD62W		1998	-		55D23L	55D23L	75D23L 80D23L	55D23L
		2000	GF-TA51W	J20A	1996	-		55D23L	55D23L	75D23L 80D23L	55D23L
			GF-TA52W		1997	-		55D23L	55D23L	75D23L 80D23L	55D23L
			GF-TD51W		1996	-		55D23L	55D23L	75D23L 80D23L	55D23L
			GF-TD52W		1997	-		55D23L	55D23L	75D23L 80D23L	55D23L
			E-TA51W		1996	-		55D23L	55D23L	75D23L 80D23L	55D23L
			E-TD11W	H20A	1994	-		55D23L	55D23L	75D23L 80D23L	55D23L
			E-TA11W		1994	-		55D23L	55D23L	75D23L 80D23L	55D23L

SUZUKI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
		1600	E-TD01W	G16A	1995	-		55B24L	55B24L	60B24L	55B24L			
					1990	1995		55B24R(S)	-	-	55B24R(S)			
			E-TA01W		1995	-		55B24L	55B24L	60B24L	55B24L			
					1988	1995		55B24R(S)	-	-	55B24R(S)			
			E-TA01R		1995	-	CONVERTIBLE	55B24L	55B24L	60B24L	55B24L			
					1988	1995	CONVERTIBLE	55B24R(S)	-	-	55B24R(S)			
			E-TA01V		1995	-	VAN	55B24L	55B24L	60B24L	55B24L			
					1988	1995	VAN	55B24R(S)	-	-	55B24R(S)			
			D		2000	KD-TA31W	RF	1994	-		115D31L	115D31L	-	115D31L
								1994	-		115D31L	115D31L	-	115D31L
GRAND ESCUDO	G	2700	LA-TX92W	H27A	2002			75D23L	75D23L	80D23L	-			
			UA-TX92W		2003		5AT	75D23L	75D23L	80D23L	-			
EVERY / CARRY	G	660	V-DC51B/T	F6A	1991	-		28B17R	34B17R	38B19R 40B19R	40B19R			
			V-DD51T		1991	-		28B17R	34B17R	38B19R 40B19R	40B19R			
					1991	-		28B17R	34B17R	38B19R 40B19R	40B19R			
			V-DE51V		1991	-		28B17R	34B17R	38B19R 40B19R	40B19R			
			V-DF51V		1991	-		28B17R	34B17R	38B19R 40B19R	40B19R			
					1990	-		28B19R	38B19R	40B19R 42B19R	40B19R			
			M-DA51B/T		1990	-		28B19R	38B19R	40B19R 42B19R	40B19R			
			M-DA51V		1990	-		28B19R	38B19R	40B19R 42B19R	40B19R			
			M-DB51T/V		1990	-		28B19R	38B19R	40B19R 42B19R	40B19R			
			550		M-DA41B/T	F5B	1990	-		26A19R	28A19R	30A19R 34A19R	40B19R	

SUZUKI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
EVERY / CARRY	G		M-DA41V	F5B	1989	1990		26A19R	28A19R	30A19R 34A19R	40B19R
			M-DB41T/V		1989	1990		26A19R	28A19R	30A19R 34A19R	40B19R
			M-DA71V/T	F5A	1986	1990		26A19R	28A19R	30A19R 34A19R	40B19R
			M-DA71B		1986	1990		26A19R	28A19R	30A19R 34A19R	40B19R
			M-DB71T/V	F5A	1986	1990		26A19R	28A19R	30A19R 34A19R	40B19R
EVERY PLUS	G	1300	GF-DA32W	G13B	1999	-		55B24L		60B24L	
AERIO	G	1800	LA-RD51S	M8A	2003	-	2WD · 4WD	55B24L	55B24L	60B24L	55B24L
					2003	-	4WD	55B24L	55B24L	60B24L	-
		1500	LA-RB21S UA-RB21S	M5A	2003	-		55B24L	55B24L	60B24L	-
					2003	-		55B24L	55B24L	60B24L	-
AERIO SEDAN	G	1800	LA-RC51S	M8A	2003	-	4WD	55B24L	55B24L	60B24L	-
			1500		UA-RA21S	M5A	2003	-		55B24L	55B24L
		LA-RA21S		2003	-			55B24L	55B24L	60B24L	-
CAPPUCINO	G	660	E-EA11R	K6A	1995	-		38B20L	40B19L	42B19L 44B20L	40B19L
			E-EA21R		F6A	1991	1995		38B20L	40B19L	42B19L 44B20L
CULTUS	G	1600	E-AH14S	G16A	1989	1991	AT	38B20R	40B19R	42B19R 44B20R	55B24R
					1989	1991	MT	28B19R	38B19R	40B19R 42B19R	55B24R
							38B20R	40B19R	42B19R 44B20R	55B24R	
			E-AJ14S		1989	1991		38B20R	40B19R	42B19R 44B20R	55B24R
		1500	E-AH64S	G15A	1991	1995		38B20R	40B19R	42B19R 44B20R	55B24R
					E-AJ64S	1991	1995		38B20R	40B19R	42B19R 44B20R
		1300	E-AF34S	G13B	1991	-		38B20R	40B19R	42B19R 44B20R	55B24R

SUZUKI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
			E-AK34S		1989	1991		28B19R	38B19R	40B19R 42B19R	55B24R
					1992	1993	AT	55B24R	55B24R	60B24R	55B24R
			1992		1993	M	38B20R	40B19R	42B19R 44B20R	55B24R	
			1991		-		38B20R	40B19R	42B19R 44B20R	55B24R	
			1988		1991		28B19R	38B19R	40B19R 42B19R	55B24R	
			1991		-		38B20R	40B19R	42B19R 44B20R	55B24R	
			1988		1991		28B19R	38B19R	40B19R 42B19R	55B24R	
			1991		-		38B20R	40B19R	42B19R 44B20R	55B24R	
			1988		1991		28B19R	38B19R	40B19R 42B19R	55B24R	
			1000		E-AA44S	G10	1988	-		28B19R	38B19R
CULTUS	G		E-AB44S	G10	1988	-		28B19R	38B19R	40B19R 42B19R	55B24R
CULTUS CRESCENT	G	1600	E-GB31S	G16A	1996	-		55B24L	55B24L	60B24L	55B24L
			E-GA21S	G15A	1995	-		38B20L	40B19L	42B19L 44B20L	55B24L
		1500	E-GB21S	G15A	1995	-		38B20L	40B19L	42B19L 44B20L	55B24L
			E-GC21S	G15A	1995	-		38B20L	40B19L	42B19L 44B20L	55B24L
			E-GD21S	G15A	1995	-		38B20L	40B19L	42B19L 44B20L	55B24L
		1300	E-GA11S	G13A	1995	-		38B20L	40B19L	42B19L 44B20L	55B24L
CARE	G	660	E-PG6SS	F6A	1993	-		38B20L	40B19L	42B19L 44B20L	40B19L
CHEVROLET- CRUZE	G	1500	UA-HR82S	M15A	2003	-		46B24L	46B24L	55B24L 60B24L	46B24L
			LA-HR82S	M15A	2003	-	4WD	46B24L	46B24L	55B24L 60B24L	46B24L

SUZUKI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
		1300	LA-HR51S	M3A	2003	-		46B24L	46B24L	55B24L 60B24L	46B24L
			UA-HR52S		2003	-		46B24L	46B24L	55B24L 60B24L	46B24L
			LA-HR52S		2003	-	4WD	46B24L	46B24L	55B24L 60B24L	46B24L
		1500	LA-HR81S	M5A	2001	-		46B24L	55B24L	60B24L	46B24L
		1300	LA-HR51S	M3A	2001	-		46B24L	55B24L	60B24L	46B24L
		JIMNY	G	660	TA-JB23W	K6A	2002	-		38B20R	38B20R
JIMNY	G	1300	E-JB31W	G13B	1993	-		55B24R	55B24R	60B24R	55B24R
			E-JB33W		1997	-	WIDE	55B24R	55B24R	60B24R	55B24R
		660	E-JA22W	K6A	1996	-		28B17R	34B17R	38B19R 40B19R	40B19R
					28B19R	38B19R	40B19R 42B19R	40B19R			
			V-JA11C	F6A	1992	-		28B19R	38B19R	40B19R 42B19R	40B19R
			V-JA11V		1992	-		28B19R	38B19R	40B19R 42B19R	40B19R
			M-JA11C	1990	1992		28B19R	38B19R	40B19R 42B19R	40B19R	
			M-JA11V	1990	1992		28B19R	38B19R	40B19R 42B19R	40B19R	
		550	M-JA71C	F5A	1986	1990		26A19R	28A19R	30A19R 34A19R	40B19R
			M-JA71V		1986	1990		26A19R	28A19R	30A19R 34A19R	40B19R
JIMNY (JB)	G	1300	TA-JB43W	M3A	2002	-		55B24R	55B24R	60B24R	-
SWIFT SPORTS	G	1500	TA-HT81S	M5A	2003	-		46B24L	46B24L	55B24L 60B24L	-

SUZUKI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
SWIFT	G	1300	LA-HF51S	M3A	2002	-		46B24L	46B24L	55B24L 60B24L	-		
CERVO / CERVO MDE	G	660	E-CN22S	F6A	1990	-		28B17L	34B17L	38B19L 40B19L	40B19L		
			E-CP22S		1990	-		28B17L	34B17L	38B19L 40B19L	40B19L		
			E-CN32S	F6B	1990	-		28B17L	34B17L	38B19L 40B19L	40B19L		
			E-CP32S		1990	-		28B17L	34B17L	38B19L 40B19L	40B19L		
			E-CN21S	F6A	1990	-		28B17L	34B17L	38B19L 40B19L	40B19L		
			E-CN31S	F6B	1990	-		28B17L	34B17L	38B19L 40B19L	40B19L		
			E-CP31S	F6A	1990	-		28B17L	34B17L	38B19L 40B19L	40B19L		
			E-SS40C	F5A	1987	1990		26A19L	28A19L	30A19L 34A19L	40B19L		
		550	M-CG72V	F5B	1988	1990		26A17LT	34A19LT	-	40B19L		
			M-CH72V		1988	1990		26A17LT	34A19LT	-	40B19L		
		TWIN	G	660	UA-EC22S	K6A	2003	-		38B20L	38B20L	40B19L 44B19L	-
					UA-EC22S改		2003	-	HYBRID FT7C- HEV × 16	38B20L	38B20L	40B19L 44B19L	-
					ZA-EC22S		2004	-	HYBRID FT7C- HEV × 17	38B20L	38B20L	40B19L 44B19L	-
LAPIN	G	660	UA-HE21S	K6A	2002	-		38B20L	38B20L	40B19L 44B19L	-		
			LA-HE21S		2002	-	4WD	38B20L	38B20L	40B19L 44B19L	-		
			TA-HE21S		2002	-	TURBO	38B20L	38B20L	40B19L 44B19L	-		
					2003	-	LAPIN SS	38B20L	38B20L	40B19L 44B19L	-		

SUZUKI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
WAGON R (MH21 · MC21 · 22)	G	660	UA-MH21S	K6A	2003			38B20L	38B20L	40B19L 44B19L	-
			LA-MH21S		2003			38B20L	38B20L	40B19L 44B19L	-
					2003		RR	38B20L	38B20L	40B19L 44B19L	-
			UA-MH21S		2003		RR-DI	38B20L	38B20L	40B19L 44B19L	-
			UA-MC22S		2002			28B17L	28B17L	34B17L	38B19L
			LA-MC22S		2002		4WD	28B17L	28B17L	34B17L	38B19L
			TA-MC22S		2002		RR	28B17L	28B17L	34B17L	38B19L
					2002		TURBO	28B17L	28B17L	34B17L	38B19L
WAGON R	G	1000	E-MA61S	K10A	1997	-		38B20L	40B19L	42B19L 44B20L	55B24L
WAGON R	G	1000	E-MB61S	K10A	1997	-		38B20L	40B19L	42B19L 44B20L	55B24L
			E-CT51S	K6A	1996	-		28B17L	34B17L	38B19L 40B19L	40B19L
							28B17L	34B17L	38B19L 40B19L	40B19L	
			E-CV51S		1996	-		28B17L	34B17L	38B19L 40B19L	40B19L
			E-CT21S	F6A	1993	-		28B17L	34B17L	38B19L 40B19L	40B19L
E-CV21S		1993	-		28B17L	34B17L	38B19L 40B19L	40B19L			
WAGON R SOLIO	G	1300	LA-MA34S	M3A	2002	-		46B24L	46B24L	55B24L 60B24L	-
							4WD	46B24L	46B24L	55B24L 60B24L	-
		1000	LA-MA64S	K10A	2002	-		46B24L	46B24L	55B24L 60B24L	-
							4WD	46B24L	46B24L	55B24L 60B24L	-
Kei	G	660	UA-HN22S	K6A	2002	-		38B20L	38B20L	40B19L 44B19L	-

SUZUKI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
			TA-HN22S		2002			38B20L	38B20L	40B19L 44B19L	-	
					2002	-	4WD	38B20L	38B20L	40B19L 44B19L	-	
					2002	-	Works	38B20L	38B20L	40B19L 44B19L	-	
					2002	-	Works · 4WD	38B20L	38B209L	40B19L 44B19L	-	
			LA-HN22S		2001	-		38B20L	38B19L	40B19L 42B19L 44B19L	38B20L	
					2001	-	DJ 2WD	38B20L	38B19L	40B19L 42B19L 44B19L	38B20L	
			TA-HN12S		F6A	2001	-	DJ 4WD	38B20L	38B19L	40B19L 42B19L 44B19L	38B20L
						2001	-	G · SPECIAL EX	38B20L	38B19L	40B19L 42B19L 44B19L	38B20L
			TA-HN22S		K6A	2001	-	Sport	38B20L	38B19L	40B19L 42B19L 44B19L	38B20L
			X-90		G	1600	E-LB11S	G16A	1995	-		55B24L
MR wagon	G	660	UA-MF21S	K6A	2004	-		38B20L	38B20L	40B19L 44B19L	-	
			IA-MF21S		2004	-	4WD	38B20L	38B20L	40B19L 44B19L	-	
			TA-MF21S		2004	-	4WD TURBO	38B20L	38B20L	40B19L 44B19L	-	
MR wagon	G	660	TA-MF21S	K6A	2004	-	TURBO	38B20L	38B20L	40B19L 44B19L	-	

SUBARU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
ALSI ONE	G	3300	E-CXD/CXW	EG33	1991	-		80D26R	80D26R	85D26R 90D26R	80D26R
		2700	E-AX9	ER27	1987	1991		75D23R	75D23R	80D23R	75D23R
		1800	E-AX4	EA82	1987	1991	AT	46B24R	46B24R	55B24R 60B24R	75D23R
					1987	1991	MT	38B20R	40B19R	42B19R 44B20R	46B24R
		E-AX7		1987	1991		75D23R	75D23R	80D23R	75D23R	
IMPREZA	G	2000	TA-GDA	EJ20	2000	-	4WD AT	65D23L	75D23L	80D23L	-
					2000	-	4WD AT	65D23L	75D23L	80D23L	-
			2000		-	4WD MT	55D23L	55D23L	75D23L 80D23L	-	
			2000		-	4WD MT	55D23L	55D23L	75D23L 80D23L	-	
			2003		-	4WD AT	65D23L	75D23L	80D23L	-	
			2003		-	4WD MT	55D23L	55D23L	75D23L 80D23L	-	
		1500	LA-GD2	EJ15	2003	-	2WD AT	50D20L	50D20L	55D23L 75D23L	-
					2003	-	2WD MT	34B19L	38B19L	40B19L 44B19L	-
			LA-GD3		2003	-	4WD AT	55D23L	55D23L	75D23L 80D23L	-
					2003	-	4WD MT	50D20L	50D20L	55D23L 75D23L	-
LA-GD2	2004	-	2WD	34B19L	38B19L	40B19L 44B19L	-				
LA-GD3	2004	-	4WD	55D23L	55D23L	75D23L 80D23L	-				
IMPREZA	G	2000	E-GC8	EJ20K	1996	-	AT	75D23L	75D23L	80D23L	75D23L
					1996	-	MT	55D23L	55D23L	75D23L 80D23L	55D23L
				EJ20	1995	-	AT	75D23L	75D23L	80D23L	75D23L
					1995	-	MT	55D23L	55D23L	75D23L 80D23L	55D23L
			EJ20G	1992	1995	AT	75D23L	75D23L	80D23L	75D23L	
				1992	1995	MT	55D23L	55D23L	75D23L 80D23L	55D23L	
			E-GF8	EJ20K	1996	-	AT	75D23L	75D23L	80D23L	75D23L
					1996	-	MT	55D23L	55D23L	75D23L 80D23L	55D23L
				EJ20	1996	-	AT	75D23L	75D23L	80D23L	75D23L
					1996	-	MT	55D23L	55D23L	75D23L 80D23L	55D23L
			EJ20G	1993	1995	AT	75D23L	75D23L	80D23L	75D23L	
				1993	1995	MT	55D23L	55D23L	75D23L 80D23L	55D23L	
1800	E-GF5	EJ18J	1996	-	AT	55D23L	55D23L	75D23L 80D23L	75D23L		
IMPREZA	G	1800	E-GF5	EJ18J	1996	-	MT	34B19L	38B19L	40B19L 42B19L	55D23L
					E-GF6	1996	-	AT	75D23L	75D23L	80D23L
			EJ18E			1992	-	AT	75D23L	75D23L	80D23L
					1992	-	MT	55D23L	55D23L	75D23L 80D23L	55D23L
			E-GC6/GFA		1992	-	AT	75D23L	75D23L	80D23L	75D23L
					1992	-	MT	55D23L	55D23L	75D23L 80D23L	55D23L
		1600	E-GC4	EJ16E	1992	-		65D23L	75D23L	80D23L	75D23L
					1992	-		46B24L	46B24L	55B24L 60B24L	46B24L
			E-GF3		1992	-	AT	46B24L	46B24L	55B24L 60B24L	75D23L
					1992	-	MT	34B19L	38B19L	40B19L 42B19L	46B24L
1500	E-GC1	EJ15J	1996	-	AT	50D20L	50D20L	-	75D23L		

SUBARU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
IMPREZA				EJ15E	1996	-	MT	34B19L	38B19L	40B19L 42B19L	50D20L
					1992	-	AT	46B24L	46B24L	55B24L 60B24L	75D23L
					1992	-	MT	34B19L	38B19L	40B19L 42B19L	46B24L
			E-GC2/GF2	EJ15J	1996	-	AT	65D23L	75D23L	80D23L	75D23L
					1996	-	MT	50D20L	50D20L	-	50D20L
			E-GF1		1996	-	AT	50D20L	50D20L	-	75D23L
					1996	-	MT	34B19L	38B19L	40B19L 42B19L	50D20L
IMPREZA WRX	G	2000	TA-GGA	EJ20	2004	-	4WD 5MT	55D23L	55D23L	75D23L 80D23L	-
					2004	-	4WD E-4MT	65D23L	75D23L	80D23L	-
			GH-GDB		2004	-	4WD 6MT	55D23L	55D23L	75D23L 80D23L	-
IMPREZA WRXSti Spec C	G	2000	GH-GDB	EJ20	2003	-	4WD 6MT	34B19L	38B19L	40B19L 44B19L	-
IMPREZA WRXSti	G	2000	GH-GDB	EJ20	2000	-		55D23L	55D23L	75D23L 80D23L	-
					2003	-	4WD 6MT	55D23L	55D23L	75D23L 80D23L	-
IMPREZA SPORTS WAGON (GG)	G	2000	LA-GGA	EJ20	2000	-	AT	65D23L	75D23L	80D23L	-
			LA-GG9		2000	-	AT	65D23L	75D23L	80D23L	-
			LA-GGA		2000	-	MT	55D23L	55D23L	75D23L 80D23L	-
			LA-GG9		2000	-	MT	55D23L	55D23L	75D23L 80D23L	-
IMPREZA SPORTS WAGON (GG)	G	2000	GH-GGB	EJ20	2000	-		55D23L	55D23L	75D23L 80D23L	-
			TA-GG9		2003	-	4WD AT	65D23L	75D23L	80D23L	-
			TA-GGA		2003	-	4WD AT	65D23L	75D23L	80D23L	-
			TA-GG9		2003	-	4WD MT	55D23L	55D23L	75D23L 80D23L	-
			TA-GGA		2003	-	4WD MT	55D23L	55D23L	75D23L 80D23L	-
		1600	LA-GG3	EJ16	2000	-	AT	55D23L	55D23L	75D23L 80D23L	-
			2000		-	MT	50D20L	50D20L	55D23L 75D23L	-	
		1500	LA-GG2	EJ15	2000	-	AT	55D23L	55D23L	75D23L 80D23L	-
					2000	-	MT	50D20L	50D20L	55D23L 75D23L	-
					2003	-	2WD AT	50D20L	50D20L	55D23L 75D23L	-
			2003		-	2WD MT	34B19L	38B19L	40B19L 44B19L	-	
			TA-GG3		2003	-	4WD AT	55D23L	55D23L	75D23L 80D23L	-
			LA-GG3		2003	-	4WD MT	50D20L	50D20L	55D23L 75D23L	-
			2004		-	2WD	34B19L	38B19L	40B19L 44B19L	-	
			LA-GG2		2004	-	2WD	34B19L	38B19L	40B19L 44B19L	-
2004	-		4WD		55D23L	55D23L	75D23L 80D23L	-			
LA-GG3	2004	-	4WD	55D23L	55D23L	75D23L 80D23L	-				
VIVIO	G	660	E-KY3	EN07	1993	-	T TOP	26B17L	34B17L	38B19L 40B19L	40B19L
			E-KK3/KW3		1992	1995		26B17L	34B17L	38B19L 40B19L	40B19L

SUBARU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
VIVIO			E-KK4/KW4		1992	1995	4WD	38B20L	40B19L	42B19L 44B20L	40B19L
SAMBAR (TT • TV • TW)	G	660	GD-TV2	EN07	2001	-	4WD • PANEL VAN	38B20L	38B19L	40B19L 44B19L	38B19L
					2001	-	4WD • W THOUT POWER STEER	26B17L	34B17L	38B19L 40B19L	38B19L
			GD-TT2		2001	-	4WD • W THOUT POWER STEER	26B17L	34B17L	38B19L 40B19L	38B19L
			GD-TV2		2001	-	4WD • W TH POWER STEER	38B20L	38B19L	40B19L 44B19L	38B19L
SAMBAR (TT • TV • TW)	G	660	GD-TT2	EN07	2001	-	4WD • W TH POWER STEER	38B20L	38B19L	40B19L 44B19L	38B19L
			TA-TW2		2001	-	4WD • W TH POWER STEER	38B20L	38B19L	40B19L 44B19L	38B19L
			GD-TV1		2001	-	PANEL VAN	26B17L	34B17L	38B19L 40B19L	38B19L
			GD-TT1		2001	-	WITHOUT POWER STEER	26B17L	34B17L	38B19L 40B19L	38B19L
			GD-TV1		2001	-	WITHOUT POWER STEER	26B17L	34B17L	38B19L 40B19L	38B19L
			GD-TT1		2001	-	WITH POWER STEER	38B20L	38B19L	40B19L 44B19L	38B19L
			GD-TV1		2001	-	WITH POWER STEER	38B20L	38B19L	40B19L 44B19L	38B19L
			TA-TW1		2001	-	WITH POWER STEER	38B20L	38B19L	40B19L 44B19L	38B19L
SAMBAR	G	660	V-KS2/KS3	EN07	1990	-		26B17L	34B17L	38B19L 40B19L	40B19L
			V-KS4/KV4		1990	-		38B20L	40B19L	42B19L 44B20L	40B19L
		550	V-KV3	EK23	1990	-		26B17L	34B17L	38B19L 40B19L	40B19L
			M-KR1/KR5		1987	1990		26B17R	34B17R	38B19R 40B19R	40B19R
			M-KR6/KT6		1987	1990		38B20R	40B19R	42B19R 44B20R	40B19R
			M-KT1		1987	1990		26B17R	34B17R	38B19R 40B19R	40B19R
SAMBAR TRUCK	G	660	LE-TV1	EN07	2002	-		26B17L	34B17L	38B19L 40B19L	38B19L
			LE-TT1		2002	-		26B17L	34B17L	38B19L 40B19L	38B19L
		LE-TT2	EN07 (SC)	2002	-	4WD	38B19L	38B19L	40B19L 44B19L	-	
		LE-TV2	EN07	2002	-	4WD	26B17L	34B17L	38B19L 40B19L	-	
		LE-TT2	EN07	2002	-	4WD	38B19L	38B19L	40B19L 44B19L	-	
SAMBAR VAN	G	660	LE-TV1	EN07	2002	-		26B17L	34B17L	38B19L 40B19L	38B19L
			LE-TV2		2002	-	4WD	38B19L	38B19L	40B19L 44B19L	-
DIAS WAGON	G	660	TA-TW1	EN07	2002	-		26B17L	34B17L	38B19L 40B19L	38B19L
				EN07 (SC)	2002	-		26B17L	34B17L	38B19L 40B19L	38B19L

SUBARU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
DIAS WAGON	G	660	TA-TW2	EN07 (SC)	2002	-	4WD	38B19L	38B19L	40B19L 44B19L	-
				EN07	2002	-	4WD	38B19L	38B19L	40B19L 44B19L	-
DOM NGO	G	1200	E-FA7	EF12	1995	-		34B19L	38B19L	40B19L 42B19L	55B24L
			E-FA8		1995	-	4WD	55B24L	55B24L	60B24L	55B24L
					1994	-		34B19L	38B19L	40B19L 42B19L	55B24L
			E-KJ8		1986	1994		55B24L	55B24L	60B24L	55B24L
		1000	E-KJ5	EF10	1983	1994		34B19L	38B19L	40B19L 42B19L	55B24L
			E-KJ6		1983	1994		46B24L	46B24L	55B24L 60B24L	55B24L
FORESTER (SF · SG)	G	2000	GF-SF5	EJ20	2001	-	AT S/20typeA	65D23L	75D23L	80D23L	-
					2001	-	Mf S/20typeA	55D23L	55D23L	75D23L 80D23L	-
		2500	TA-SG9	EJ25	2004	-		65D23L	75D23L	80D23L	-
		2000	TA-SG5	EJ20	2002	-	AT	65D23L	75D23L	80D23L	-
					2002	-	AT Turbo	65D23L	75D23L	80D23L	-
					2002	-	Mf	55D23L	55D23L	75D23L 80D23L	-
					2002	-	Mf Turbo	55D23L	55D23L	75D23L 80D23L	-
					2003	-	AT CROSS SPORTS2.0i	65D23L	75D23L	80D23L	-
					2003	-	Mf CROSS SPORTS2.0i	55D23L	55D23L	75D23L 80D23L	-
					2004	-	AT	65D23L	75D23L	80D23L	-
2004	-				Mf	55D23L	55D23L	75D23L 80D23L	-		
FORESTER	G	2500	GF-SF9	EJ25	1998	-		75D23L	75D23L	80D23L	-
		2000	GF-SF5	EJ20	1998	-	AT	65D23L	75D23L	80D23L	-
					1998	-	Mf	55D23L	55D23L	75D23L 80D23L	-
					1997	1998	AT	75D23L	75D23L	80D23L	75D23L
					1997	1998	Mf	55D23L	55D23L	75D23L 80D23L	55D23L
PLEO	G	660	TR-RA2	EN07	2001	-	4WD iCVT	44B20L	44B19L	44B19L	44B19L
					2001	-	4WD Mf	38B19L	38B19L	40B19L 44B19L	38B19L
					2004	-	5Mf 4WD	26B17L	34B17L	38B19L 40B19L	38B19L
					2004		iCVT 4WD	38B19L	38B19L	40B19L 44B19L	44B19L
			TR-RA1		2001	-	iCVT	38B19L	38B19L	40B19L 44B19L	44B19L
					2001	-	Mf	26B17L	34B17L	38B19L 40B19L	38B19L
					PLEO	G	660	TR-RA1	EN07	2004	-
2004	-	5Mf	26B17L	34B17L						38B19L 40B19L	38B19L
2004	-	iCVT	38B19L	38B19L						40B19L 44B19L	44B19L
2004	-	5Mf 4WD	26B17L	34B17L						38B19L 40B19L	38B19L
LE-RV1	G	660	LE-RV1	EN07	2004		iCVT 4WD	38B19L	38B19L	40B19L 44B19L	44B19L
					1998	-	iCVT	38B20L	40B19L	42B19L 44B20L	44B20L
					1998	-	Mf	26B17L	34B17L	38B19L 40B19L	38B20L
					1998	-	iCVT	38B20L	40B19L	42B19L 44B20L	44B20L
GD-RV1	G	660	GD-RV1	EN07	1998	-	Mf	26B17L	34B17L	38B19L 40B19L	38B20L
					1998	-	iCVT	38B20L	40B19L	42B19L 44B20L	44B20L
GD-RV2	G	660	GD-RV2	EN07	1998	-	Mf	26B17L	34B17L	38B19L 40B19L	38B20L
					1998	-	iCVT	38B20L	40B19L	42B19L 44B20L	44B20L

SUBARU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
PLEO			GF-RA1		1998	-	i CVT	38B20L	40B19L	42B19L 44B20L	44B20L			
					1998	-	MT	26B17L	34B17L	38B19L 40B19L	38B20L			
			GF-RA2		1998	-	i CVT	38B20L	40B19L	42B19L 44B20L	44B20L			
					1998	-	MT	26B17L	34B17L	38B19L 40B19L	38B20L			
			GF-RV1		1998	-	i CVT	38B20L	40B19L	42B19L 44B20L	44B20L			
					1998	-	i CVT	38B20L	40B19L	42B19L 44B20L	44B20L			
			GF-RV2		2001	-	4WD i CVT	44B20L	44B19L	44B19L	44B19L			
			TR-RA2		2001	-	4WD MT	38B19L	38B19L	40B19L 44B19L	38B19L			
			TR-RA1		2001	-	i CVT	38B19L	38B19L	40B19L 44B19L	44B19L			
					2001	-	MT	26B17L	34B17L	38B19L 40B19L	38B19L			
PLEO NESTA	G	660	TA-RA2	EN07	2002	-	4WD	38B19L	38B19L	40B19L 44B19L	-			
			TR-RA1		2002	-	MT	26B17L	34B17L	38B19L 40B19L	38B19L			
			TR-RA2		2001	-	4WD i CVT	44B20L	44B19L	44B19L	44B19L			
			LA-RA2		2001	-	4WD MT	38B19L	38B19L	40B19L 44B19L	38B19L			
			TR-RA1		2001	-	i CVT	38B19L	38B19L	40B19L 44B19L	44B19L			
			LA-RA1		2001	-	MT	26B17L	34B17L	38B19L 40B19L	38B19L			
			GF-RA1		1999	-		40B19L	40B19L	44B19L	40B19L			
PLEO VAN	G	660	LE-RV2	EN07	2001	-	4WD i CVT	44B20L	44B19L	44B19L	44B19L			
PLEO VAN	G	660	LE-RV2	EN07	2001	-	4WD MT	38B19L	38B19L	40B19L 44B19L	38B19L			
			LE-RV1		2001	-	i CVT	38B19L	38B19L	40B19L 44B19L	44B19L			
					2001	-	MT	26B17L	34B17L	38B19L 40B19L	38B19L			
LEONE	G	1600	E-AA2/AP2	EA71	1984	1992	AT	46B24R	46B24R	55B24R 60B24R	75D23R			
					1984	1992	MT	34B19R	38B19R	40B18R 42B19R	46B24R			
			E-AA3		1984	1992	AT	55B24R	55B24R	60B24R	55B24R			
					1984	1992	MT	46B24R	46B24R	55B24R 60B24R	46B24R			
		1500	R-CVF(N)Y10		GA15DE	1994	-	AT	34B19L	38B19L	40B19L 42B19L	75D26L		
						1994	-	MT	34B19L	38B19L	40B19L 42B19L	55D23L		
			D		1700	KA-CVSNY10	CD17	1994	-		75D31L	95D31L	105D31L 115D31L	115D31L
		LEGACY	G		2500	GF-BH9	EJ254	1998	-	AT	75D23L	75D23L	80D23L	-
1998	-			MT				55D23L	55D23L	75D23L 80D23L	-			
1998	-			AT				75D23L	75D23L	80D23L	-			
1998	-			MT				55D23L	55D23L	75D23L 80D23L	-			
E-BG9	EJ25D			1995		-			75D23L	75D23L	80D23L	75D23L		
				1995		-			75D23L	75D23L	80D23L	75D23L		
				1995		-			75D23L	75D23L	80D23L	75D23L		
				1994		-			75D23L	75D23L	80D23L	75D23L		
						EJ25	1995	-		75D23L	75D23L	80D23L	75D23L	
2200	E-BG7/BGB			EJ22E	1993	-		75D23L	75D23L	80D23L	75D23L			
	E-BF7/BFB			EJ22	1992	1993		46B24L	46B24L	55B24L 60B24L	75D23L			
2000	GF-BH5			EJ201	1998	-	AT	75D23L	75D23L	80D23L	-			
		1998	-		MT	55D23L	55D23L	75D23L 80D23L	-					

SUBARU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
LEGACY				EJ204	1998	-	AT	75D23L	75D23L	80D23L	-	
					1998	-	MT	55D23L	55D23L	75D23L 80D23L	-	
				EJ206	1998	-	AT	75D23L	75D23L	80D23L	-	
					1998	-	MT	55D23L	55D23L	75D23L 80D23L	-	
				EJ208	1998	-	AT	75D23L	75D23L	80D23L	-	
					1998	-	MT	55D23L	55D23L	75D23L 80D23L	-	
			E-BD4	EJ20D	1995	-	AT	46B24L	46B24L	55B24L 60B24L	75D23L	
					1995	-	MT	34B19L	38B19L	40B19L 42B19L	55D23L	
					1993	1995	AT	75D23L	75D23L	80D23L	75D23L	
			LEGACY	G	2000	E-BD4	EJ20E	1993	1995	MT	46B24L	46B24L
1993	1995	AT						75D23L	75D23L	80D23L	75D23L	
E-BD5	EJ20D	1995				-	AT	75D23L	75D23L	80D23L	75D23L	
		1995				-	MT	55D23L	55D23L	75D23L 80D23L	75D23L	
E-BG4	EJ20E	1993				-	AT	46B24L	46B24L	55B24L 60B24L	75D23L	
		1993				-	MT	34B19L	38B19L	40B19L 42B19L	55D23L	
E-BG5	EJ20D/H	1995				-	AT	75D23L	75D23L	80D23L	75D23L	
		1995				-	MT	55D23L	55D23L	75D23L 80D23L	55D23L	
		1993				1995	AT	75D23L	75D23L	80D23L	75D23L	
	EJ20E	1993				1995	MT	55D23L	55D23L	75D23L 80D23L	75D23L	
		1993				-	AT	75D23L	75D23L	80D23L	75D23L	
		1993				-	MT	55D23L	55D23L	75D23L 80D23L	75D23L	
E-BGA	EJ20E	1993				-		75D23L	75D23L	80D23L	75D23L	
E-BF4	EJ20	1992				1993		46B24L	46B24L	55B24L 60B24L	75D23L	
E-BC4		1989				1993	AT	46B24L	46B24L	55B24L 60B24L	75D23L	
		1989				1993	MT	34B19L	38B19L	40B19L 42B19L	55D23L	
E-BC5		1989				1993	AT	75D23L	75D23L	80D23L	75D23L	
		1989				1993	MT	55D23L	55D23L	75D23L 80D23L	55D23L	
E-BCA		1990				1993	AT	75D23L	75D23L	80D23L	75D23L	
		1990				1993	MT	55D23L	55D23L	75D23L 80D23L	55D23L	
E-BF5/BFA		1989				1993		75D23L	75D23L	80D23L	75D23L	
	1989	1993					55D23L	55D23L	75D23L 80D23L	55D23L		
E-BD2	EJ18E	1994				1995	AT	46B24L	46B24L	55B24L 60B24L	75D23L	
		1994				1995	MT	34B19L	38B19L	40B19L 42B19L	55D23L	
		E-BD3/BG3				1995	-	AT	75D23L	75D23L	80D23L	75D23L
						1995	-	MT	55D23L	55D23L	75D23L 80D23L	55D23L
		1994				1995	AT	46B24L	46B24L	55B24L 60B24L	75D23L	
		1994				1995	MT	34B19L	38B19L	40B19L 42B19L	55D23L	

SUBARU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
LEGACY	G	1800	E-BC2	EJ18	1989	1993	AT	46B24L	46B24L	55B24L 60B24L	75D23L
					1989	1993	MT	34B19L	38B19L	40B19L 42B19L	55D23L
			E-BC3/BF3		1989	1993	AT	75D23L	75D23L	80D23L	75D23L
					1989	1993	MT	55D23L	55D23L	75D23L 80D23L	55D23L
LEGACY (BP)	G	3000	UA-BPE	EZ30	2003	-	3. OR E-5AT · 3. OR ADA	55D23L	55D23L	75D23L 80D23L	75D23L
			CBA-BPE		2004	-	5AT	55D23L	55D23L	75D23L 80D23L	75D23L
		2000	UA-BP5	EJ20	2003	-	4 A T	55D23L	55D23L	75D23L 80D23L	65D23L
			TA-BP5		2003	-	5 A T · 4 A T · 5 M T	55D23L	55D23L	75D23L 80D23L	65D23L
					2004	-	5AT · 4AT	50D20L	50D20L	55D23L 75D23L	65D23L
			CBA-BP5		2004	-	5MT	50D20L	50D20L	55D23L 75D23L	65D23L
LEGACY (BH)	G	2500	TA-BH9	EJ25	2002	-	A T	75D23L	75D23L	80D23L	-
		2000	TA-BH5	EJ20	2002	-	A T	65D23L	75D23L	80D23L	-
						2002	-	M T	55D23L	65D23L	75D23L 80D23L
LEGACY 6B4	G	3000	LA-BHE	EZ30	2002	-		75D23L	75D23L	80D23L	-
			LA-BEE		2002	-		75D23L	75D23L	80D23L	-
LEGACY B4	G	2500	TA-BE9	EJ25	2002	-	SEDAN 4WD AT	75D23L	75D23L	80D23L	-
			2000	TA-BE5	EJ20	2002	-	SEDAN 4WD AT	55D23L	55D23L	75D23L 80D23L
		2002				-	SEDAN 4WD MT	65D23L	75D23L	80D23L	-
		3000	UA-BLE	EZ30	2003	-	3. OR E-5AT	55D23L	55D23L	75D23L 80D23L	75D23L
			CBA-BLE		2004	-	5AT	55D23L	55D23L	75D23L 80D23L	75D23L
		2000	UA-BL5	EJ20	2003	-	4AT	55D23L	55D23L	75D23L 80D23L	65D23L
			TA-BL5		2003	-	5AT · 4AT · 5MT	55D23L	55D23L	75D23L 80D23L	65D23L
					CBA-BL5	2004	-	4AT	50D20L	50D20L	55D23L 75D23L
			TA-BL5		2004	-	5AT	50D20L	50D20L	55D23L 75D23L	65D23L
					2004	-	5MT	50D20L	50D20L	55D23L 75D23L	55D23L
	C		TA-BL5(改)		2004	-	NATURAL GAS VEHICLE	55D23L	55D23L	55D23L 75D23L	75D23L
LEGACY OUT BACK	G	3000	UA-BPE	EZ30	2003	-	3. OR	55D23L	55D23L	75D23L 80D23L	75D23L

SUBARU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
LEGACY OUT BACK	G	3000	CBA-BPE	EZ30	2004	-	3.0R	55D23L	55D23L	75D23L 80D23L	75D23L
		2500	UA-BP9	EJ25	2003	-	2.5i	55D23L	55D23L	75D23L 80D23L	75D23L
			CBA-BP9		2004	-	2.5i	55D23L	55D23L	75D23L 80D23L	75D23L
LEGACY LANCASTER	G	3000	LA-BHE	EZ30	2002	-	AT	75D23L	75D23L	80D23L	-
		2500	TA-BH9	EJ25	2002	-	AT	75D23L	75D23L	80D23L	-
					2002	-	MT	55D23L	55D23L	75D23L 80D23L	-
REX/REX COMBY	G	550	E-KG1	EK23	1986	1990	MT	26B17L	34B17L	38B19L 40B19L	40B19L
					1989	1990		28B17L	34B17L	38B19L 40B19L	40B19L
					1989	1990		38B20L	40B19L	42B19L 44B20L	40B19L
					1986	1990	AT	28B17L	34B17L	38B19L 40B19L	40B19L
					1986	1990	MT	26B17L	34B17L	38B19L 40B19L	40B19L
					1986	1990		38B20L	40B19L	42B19L 44B20L	40B19L
					1989	1990		28B17L	34B17L	38B19L 40B19L	40B19L
					1989	1990		38B20L	40B19L	42B19L 44B20L	40B19L
R2	G	660	UA-RC1	EN07	2003	-	5MT	26B17L	34B17L	38B19L 40B19L	38B19L
					2003	-	iCVT	26B17L	34B17L	38B19L 40B19L	44B19L
			UA-RC2		2003	-	5MT	26B17L	34B17L	38B19L 40B19L	38B19L
					2003	-	iCVT	26B17L	34B17L	38B19L 40B19L	44B19L
			LA-RC1		2003	-	SPORTS SHAFT iCVT	26B17L	34B17L	38B19L 40B19L	44B19L
			LA-RC2		2003	-	SPORTS SHAFT iCVT	26B17L	34B17L	38B19L 40B19L	44B19L

DAIHATSU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
ATRAI 7	G	1300	UA-S221G	K3-VE	2002	-		34B19L	34B19L	38B19L 40B19L	44B19L
			UA-S231G		2002	-	4WD	34B19L	34B19L	38B19L 40B19L	44B19L
APPLAUSE	G	1600	E-A101S	HD-F	1994	-		36B20L	40B19L	42B19L 44B20L	55B24L
				HD-E	1989	1994		36B20L	40B19L	42B19L 44B20L	55B24L
			E-A111S	1989	1994		36B20L	40B19L	42B19L 44B20L	55B24L	
OPTI	G	660	GF-L800S	EF-SE	1998	-		28B17L	34B17L	38B19L 40B19L	38B20L
				EF-VE	1998	-		28B17L	34B17L	38B19L 40B19L	38B20L
			GF-L802S	JB-DET	1998	-		28B17L	34B17L	38B19L 40B19L	38B20L
			GF-L810S	EF-DET	1998	-	4WD	28B17L	34B17L	38B19L 40B19L	38B20L
				EF-SE	1998	-	4WD	28B17L	34B17L	38B19L 40B19L	38B20L
				EF-VE	1998	-	4WD	28B17L	34B17L	38B19L 40B19L	38B20L
			E-L(S) 300S	EF-KL	1996	-		28B17L	34B17L	38B19L 40B19L	40B19L
				EF-ZL	1996	-		28B17L	34B17L	38B19L 40B19L	40B19L
					1995	-	4WD	38B20L	40B19L	42B19L 44B20L	40B19L
				EF-EL	1992	1996		28B17L	34B17L	38B19L 40B19L	40B19L
				EF	1992	1996		28B17L	34B17L	38B19L 40B19L	40B19L
			E-L310S	EF-ZL	1996	-		38B20L	40B19L	42B19L 44B20L	40B19L
				EF-EL	1992	-		28B17L	34B17L	38B19L 40B19L	40B19L
EF	1992	-			28B17L	34B17L	38B19L 40B19L	40B19L			
COPEN	G	660	LA-880K	JB-DET	2002	-	ACTIVE TOP	26B17L	38B19L	40B19L 42B19L 44B19L	44B20L
			LA-880K		2002	-	DETACHABLE TOP	26B17L	38B19L	40B19L 42B19L 44B19L	-
CHARADE	G	1600	E-G201S	HD-EG	1993	-		36B20L	40B19L	42B19L 44B20L	55B24L
			E-G200S	HE-EG	1994	-		36B20L	40B19L	42B19L 44B20L	55B24L
					1993	-		36B20L	40B19L	42B19L 44B20L	55B24L
CHARADE	G	1500	E-G213S	HE-EG	1993	-		36B20L	40B19L	42B19L 44B20L	55B24L
			E-G200S	HC-E	1993	-	AT	36B20L	40B19L	42B19L 44B20L	55B24L
					1993	-	MT	34B17L	34B17L	38B19L 40B19L	55B24L
		E-G102S/112S	HC	1988	1993		34B17L	34B17L	38B19L 40B19L	55B24L	
		1000	CB	1987	1993		34B17L	34B17L	38B19L 40B19L	55B24L	
				Q-G101S	CL	1989	1993		55B24L	55B24L	60B24L
1987	1989						55B24L	55B24L	60B24L	80D26L	
N-G101S		1988	1993		55B24L	55B24L	60B24L	95D31L			
STORIA (M100)	G	1300	UA-M101S	K3-VE	2003	-		34B19L	34B19L	38B19L 40B19L	44B19L
			LA-M101S	K3-VE2	2003	-		34B19L	34B19L	38B19L 40B19L	44B19L

DAIHATSU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
DELTA			KC-BU102		1997	-		55D23R × 2	55D23R × 2	75D23R × 2 80D23R × 2	95D31R × 2		
			KC-BU107		1997	-		55D23R × 2	55D23R × 2	75D23R × 2 80D23R × 2	95D31R × 2		
			KC-BU112A		1997	-		55D23R × 2	55D23R × 2	75D23R × 2 80D23R × 2	95D31R × 2		
			KC-BU132		1997	-		55D23R × 2	55D23R × 2	75D23R × 2 80D23R × 2	95D31R × 2		
			KC-BU137		1997	-		55D23R × 2	55D23R × 2	75D23R × 2 80D23R × 2	95D31R × 2		
			KC-BU142		1997	-		55D23R × 2	55D23R × 2	75D23R × 2 80D23R × 2	95D31R × 2		
			KC-BU147		1997	-		55D23R × 2	55D23R × 2	75D23R × 2 80D23R × 2	95D31R × 2		
			3400		KC-BU105	3B	1997	-		55D23R × 2	55D23R × 2	75D23R × 2 80D23R × 2	95D31R × 2
					KC-BU145		1997	-		55D23R × 2	55D23R × 2	75D23R × 2 80D23R × 2	95D31R × 2
			3700		U-V115/V116	14B	1988	-		65D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	80D26R × 2
DELTA	D	3700	U-V118(D)	14B	1988	-		65D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	80D26R × 2		
			U-V119		1988	-		65D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	80D26R × 2		
		3000	N-V98	B	1987	1993		50D20R × 2	50D20R × 2	-	80D26R × 2		
			N-98D		1987	1993		50D20R × 2	50D20R × 2	-	80D26R × 2		
			N-V99		1988	1990		50D20R × 2	50D20R × 2	-	80D26R × 2		
		2200	KD-CR40G	3C-T	1996	-		80D26R	80D26R	85D26R 90D26R	105D31R		
			KD-CR50G		1996	-		80D26R	80D26R	85D26R 90D26R	105D31R		
			Q-CB22G		1993	1996	AT	80D26R	80D26R	85D26R 90D26R	105D31R		
					1993	1996	MT	80D26R	80D26R	85D26R 90D26R	95D31R		
		2000	KB-CR41V	2C	1996	-		80D26R	80D26R	85D26R 90D26R	95D31R		
KB-CR51V	1996		-			80D26R	80D26R	85D26R 90D26R	95D31R				
KB-CB27V	1993		1996			80D26R	80D26R	85D26R 90D26R	95D31R				

DAIHATSU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
DELTA			Q-CB21G	2C-T	1988	1993		80D26R	80D26R	85D26R 90D26R	95D31R		
			S-CB27V	2C	1988	1993		80D26R	80D26R	85D26R 90D26R	95D31R		
TANTO	G	660	UA-L350S	EF-VE	2003	-		26B17L	26B17L	34B17L	44B19L		
			UA-L360S	EF-DET	2003	-	4WD	26B17L	26B17L	34B17L	44B19L		
			LA-L360S		2003	-	4WD TURBO	26B17L	26B17L	34B17L	44B19L		
			LA-L350S	2003	-	TURBO	26B17L	26B17L	34B17L	44B19L			
NAKED	G	660	LA-L750S	EF-DET	2003	-		26B17L	26B17L	34B17L	44B19L		
			UA-L750S	EF-VE	2003	-		26B17L	26B17L	34B17L	44B19L		
			LA-L760S	EF-DET	2003	-	4WD	26B17L	26B17L	34B17L	44B19L		
				EF-VE	2003	-	4WD	26B17L	26B17L	34B17L	44B19L		
PYZAR	G	1600	E-301G	HD-EP	1997	-		36B20L	38B19L	40B19L 42B19L	55B24L		
			E-G311G		1997	-		36B20L	38B19L	40B19L 42B19L	55B24L		
		1500	E-G303G	HE-GE	1997	-		36B20L	38B19L	40B19L 42B19L	46B24L		
HI-JET	G	660	V-S82C	EF-CS	1992	1994		28B17L	34B17L	38B19L 40B19L	40B19L		
				EF	1991	1992		28B17L	34B17L	38B19L 40B19L	40B19L		
			V-S82P	EF-CS	1992	1994	AT	36B20L	40B19L	42B19L 44B20L	40B19L		
					1992	1994	MT	28B17L	34B17L	38B19L 40B19L	40B19L		
				EF	1992	1994		36B20L	40B19L	42B19L 44B20L	55B24L		
HI-JET	G	660	V-S82P	EF	1991	1992		28B17L	34B17L	38B19L 40B19L	40B19L		
				V-S82V	EF-ES	1992	1994		36B20L	40B19L	42B19L 44B20L	55B24L	
			EF-VS		1992	1994		36B20L	40B19L	42B19L 44B20L	55B24L		
			EF		1991	1992	AT	36B20L	40B19L	42B19L 44B20L	55B24L		
					1991	1992	TURBO VEHICLE	36B20L	40B19L	42B19L 44B20L	40B19L		
					1991	1992		28B17L	34B17L	38B19L 40B19L	40B19L		
			V-S82W	EF-VS	1992	1994		36B20L	40B19L	42B19L 44B20L	55B24L		
				EF	1991	1992		34B17L	34B17L	38B19L 40B19L	55B24L		
			V-S83W	EF-VS	1992	1994		36B20L	40B19L	42B19L 44B20L	55B24L		
				EF	1991	1992		36B20L	40B19L	42B19L 44B20L	55B24L		
			V-S83C/S83P	EF-CS	1992	1994		36B20L	40B19L	42B19L 44B20L	40B19L		
				EF	1991	1992		36B20L	40B19L	42B19L 44B20L	40B19L		
			V-S83V	EF-VS	1992	1994		36B20L	40B19L	42B19L 44B20L	55B24L		
				EF-ES	1992	1994		36B20L	40B19L	42B19L 44B20L	55B24L		
				EF	1991	1992		36B20L	40B19L	42B19L 44B20L	55B24L		
			M-S82C/S82P	EF	1990	1991		28B17L	34B17L	38B19L 40B19L	40B19L		
					M-S82V	1990	1991	TURBO, AT	36B20L	40B19L	42B19L 44B20L	55B24L	
						1990	1991		34B17L	34B17L	38B19L 40B19L	55B24L	
			M-S83C/S83P		1990	1991		36B20L	40B19L	42B19L 44B20L	40B19L		
			550		M-S80V	EB	1991	-		28B17L	34B17L	38B19L 40B19L	40B19L

DAIHATSU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
HI - JET					1986	1990	TURBO	36B20L	40B19L	42B19L 44B20L	55B24L			
					1986	1990		36B20L	40B19L	42B19L 44B20L	40B19L			
					1988	1990		26B17L	34B17L	38B19L 40B19L	40B19L			
					1988	1990		36B20L	40B19L	42B19L 44B20L	40B19L			
					1986	1990		36B20L	40B19L	42B19L 44B20L	40B19L			
HI - JET/ ATRAI	G	660	GD-S200C	EF-VE	1999	-	AT, VAN	36B20L	40B19L	42B19L 44B20L	38B20L			
				GD-S200P	EF-SE	1999	-	MF, TRUCK	28B17L	34B17L	38B19L 40B19L	38B17L		
			EF-VE		1999	-	AT, TRUCK	36B20L	40B19L	42B19L 44B20L	38B20L			
				1999	-	MF, TRUCK	28B17L	34B17L	38B19L 40B19L	38B20L				
			GD-S200V	EF-SE	1999	-	AT, CARGO	36B20L	40B19L	42B19L 44B20L	38B20L			
					1999	-	MF, CARGO	28B17L	34B17L	38B19L 40B19L	38B20L			
				EF-VE	1999	-	AT, CARGO	36B20L	40B19L	42B19L 44B20L	38B20L			
					1999	-	MF, CARGO	28B17L	34B17L	38B19L 40B19L	38B20L			
			GD-S210C	EF-SE	1999	-	MF, VAN	28B17L	34B17L	38B19L 40B19L	38B20L			
					GD-S210P	EF-VE	1999	-	AT, TRUCK	36B20L	40B19L	42B19L 44B20L	38B20L	
			1999	-			MF, TRUCK	28B17L	34B17L	38B19L 40B19L	38B20L			
			GD-S210V	EF-SE		1999	-	MF, CARGO	28B17L	34B17L	38B19L 40B19L	38B20L		
						EF-VE	1999	-	AT, CARGO	36B20L	40B19L	42B19L 44B20L	38B20L	
			1999	-	MF, CARGO		28B17L	34B17L	38B19L 40B19L	38B20L				
			GD-S220V	EF-DET	1999	-	AT, ATRAI	36B20L	40B19L	42B19L 44B20L	38B20L			
					1999	-	MF, ATRAI	28B17L	34B17L	38B19L 40B19L	38B20L			
				EF-VE	1999	-	AT, ATRAI	36B20L	40B19L	42B19L 44B20L	38B20L			
					1999	-	MF, ATRAI	28B17L	34B17L	38B19L 40B19L	38B20L			
			GD-S230V	EF-DET	1999	-	AT, ATRAI	36B20L	40B19L	42B19L 44B20L	38B20L			
					1999	-	MF, ATRAI	28B17L	34B17L	38B19L 40B19L	38B20L			
				EF-VE	1999	-	AT, ATRAI	36B20L	40B19L	42B19L 44B20L	38B20L			
					1999	-	MF, ATRAI	28B17L	34B17L	38B19L 40B19L	38B20L			
			GF-S220G	EF-DET	1999	-	AT, ATRAI WAGON	36B20L	40B19L	42B19L 44B20L	38B20L			
					1999	-	MF, ATRAI WAGON	28B17L	34B17L	38B19L 40B19L	38B20L			
			HI - JET/ ATRAI	G	660	GF-S220G	EF-VE	1999	-	AT, ATRAI WAGON	36B20L	40B19L	42B19L 44B20L	38B20L
								1999	-	MF, ATRAI WAGON	28B17L	34B17L	38B19L 40B19L	38B20L
						GF-S230G	EF-DET	1999	-	AT, ATRAI WAGON	36B20L	40B19L	42B19L 44B20L	38B20L
								1999	-	MF, ATRAI WAGON	28B17L	34B17L	38B19L 40B19L	38B20L

DAIHATSU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
HI - JET/ ATRAI				EF-VE	1999	-	AT, ATRAI WAGON	36B20L	40B19L	42B19L 44B20L	38B20L			
					1999	-	MT, ATRAI WAGON	28B17L	34B17L	38B19L 40B19L	38B20L			
			V-S100C	EF-ES	1994	1996		28B17L	34B17L	38B19L 40B19L	55B24L			
					1994	1996		28B17L	34B17L	38B19L 40B19L	40B19L			
			V-S100CT	EF-ES	1994	1996		36B20L	40B19L	42B19L 44B20L	55B24L			
					1994	1996		28B17L	34B17L	38B19L 40B19L	40B19L			
			V-S100P	EF-ES	1994	1996	AT	36B20L	40B19L	42B19L 44B20L	55B24L			
					1994	1996	PICK, PANEL VAN	28B17L	34B17L	38B19L 40B19L	40B19L			
					1994	1996		38B20L	40B19L	42B19L 44B20L	55B24L			
				EF-GS	1996	1999	AT	28B17L	34B17L	38B19L 40B19L	55B24L			
					1996	1999	MT	26B17L	34B17L	38B19L 40B19L	40B19L			
				EF-NS	1994	1996	AT	36B20L	40B19L	42B19L 44B20L	55B24L			
			1994		1996	MT	28B17L	34B17L	38B19L 40B19L	40B19L				
			V-S100V	EF-NS	1994	1996	AT	36B20L	40B19L	42B19L 44B20L	55B24L			
					1994	1996	MT	28B17L	34B17L	38B19L 40B19L	40B19L			
				EF-ZS	1996	1999		28B17L	34B17L	38B19L 40B19L	55B24L			
			V-S110C(T)	EF-NS	1994	1996		36B20L	40B19L	42B19L 44B20L	40B19L			
			V-S110P	EF-ES	1994	1996	AT	36B20L	40B19L	42B19L 44B20L	55B24L			
					1994	1996	MT	36B20L	40B19L	42B19L 44B20L	40B19L			
				EF-NS	1994	1996	AT	36B20L	40B19L	42B19L 44B20L	55B24L			
					1994	1996	MT	36B20L	40B19L	42B19L 44B20L	40B19L			
			HI - JET/ ATRAI	G	660	V-S110V	EF-GS	1996	1999	AT	28B17L	34B17L	38B19L 40B19L	55B24L
								1996	1999	MT	26B17L	34B17L	38B19L 40B19L	40B19L
							EF-ES	1994	1996	AT	36B20L	40B19L	42B19L 44B20L	55B24L
								1994	1996	MT	36B20L	40B19L	42B19L 44B20L	40B19L
							EF-NS	1994	1996	AT	36B20L	40B19L	42B19L 44B20L	55B24L
								1996	1999	MT	26B17L	34B17L	38B19L 40B19L	40B19L
						1994	1996	MT	36B20L	40B19L	42B19L 44B20L	40B19L		
						V-S120V/S130V	EF-GS	1996	1999		26B17L	34B17L	38B19L 40B19L	40B19L
						V-S120V	EF-GS	1997	-	AT	36B20L	38B19L	40B19L 42B19L	40B19L
1997	-	MT						28B17L	34B17L	38B19L 40B19L	40B19L			
EF-ZS	1997	-		36B20L	40B19L		42B19L 44B20L	55B24L						
EF-TS	1997	-	TURBO VEHI CLE	36B20L	40B19L		42B19L 44B20L	55B24L						
	1994	1996	AT	36B20L	40B19L	42B19L 44B20L	55B24L							

DAIHATSU / MODEL	ENGINE TYPE		BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
	DISPLACEMENT (CC)										
M RA				EF-RL	1995	-		28B17L	34B17L	38B19L 40B19L	40B19L
				EF-ZL	1995	1998		28B17L	34B17L	38B19L 40B19L	40B19L
				EF-EL	1994	1996		28B17L	34B17L	38B19L 40B19L	40B19L
M RA	G	660	E-L500S	EF-JL	1994	1996		28B17L	34B17L	38B19L 40B19L	40B19L
				EF-KL	1994	1996		28B17L	34B17L	38B19L 40B19L	40B19L
			E-L502S	JB-EL	1995	1998	AT	28B17L	34B17L	38B19L 40B19L	40B19L
					1995	1998	MT	26B17L	34B17L	38B19L 40B19L	40B19L
				1994	1995		28B17L	34B17L	38B19L 40B19L	40B19L	
			JB-JL	1994	1995		28B17L	34B17L	38B19L 40B19L	40B19L	
			E-L502VS	JB	1994	1996		28B17L	34B17L	38B19L 40B19L	40B19L
			E-L510S	EF-ZL	1995	1998		28B17L	34B17L	38B19L 40B19L	40B19L
				EF-FL	1994	1995		28B17L	34B17L	38B19L 40B19L	40B19L
			E-L512S	JB-JL	1994	1995		28B17L	34B17L	38B19L 40B19L	40B19L
			V-L500V	EF-CL	1994	1995	AT	28B17L	34B17L	38B19L 40B19L	40B19L
					1994	1995	MT	26B17L	34B17L	38B19L 40B19L	40B19L
			M RA	G	660	E-L200S	EF	1992	1994		28B17L
1992	1994	PIT J MT						26B17L	34B17L	38B19L 40B19L	40B19L
1991	1992							28B17L	34B17L	38B19L 40B19L	40B19L
EF-CL	1990	1991					AT	28B17L	34B17L	38B19L 40B19L	40B19L
	1990	1991					MT	26B17L	34B17L	38B19L 40B19L	40B19L
EF-HL	1990	1991						28B17L	34B17L	38B19L 40B19L	40B19L
EF-JL	1990	1991					28B17L	34B17L	38B19L 40B19L	40B19L	
E-L200V	EF	1992				1994	AT	28B17L	34B17L	38B19L 40B19L	40B19L
		1992				1994	MT	26B17L	34B17L	38B19L 40B19L	40B19L
E-L210S		1992				1994	PIT 4WD	28B17L	34B17L	38B19L 40B19L	40B19L
		1992				1994		38B20L	40B19L	42B19L 44B20L	40B19L
		1990				1992		28B17L	34B17L	38B19L 40B19L	40B19L
EF-HL	1990	-					38B20L	40B19L	42B19L 44B20L	40B19L	
M RA	G	660	E-L210V	EF	1992	1994	AT	28B17L	34B17L	38B19L 40B19L	40B19L
					1992	1994	MT	26B17L	34B17L	38B19L 40B19L	40B19L
			E-L220S		1991	1994		28B17L	34B17L	38B19L 40B19L	40B19L
			EF-JL	1990	1991		28B17L	34B17L	38B19L 40B19L	40B19L	
			M-L200V	EF	1991	1992		28B17L	34B17L	38B19L 40B19L	40B19L
1990	1991	AT			28B17L	34B17L	38B19L 40B19L	40B19L			

DAIHATSU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
M RA		660			1990	1991	MT	26B17L	34B17L	38B19L 40B19L	40B19L			
			M-L210V	EF	1991	1992		28B17L	34B17L	38B19L 40B19L	40B19L			
				EF-CL	1990	1991		26B17L	34B17L	38B19L 40B19L	40B19L			
			V-L200V	EF	1991	1992		28B17L	34B17L	38B19L 40B19L	40B19L			
					1991	1992		26B17L	34B17L	38B19L 40B19L	40B19L			
			V-L210V		1990	1992		26B17L	34B17L	38B19L 40B19L	40B19L			
			V-L220V	EF-XL	1990	1992		26B17L	34B17L	38B19L 40B19L	40B19L			
			550	E-L70S	EB	1985	1990	CUORE/PARCO	28B17L	34B17L	38B19L 40B19L	40B19L		
						1985	1990	CUORE/PARCO	28B17L	34B17L	38B19L 40B19L	40B19L		
1985	1990	CUORE/PARCO				28B17L	34B17L	38B19L 40B19L	40B19L					
M-L70V														
M-L71V														
M RA AVI	G	660	UA-L250S	EF-VE	2002	-		26B17L	26B17L	34B17L	44B19L			
			LA-L250S	EF-DET	2002	-		26B17L	26B17L	34B17L	44B19L			
			LA-L260S	EF-VE	2002	-	4 WD	44B20L	44B20L	44B20L	44B19L			
				EF-DET	2002	-	4 WD	44B20L	44B20L	44B20L	44B19L			
			UA-L250S	EF-VE	2002	-	KEY FREE SYSTEM VEHICLE	34B19L	34B19L	38B19L 40B19L	44B19L			
			LA-L250S	EF-DET	2002	-	KEY FREE SYSTEM VEHICLE	34B19L	34B19L	38B19L 40B19L	44B19L			
M RA GINO	G	1000	UA-L701S	EJ-VE	2002	-		34B19L	34B19L	38B19L 40B19L	44B19L			
			LA-L711S		2002	-	4 WD	34B19L	34B19L	38B19L 40B19L	44B19L			
M RA VAN	G	660	LE-L250V	EF-SE	2002	-		26B17L	26B17L	34B17L	44B19L			
			UE-L250V	EF-VE	2002	-		26B17L	26B17L	34B17L	44B19L			
			LE-L260V	EF-SE	2002	-	4 WD	44B20L	44B20L	44B20L	-			
MDVE	G	660	GF-L900S	EF-SE	1998	-		28B17L	34B17L	38B19L 40B19L	38B20L			
MDVE	G	660	GF-L900S	EF-VE	1998	-		28B17L	34B17L	38B19L 40B19L	38B20L			
			GF-L902S	JB-DET	1998	-		28B17L	34B17L	38B19L 40B19L	38B20L			
				GF-L910S	EF-DET	1998	-		28B17L	34B17L	38B19L 40B19L	38B20L		
			E-L600S	EF-VE	1998	-		28B17L	34B17L	38B19L 40B19L	38B20L			
				EF-GL	1996	-		28B17L	34B17L	38B19L 40B19L	40B19L			
				EF-RL	1996	-		28B17L	34B17L	38B19L 40B19L	40B19L			
			E-L610S	EF-ZL	1996	-		28B17L	34B17L	38B19L 40B19L	40B19L			
				EF-RL	1996	-		28B17L	34B17L	38B19L 40B19L	40B19L			
				EF-ZL	1995	-		28B17L	34B17L	38B19L 40B19L	40B19L			
			E-L602S	JB-JL	1995	-		28B17L	34B17L	38B19L 40B19L	40B19L			
			E-L300S	EF-GL	1995	-		28B17L	34B17L	38B19L 40B19L	40B19L			
				EF-ZL	1995	-		28B17L	34B17L	38B19L 40B19L	40B19L			
			MDVE (L150~160)	G	660	LA-L150S	EF-DET	2002	-		26B17L	26B17L	34B17L	44B19L
						UA-L150S	EF-VE	2002	-		26B17L	26B17L	34B17L	44B19L
						LA-L160S	EF-DET	2002	-	4 WD	44B20L	44B20L	44B20L	-
EF-VE	2002	-					4 WD	44B20L	44B20L	44B20L	-			

DAIHATSU / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
MDVE (L150~160) MDVE CUSTOM	G	660	UA-L150S		2002	-		34B19L	34B19L	38B19L 40B19L	44B19L	
			UA-L150S	EF-VE	2002	-		26B17L	26B17L	34B17L	44B19L	
			LA-L152S	JB-DET	2002	-		26B17L	26B17L	34B17L	44B19L	
			LA-L150S	EF-DET	2002	-		26B17L	26B17L	34B17L	44B19L	
			LA-L160S	EF-VE	2002	-	4WD	44B20L	44B20L	44B20L	-	
				EF-DET	2002	-	4WD	44B20L	44B20L	44B20L	-	
			LA-L152S	JB-DET	2002	-	KEY FREE SYSTEM VEHICLE	34B19L	34B19L	38B19L 40B19L	44B19L	
LA-L150S	EF-DET	2002	-	KEY FREE SYSTEM VEHICLE	34B19L	34B19L	38B19L 40B19L	44B19L				
MDVE LATTE	G	660	CBA-L550S	EF-DET	2004	-		26B17L	26B17L	34B17L	44B19L	
			DBA-L550S	EF-VE	2004	-		26B17L	26B17L	34B17L	44B19L	
			CBA-L550S		2004	-		26B17L	26B17L	34B17L	44B19L	
			CBA-L560S	EF-DET	2004	-	4WD	26B17L	26B17L	34B17L	44B19L	
				EF-VE	2004	-	4WD	26B17L	26B17L	34B17L	44B19L	
RUGGER	D	2800	Y-F73G/W	DL-62	1993	-		95E41R	100E41R	110E41R 120E41R	130E41R	
					1993	-		95E41R	100E41R	110E41R 120E41R	130E41R	
			Y-F78G/W			1985	1993		95E41R	100E41R	110E41R 120E41R	130E41R
			Q/N-F71G	DL	1985	1993		95E41R	100E41R	110E41R 120E41R	130E41R	
			Q/N-F76G		1984	1993		95E41R	100E41R	110E41R 120E41R	130E41R	
			S/N-F70		1984	1993		95E41R	100E41R	110E41R 120E41R	130E41R	
			S/N-F75V		1984	1990		95E41R	100E41R	110E41R 120E41R	130E41R	
N-F70V		1984	1990		95E41R	100E41R	110E41R 120E41R	130E41R				
LEEZA	G	660	E-L111S	EF-JL	1991	-		28B17L	34B17L	38B19L 40B19L	40B19L	
				EF	1990	1992		28B17L	34B17L	38B19L 40B19L	40B19L	
			E-L111SK	EF-JL(T)	1991	-		28B17L	34B17L	38B19L 40B19L	40B19L	
				EF	1991	1992		28B17L	34B17L	38B19L 40B19L	40B19L	
		550	M-L100V	EB	1989	1990	AT	28B17L	34B17L	38B19L 40B19L	40B19L	
					1989	1990	MT	26B17L	34B17L	38B19L 40B19L	40B19L	
E-L100S			1986	1990		28B17L	34B17L	38B19L 40B19L	40B19L			
ROCKY	G	1600	E-F300S	HD-E	1993	-		36B20R	40B19R	42B19R 44B20R	55B24R	
				HD	1990	1993		36B20R	40B19R	42B19R 44B20R	55B24R	
			E-F30S		1990	1993		36B20R	40B19R	42B19R 44B20R	55B24R	
MAX	G	660	LA-L952S	JB-DET	2003	-		26B17L	26B17L	34B17L	44B19L	
			UA-L950S	EF-VE	2003	-		26B17L	26B17L	34B17L	44B19L	
			LA-L950S	EF-DET	2003	-		26B17L	26B17L	34B17L	44B19L	
			LA-L962S	JB-DET	2003	-	4WD	26B17L	26B17L	34B17L	44B19L	
			LA-L960S	EF-DET	2003	-	4WD	26B17L	26B17L	34B17L	44B19L	
YRV	G	1300	LA-M201G	K3-VET	2002	-		34B19L	34B19L	38B19L 40B19L	44B19L	
			UA-M201G	K3-VE	2002	-		34B19L	34B19L	38B19L 40B19L	44B19L	
YRV	G	1300	LA-M211G	K3-VE	2002	-	4WD	34B19L	34B19L	38B19L 40B19L	44B19L	
				K3-VET	2002	-	4WD	34B19L	34B19L	38B19L 40B19L	44B19L	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
ISIS	G	1800	CBA-ZNM10G	1ZZ-FE	2004		2WD, L, WIDE MULTI-AV STATION	46B24L	46B24L	55B24L 60B24L	46B24L	
					2004		2WD, L	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			2000	CBA-ZNM10W	1AZ-FSE	2004		2WD, PLATANA	46B24L	46B24L	55B24L 60B24L	46B24L
						2004		2WD, G	46B24L	46B24L	55B24L 60B24L	46B24L
		CBA-ANM10G		1AZ-FSE	2004		2WD, L	46B24L	46B24L	55B24L 60B24L	46B24L	
					2004		2WD, PLATANA	46B24L	46B24L	55B24L 60B24L	46B24L	
		CBA-ANM10W	1AZ-FSE	2004		4WD, G	46B24L	46B24L	55B24L 60B24L	46B24L		
				2004		4WD, L	46B24L	46B24L	55B24L 60B24L	46B24L		
CBA-ANM15G	1AZ-FSE	2004		4WD, L PLATANA	46B24L	46B24L	55B24L 60B24L	46B24L				
		2004		4WD, PLATANA	46B24L	46B24L	55B24L 60B24L	46B24L				
AVALON	G	3000	E-MCX10	1MZ-FE	1995	2000		55D23L	55D23L	75D23L 80D23L	55D23L	
AVENSIS	G	2000	UA-AZT250	1AZ-FSE	2003		2WD	This is not available.				
			UA-AZT250W		2003		2WD, WAGON	This is not available.				
			UA-AZT255		2003		4WD	This is not available.				
			UA-AZT255W		2003		4WD, WAGON	This is not available.				
ALLION	G	1500	UA-NZT240	1NZ-FE	2001			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
					2001			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
		1800	UA-ZZT245	1ZZ-FE	2001		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
					2001			46B24R	46B24R	55B24R 60B24R	-	
ARISTO (S140)	G	3000	E-JZS147	2JZ-GE	1991	1997		55D23L	55D23L	75D23L 80D23L	75D26L	
				2JZ-GTE	1991	1997		55D23L	55D23L	75D23L 80D23L	75D26L	
		4000	E-UZS143	1UZ-FE	1992	1997		55D23L	55D23L	75D23L 80D23L	80D26L	
ARISTO (S160)	G	3000	E-JZS160	2JZ-GE	1997			55D23L	55D23L	75D23L 80D23L	75D26L	
			E-JZS161	2JZ-GTE	1997			55D23L	55D23L	75D23L 80D23L	75D26L	
			GF-JZS161	2JZ-GTE	2000			55D23L	55D23L	75D23L 80D23L	75D26L	
			TA-JZS160	2JZ-GE	2000			55D23L	55D23L	75D23L 80D23L	75D26L	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA				
ALTEZZA-GITA	G	2000	TA-GXE10	1G-FE	2001		WITH NAVIGATION, FRONT-ARMREST	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L				
								55D23L	55D23L	75D23L 80D23L	55D23L				
								46B24L	46B24L	55B24L 60B24L	55D23L				
			TA-GXE15W	2001	4WD	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L						
						46B24L	46B24L	55B24L 60B24L	65D23L						
						55D23L	55D23L	75D23L 80D23L	65D23L						
		3000	TA-JCE10W	2JZ-GE	2001	2001		WITH NAVIGATION, FRONT-ARMREST	46B24L	46B24L	55B24L 60B24L	65D23L			
									55D23L	55D23L	75D23L 80D23L	65D23L			
									46B24L	46B24L	55B24L 60B24L	65D23L			
TA-JCE15W	2001		2001			WITH NAVIGATION, FRONT-ARMREST	55D23L	55D23L	75D23L 80D23L	65D23L					
							46B24L	46B24L	55B24L 60B24L	65D23L					
							55D23L	55D23L	75D23L 80D23L	65D23L					
ALTEZZA	G	2000	GF-GXE10	1G-FE	1998		WITH NAVIGATION	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L				
								46B24L	46B24L	55B24L 60B24L	55D23L				
								GF-SXE10	3S-GE	1998	2001	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L
												46B24L	46B24L	55B24L 60B24L	55D23L
			GH-GXE10	2001		2001	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L					
							46B24L	46B24L	55B24L 60B24L	55D23L					
			TA-GXE10	1G-FE	2001		2001		WITH NAVIGATION	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L		
										46B24L	46B24L	55B24L 60B24L	55D23L		
		ALPHARD HYBRID	G	2400	TA-ATH10W	2AZ-FXE	2003		4WD, HYBRID	S55D23R	-	-	S55D23R		
		ALPHARD HYBRID	G	2400	ZA-ATH10W	2AZ-FXE	2003		4WD, HYBRID	S55D23R	-	-	S55D23R		
ALPHARD	G	2400	UA-ANH10W	2AZ-FE	2002		WITH SIDE LIFT	46B24L	46B24L	55B24L 60B24L	55D23L				
					2002			55D23L	55D23L	75D23L 80D23L	-				

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
ALPHARD		3000	UA-ANH15W	1MZ-FE	2002		4WD WITH SIDE LIFT,	46B24L	46B24L	55B24L 60B24L	55D23L	
			TA-MNH10W		2002			55D23L	55D23L	75D23L 80D23L	-	
			TA-MNH15W		2003			55D23L	55D23L	75D23L 80D23L	-	
			UA-MNH10W		2003			55D23L	55D23L	75D23L 80D23L	-	
			UA-MNH15W		2002			55D23L	55D23L	75D23L 80D23L	-	
ALLEX	G	1500	TA-NZE121	1NZ-FE	2001			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			TA-NZE124		2001			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
		1800	TA-ZZE123	2ZZ-GE	2001			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
IPSUM	D	2200	KH-CXM10G	3C-TE	1997			105D31L	105D31L	105D31L	-	
			G		2000			E-SXM10G	3S-FE	1996	1998	46B24L
	E-SXM15G	1997	1998	4WD				46B24L		46B24L	55B24L 60B24L	-
	GF-SXM10G	1998	46B24L	46B24L				55B24L 60B24L		-		
	GF-SXM15G	1998	4WD	46B24L				46B24L		55B24L 60B24L	-	
	2400	TA-ACM21W	2AZ-FE	2001	46B24L			46B24L	55B24L 60B24L	55D23L		
		TA-ACM26W		2001	4WD			46B24L	46B24L	55B24L 60B24L	55D23L	
		UA-ACM21W		2003	55D23L			55D23L	75D23L 80D23L	-		
UA-ACM26W		2003		55D23L	55D23L	75D23L 80D23L	-					
WISH	G	1800	UA-ZNE10G	1ZZ-FE	2003			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			UA-ZNE14G		2003			4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
		2000	UA-ANE10G	1AZ-FSE	2003			2WD	46B24R	46B24R	55B24R 60B24R	46B24R
			UA-ANE11W		2003			2WD	46B24R	46B24R	55B24R 60B24R	46B24R
WISH	G	1000	DBA-KSP90	1KR-FE	2005			46B24L	46B24L	55B24L 60B24L	46B24L	
			GF-SCP10		1SZ-FE			1999	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
								1999	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
								2001	ECO-PACKAGE	55D23R	55D23R	75D23R 80D23R
			TA-SCP10		2000			2001	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
WISH					2001		M/T, IDLE STOP VEHICLE	55D23R	55D23R	75D23R 80D23R	-			
					2002			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R			
					2002		UA-SCP10	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R			
			1300				2005		4WD	46B24L	46B24L	55B24L 60B24L	46B24L	
		2005						2WD	46B24L	46B24L	55B24L 60B24L	46B24L		
					GH-NCP15	2NZ-FE	1999		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
							2000			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
							2000		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
					UA-SCP13	2SZ-FE	2002		CVT	55D23R	55D23R	75D23R 80D23R	55D23R	
				2002				IDLE STOP	55D23R	55D23R	75D23R 80D23R	55D23R		
				DBA-NCP91	1NZ-FE	2005		2WD, RS	46B24L	46B24L	55B24L 60B24L	46B24L		
						2005		2WD	46B24L	46B24L	55B24L 60B24L	46B24L		
			1500				2000			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
								2002			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
								2002		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
	2000				2003			46B24R	46B24R	55B24R 60B24R	46B24R			
						2003			46B24R	46B24R	55B24R 60B24R	46B24R		
WINDOM (CV10)	G	2500	E-SXV11	4VZ-FE	1993	1996		55D23L	55D23L	75D23L 80D23L	55D23L			
		3000	E-VCV10	3VZ-FE	1991	1996		55D23L	55D23L	75D23L 80D23L	55D23L			
WINDOM (CV20)	G	2500	E-MCV21	2MZ-FE	1996	1998		55D23L	55D23L	75D23L 80D23L	55D23L			
			GF-MCV21		1998		55D23L	55D23L	75D23L 80D23L	-				
		3000	E-MCV20	1MZ-FE	1996	1998		55D23L	55D23L	75D23L 80D23L	55D23L			
			GF-MCV20		1998	1999		55D23L	55D23L	75D23L 80D23L	-			
				1999			55D23L	55D23L	75D23L 80D23L	-				
WINDOM (CV30)	G	3000	TA-MCV30	1MZ-FE	2001			55D23L	55D23L	75D23L 80D23L	-			
VEROSSA	G	2000	TA-GX110	1G-FE	2001			34B19R	38B19R	40B19R 42B19R 44B19R	55D23R			

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
VEROSSA					2001		WITH WIND-SHIELD DEICER	46B24R	46B24R	55B24R 60B24R	55D23R
					2003		WITH NAVIGATION, V PACKAGE	46B24R	46B24R	55B24R 60B24R	55D23R
			TA-GX115		2001		4WD, WITH WIND-SHIELD DEICER	46B24R	46B24R	55B24R 60B24R	55D23R
					2001		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R
					2003		4WD, G PACKAGE	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R
					2003		4WD, WITH NAVIGATION	46B24R	46B24R	55B24R 60B24R	55D23R
		2500	GH-JZX110	1JZ-GTE	2001			55D23R	55D23R	75D23R 80D23R	65D23R
			TA-JZX110	1JZ-FSE	2001			46B24R	46B24R	55B24R 60B24R	65D23R
					2001		WITH WIND-SHIELD DEICER	55D23R	55D23R	75D23R 80D23R	65D23R
					2003		WITH NAVIGATION	55D23R	55D23R	75D23R 80D23R	65D23R
VOXY	G	2000	CBA-AZR65G	1AZ-FSE	2004		5SEATS, TRANS-X	46B24L	46B24L	55B24L 60B24L	55D23L
					2004		7SEATS, X, V TYPE	55D23L	55D23L	75D23L 80D23L	-
					2004		8SEATS, E, X, Z TYPE	46B24L	46B24L	55B24L 60B24L	55D23L
VOXY	G	2000	CBA-AZR65G	1AZ-FSE	2004		8SEATS, VTYPE	55D23L	55D23L	75D23L 80D23L	-
					2004		WI WIDE MULTI-AV, 5,8SEATS	55D23L	55D23L	75D23L 80D23L	-
			TA-AZR60G		2001		V, WITH TV at rear seats	46B24L	46B24L	55B24L 60B24L	55D23L
					2001		X, G EDITION	46B24L	46B24L	55B24L 60B24L	-
					2001		X, WITH NAVIGATION	46B24L	46B24L	55B24L 60B24L	55D23L
					2001		X, WIDE MULTI	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
					2001		Z, G EDITION	46B24L	46B24L	55B24L 60B24L	55D23L
					2001		Z, WIDE MULTI	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
VOXY					2001		X, WITH VSC	46B24L	46B24L	55B24L 60B24L	-
					2001		X, WITH NAVIAGATION	46B24L	46B24L	55B24L 60B24L	55D23L
					2001		X, WIDE MULTI	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
					2001		Z, G EDITION	46B24L	46B24L	55B24L 60B24L	55D23L
					2001		Z, WITH TV AT REAR SEATS	46B24L	46B24L	55B24L 60B24L	55D23L
VOLTZ	G	1800	UA-ZZE138	1ZZ-FE	2002			55D23L	55D23L	75D23L 80D23L	55D23L
ESTIMA (L, T)	G	2400	GH-ACR30W	2AZ-FE	2000	2001		46B24L	46B24L	55B24L 60B24L	55D23L
					2000	2001		46B24L	46B24L	55B24L 60B24L	55D23L
					2001			46B24L	46B24L	55B24L 60B24L	55D23L
					2001		4WD	46B24L	46B24L	55B24L 60B24L	55D23L
					2003			55D23L	55D23L	75D23L 80D23L	-
					2003		4WD	55D23L	55D23L	75D23L 80D23L	-
					2000	2001		55D23L	55D23L	75D23L 80D23L	-
ESTIMA (L, T)		3000	GH-MCR30W	1MZ-FE	2000	2001	4WD	55D23L	55D23L	75D23L 80D23L	-
					2001			55D23L	55D23L	75D23L 80D23L	-
					2001			55D23L	55D23L	75D23L 80D23L	-
ESTIMA (R11)	D	2200	KD-CXR10G	3C-TE	1995	1998		85D26L	85D26L	85D26L	105D31L
					1998			80D26L	80D26L	85D26L	105D31L
					1995	1998		85D26L	85D26L	85D26L	105D31L
			KD-CXR11G	3C-T	1995	1998		85D26L	85D26L	85D26L	105D31L
					1998			80D26L	80D26L	85D26L	105D31L
					1998			80D26L	80D26L	85D26L	105D31L
			KD-CXR20G	3C-T	1995	1998		85D26L	85D26L	85D26L	105D31L
					1992	1995		80D26L	80D26L	85D26L	95D31L
					1992	1995		80D26L	80D26L	85D26L	95D31L
	Q-CXR10G	3C-T	1992	1995		80D26L	80D26L	85D26L	95D31L		
			1992	1995		80D26L	80D26L	85D26L	95D31L		
			1992	1995		80D26L	80D26L	85D26L	95D31L		
	G	2400	E-TCR10G	2TZ-FE	1992	1995		46B24L	46B24L	55B24L 60B24L	55D23L
					1993	1996		46B24L	46B24L	55B24L 60B24L	55D23L
					1996			46B24L	46B24L	55B24L 60B24L	55D23L
1992					1995		46B24L	46B24L	55B24L 60B24L	55D23L	
1990					1993		46B24L	46B24L	55B24L 60B24L	55D23L	
1994					1996		46B24L	46B24L	55B24L 60B24L	55D23L	
E-TCR11G	2TZ-FE	1992	1995		46B24L	46B24L	55B24L 60B24L	55D23L			
		1990	1993		46B24L	46B24L	55B24L 60B24L	55D23L			
		1994	1996		46B24L	46B24L	55B24L 60B24L	55D23L			
E-TCR11W	2TZ-FE	1992	1995		46B24L	46B24L	55B24L 60B24L	55D23L			
		1990	1993		46B24L	46B24L	55B24L 60B24L	55D23L			
		1994	1996		46B24L	46B24L	55B24L 60B24L	55D23L			
E-TCR20G	2TZ-FE	1992	1995		46B24L	46B24L	55B24L 60B24L	55D23L			
		1990	1993		46B24L	46B24L	55B24L 60B24L	55D23L			
		1994	1996		46B24L	46B24L	55B24L 60B24L	55D23L			

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
ESTIMA (R11)			E-TCR20W		1993	1996		46B24L	46B24L	55B24L 60B24L	55D23L		
				2TZ-FZE	1996			46B24L	46B24L	55B24L 60B24L	55D23L		
			E-TCR21G	2TZ-FE	1992	1995		46B24L	46B24L	55B24L 60B24L	55D23L		
					E-TCR21W	2TZ-FZE		1990	1993	46B24L	46B24L	55B24L 60B24L	55D23L
			GF-TCR10G	2TZ-FE				1994	1998	46B24L	46B24L	55B24L 60B24L	55D23L
					1998			4WD	46B24L	46B24L	55B24L 60B24L	55D23L	
			GF-TCR10W	2TZ-FZE	1998			46B24L	46B24L	55B24L 60B24L	55D23L		
					GF-TCR11G	2TZ-FE		1998		46B24L	46B24L	55B24L 60B24L	55D23L
			GF-TCR11W	2TZ-FZE				1998		46B24L	46B24L	55B24L 60B24L	55D23L
					GF-TCR20G	2TZ-FE		1998		4WD	46B24L	46B24L	55B24L 60B24L
			1998					46B24L	46B24L	55B24L 60B24L	55D23L		
GF-TCR20W	2TZ-FZE	1998		46B24L	46B24L	55B24L 60B24L	55D23L						
ESTIMA (R11)	G	2400	GF-TCR21G	2TZ-FE	1998		4WD	46B24L	46B24L	55B24L 60B24L	55D23L		
			GF-TCR21W	2TZ-FZE	1998		46B24L	46B24L	55B24L 60B24L	55D23L			
ESTIMA HYBRID	G	2400	ZA-AHR10W	2AZ-FXE	2001		4WD, HYBRID	S55D23L	There is no correspondent item (in our company)	There is no correspondent item (in our company)	-		
OPA	G	1800	TA-ZCT10	1ZZ-FE	2000		2WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
					2000		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
			TA-ZCT15	1ZZ-FE	2002			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
					2002		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
		2000		2WD, CVT	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R					
		2000	TA-ACT10	1AZ-FSE	2000		2WD, CVT	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
ORIGIN	G	3000	GF-JCG17	2JZ-GE	2000			55D23R	55D23R	75D23R 80D23R	-		
GAIA	D	2200	KH-CXM10G	3C-TE	1998			105D31L	105D31L	105D31L	-		
					1998			46B24L	46B24L	55B24L 60B24L	-		
	G	2000	GF-SXM10G	3S-FE	1998		4WD	46B24L	46B24L	55B24L 60B24L	-		
					GF-SXM15G	3S-FE	1998			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
							2001			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
2002			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L							
CAMRY (V30)	D	2000	Q-CV30	2C-T	1990	1992	A/T	95D31L	95D31L	105D31L	95D31L		
					1990	1992	M/T	80D26L	80D26L	85D26L	95D31L		

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA				
CAMRY (V30)			X-CV30		1990	1994	A/T	95D31L	95D31L	105D31L	95D31L				
					1990	1994	M/T	80D26L	80D26L	85D26L	95D31L				
CAMRY (V30)			Y-CV30		1992	1994	A/T	95D31L	95D31L	105D31L	95D31L				
					1992	1994	M/T	80D26L	80D26L	85D26L	95D31L				
					G	1800	E-SV30	4S-FE	1990	1994		46B24L	46B24L	55B24L 60B24L	46B24L
									1990	1994	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					2000		E-SV32	3S-FE	1990	1994		46B24L	46B24L	55B24L 60B24L	46B24L
									1990	1994	M/T	34B19L	38B19L	42B19L 44B19L	46B24L
									1990	1992		55D23L	55D23L	75D23L 80D23L	55D23L
		E-SV33	3S-FE	1990	1994	A/T	46B24L	46B24L	55B24L 60B24L	46B24L					
				1990	1994	M/T	34B19L	55D23L	75D23L 80D23L	46B24L					
CAMRY (V30)	G	2000	E-SV33	3S-GE	1990	1992		55D23L	46B24L	55B24L 60B24L	55D23L				
				3S-FE	1990	1994	A/T	46B24L	46B24L	55B24L 60B24L	46B24L				
			E-SV35		1990	1994	M/T	34B19L	38B19L	42B19L 44B19L	46B24L				
				1VZ-FE	1990	1992	A/T	55D23L	55D23L	75D23L 80D23L	55D23L				
			E-VZV31		1990	1992	M/T	46B24L	46B24L	55B24L 60B24L	50D20L				
					1990	1992	A/T	55D23L	55D23L	75D23L 80D23L	55D23L				
			UA-ACV30	1AZ-FE	1989			55D23L	55D23L	75D23L 80D23L	55D23L				
					1989		4WD	55D23L	55D23L	75D23L 80D23L	55D23L				
			UA-ACV30	2AZ-FE	2001			55D23L	55D23L	75D23L 80D23L	-				
					2004		2WD	55D23L	55D23L	75D23L 80D23L	-				
			UA-ACV35		2004		4WD	55D23L	55D23L	75D23L 80D23L	-				
			E-VZV32	4VZ-FE	1991	1994	4WS	55D23L	55D23L	75D23L 80D23L	55D23L				
					1991	1994		55D23L	55D23L	75D23L 80D23L	55D23L				
			CAMRY (V40)	D	2200	KB-CV40	3C-T	1994	1995	A/T	105D31L	105D31L	105D31L	105D31L	
1994	1995	M/T						80D26L	80D26L	85D26L	105D31L				
1995		A/T						105D31L	105D31L	105D31L	105D31L				
1995		M/T						80D26L	80D26L	85D26L	105D31L				
		KD-CV43			1995			105D31L	105D31L	105D31L	105D31L				
G	1800	E-SV40		4S-FE	1994		A/T	46B24L	46B24L	55B24L 60B24L	46B24L				
					1994		M/T	34B19L	38B19L	42B19L 44B19L	46B24L				
	2000	E-SV41		3S-FE	1994			46B24L	46B24L	55B24L 60B24L	46B24L				
					1994			46B24L	46B24L	55B24L 60B24L	46B24L				

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
CARINA (T170)					1990	1992	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
				4A-GE	1989	1992	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
CARINA (T170)	G	1600	E-AT171	4A-GE	1989	1992	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			E-AT175	4A-FE	1990	1992		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
		1800	E-ST170	4A-FE	1990	1992	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1990	1992	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			E-ST170G		1990	1992	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1990	1992	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
CARINA (T180)	G	1800	E-ST180	4S-FE	1992	1993	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1992	1993	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
				4S-Fi	1989	1992	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1989	1992	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			E-ST181	4S-FE	1992	1993	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1992	1993	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
				4S-Fi	1989	1992	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1989	1992	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
		2000	E-ST182	3S-FE	1989	1993	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1989	1993	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
				3S-GE	1989	1993	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1989	1993	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			E-ST183	3S-FE	1989	1993	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1989	1993	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
				3S-GE	1989	1993	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1992	1993	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
CARINA (T190)	D	2000	KD-CT190	2C	1994	1996		80D26L	80D26L	85D26L	95D31L
			KD-CT195		1994	1996		80D26L	80D26L	85D26L	95D31L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
CARINA (T190)			X-CT190		1992	1994	A/T	95D31L	95D31L	105D31L	95D31L
			X-CT195		1992	1994	M/T	80D26L	80D26L	85D26L	95D31L
					1992	1994		80D26L	80D26L	85D26L	95D31L
					1992	1994		80D26L	80D26L	85D26L	95D31L
CARINA (T190)	G	1500	E-AT192	5A-FE	1992	1996	MULTI-DISPLAY EXCLUDE MULTI-DISPLAY	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			E-AT190	4A-FE	1992	1994		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
		1600	E-AT190	4A-FE	1992	1996		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			E-AT191	7A-FE	1994	1996		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
		1800	E-ST190	4S-FE	1992	1994		46B24L	46B24L	55B24L 60B24L	46B24L
			E-ST190	4S-FE	1992	1994		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
		1800	E-ST190	4S-FE	1992	1994		46B24L	46B24L	55B24L 60B24L	46B24L
			E-ST190	4S-FE	1992	1994		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
		2000	E-ST195	3S-FE	1992	1994		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			E-ST195	3S-FE	1992	1994		46B24L	46B24L	55B24L 60B24L	46B24L
		2000	E-ST195	3S-FE	1992	1996		46B24L	46B24L	55B24L 60B24L	46B24L
			E-ST195	3S-FE	1992	1996		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
CARINA (T200)	D	2000	KD-CT210	2C-T	1996			80D26L	80D26L	85D26L	95D31L
			KD-CT215		1996		4WD	80D26L	80D26L	85D26L	95D31L
		2200	KE-CT211	3C-TE	1998		A/T	105D31L	105D31L	105D31L	105D31L
			KE-CT216		1998		M/T	80D26L	80D26L	85D26L	105D31L
	2200	KE-CT211	3C-TE	1998		A/T	105D31L	105D31L	105D31L	105D31L	
		KE-CT216		1998		A/T	105D31L	105D31L	105D31L	105D31L	
G	1500	E-AT212	5A-FE	1996	1998	A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
CARINA (T200)	G	1500	E-AT212	5A-FE	1996	1998	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			GF-AT212		1998		A/T	46B24L	46B24L	55B24L 60B24L	46B24L
			GF-AT212		1998		M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
CARINA (T200)		1600	E-AT210	4A-GE	1996	1998		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			GF-AT210		1998		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
CARINA (T200)		1800	E-AT211	7A-FE	1996	1998		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			E-ST200	4S-FE	1993	1998	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1993	1998	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			E-ST201		1993	1998	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
		1993			1998	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
		GF-AT211	7A-FE	1998			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
				E-ST202	3S-FE	1993	1996	A/T	46B24L	46B24L	55B24L 60B24L
		1993	1996			M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			3S-GE	1993	1996	A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
				1993	1996	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
		E-ST203	3S-FE	1993	1996	A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
				1993	1996	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
		E-ST205	3S-GE	1994	1996	A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
				1994	1996	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
E-ST215	3S-FE	1996	1998	A/T, 4WD	46B24L	46B24L	55B24L 60B24L	46B24L			
		1996	1998	M/T, 4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L			
CARINA (T200)			GF-ST215	3S-FE	1998		A/T, 4WD	46B24L	46B24L	55B24L 60B24L	46B24L
					1998		M/T, 4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
CALDINA (T190)	D	2000	KB-CT196V	2C	1994	1998		80D26L	80D26L	85D26L	95D31L
					1994	1998		80D26L	80D26L	85D26L	95D31L
			KB-CT198V		1995	1998	A/T	95D31L	95D31L	105D31L	95D31L
					1995	1998	M/T	80D26L	85D26L	85D26L	95D31L
			KD-CT190G		1996	1997		80D26L	85D26L	85D26L	95D31L
					1992	1994		80D26L	85D26L	85D26L	95D31L
			S-CT196V	2C	1992	1994		80D26L	85D26L	85D26L	95D31L
					1992	1994		80D26L	85D26L	85D26L	95D31L
S-CT198V		1992	1994		80D26L	85D26L	85D26L	95D31L			
		1992	1995	A/T	95D31L	95D31L	105D31L 115D31L	95D31L			
X-CT190G		1992	1995	M/T	80D26L	85D26L	85D26L	95D31L			
		1992	1995		95D31L	95D31L	105D31L	95D31L			
Y-CT190G		1992	1995		80D26L	85D26L	85D26L	95D31L			
		1992	1995		95D31L	95D31L	105D31L	95D31L			

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
CALDINA (T190)		2200	KF-CT197V	3C-E	1998		M/T, VAN	80D26L	85D26L	85D26L	105D31L	
			KF-CT199V		1998		M/T, VAN	80D26L	85D26L	85D26L	105D31L	
			KJ-CT197V		1998		A/T, VAN	105D31L	105D31L	105D31L	105D31L	
	G	1500	GA-ET196V	5E-FE	1995	1997		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
CALDINA (T190)			GG-ET196V		1998		VAN	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			R-ET196V		1992	1995	A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
					1992	1995	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
					1995	1997		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			T-ET196V		1992	1995		46B24L	46B24L	55B24L 60B24L	46B24L	
					1996	1997		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
		1800		E-AT190G	7A-FE	1996	1997		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
				E-AT191G		1996	1997		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
				E-ST190G		1992	1996	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
						1992	1996	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
		2000		E-ST191G	3S-FE	1992	1995		46B24L	46B24L	55B24L 60B24L	46B24L
				E-ST195G		1992	1995	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
						1992	1995	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
						1995	1997		46B24L	46B24L	55B24L 60B24L	46B24L
CALDINA (T200)	D	2200	KH-CJ216G	3C-TE	1997	2000	4WD	105D31L	105D31L	105D31L	105D31L	
	G	1800	E-AT211G	7A-FE	1997	2000		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			GF-AT211G		2000		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L		
		2000	E-ST210G	3S-FE	1997	2000		46B24L	46B24L	55B24L 60B24L	-	
			E-ST215G		1997	2000	A/T, 4WD	46B24L	46B24L	55B24L 60B24L	46B24L	
					1997	2000	M/T, 4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
					1997	2000	4WD	46B24L	46B24L	55B24L 60B24L	46B24L	
				E-ST215W	3S-GET	1997	2000	4WD	46B24L	46B24L	55B24L 60B24L	46B24L
				GF-ST210G	3S-FE	2000			46B24L	46B24L	55B24L 60B24L	46B24L
				3S-GE	2000			46B24L	46B24L	55B24L 60B24L	46B24L	
			3S-GE	2000			46B24L	46B24L	55B24L 60B24L	46B24L		

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
CALDINA (T200)			GF-ST215G	3S-FE	2000		A/T, 4WD	46B24L	46B24L	55B24L 60B24L	46B24L
					2000		M/T, 4WD	34B19L	38B19L	42B19L 44B19L	46B24L
					3S-GE	2000		A/T, 4WD	46B24L	46B24L	55B24L 60B24L
CALDINA (T200)					2000		M/T, 4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			GF-ST215W	3S-GTE	2000		4WD	46B24L	46B24L	55B24L 60B24L	46B24L
CURREN (T200)	G	1800	E-ST208	4S-FE	1995		A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1995		M/T	34B19L	38B19L	42B19L 44B19L	46B24L
			2000	E-ST206	3S-FE, - GE	1994		A/T	46B24L	46B24L	55B24L 60B24L
		1994				M/T	34B19L	38B19L	42B19L 44B19L	46B24L	
		1994				A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
			E-ST207	3S-FE	1994		M/T	34B19L	38B19L	42B19L 44B19L	46B24L
1994		M/T			34B19L	38B19L	42B19L 44B19L	46B24L			
COROLLA (E100)	D	2000	KA-CE106V KA-CE109V KD-CE100G KD-CE108G S-CE106V S-CE109V X-CE100 X-CE104 X-CE108G	2C	1994	1989	A/T	95D31L	95D31L	105D31L	95D31L
					1994	1989	M/T	80D26L	80D26L	85D26L	95D31L
					1994	1989		80D26L	80D26L	85D26L	95D31L
					1995		A/T	95D31L	95D31L	105D31L	95D31L
					1995		M/T	80D26L	80D26L	85D26L	95D31L
					1996		A/T	95D31L	95D31L	105D31L	95D31L
					1996		M/T	80D26L	80D26L	85D26L	95D31L
					1991	1994		80D26L	80D26L	85D26L	95D31L
					1991	1994		80D26L	80D26L	85D26L	95D31L
					1991	1994	A/T	95D31L	95D31L	105D31L	95D31L
					1991	1994	M/T	80D26L	80D26L	85D26L	95D31L
					1991	1994		80D26L	80D26L	85D26L	95D31L
					1991	1994		80D26L	80D26L	85D26L	95D31L
					1991	1994		80D26L	80D26L	85D26L	95D31L
		1994	1996	A/T	95D31L	95D31L	105D31L	95D31L			
		1994	1996	M/T	80D26L	80D26L	85D26L	95D31L			
		1994	1996		80D26L	80D26L	85D26L	95D31L			
		1998		A/T	95D31L	95D31L	105D31L	105D31L			
		1998		M/T	80D26L	80D26L	85D26L	95D31L			
		1998		A/T	95D31L	95D31L	105D31L	105D31L			
		1998		M/T	80D26L	80D26L	85D26L	95D31L			
		1998		A/T, 4WD M/T, 4WD	95D31L 80D26L	95D31L 80D26L	105D31L 85D26L	105D31L 95D31L			
1998		A/T, LONG DECK	95D31L	95D31L	105D31L	105D31L					
1998		M/T, LONG DECK	80D26L	80D26L	85D26L	95D31L					
1998		A/T, 4WD	95D31L	95D31L	105D31L 115D31L	105D31L					
1998		M/T, 4WD	80D26L	80D26L	90D26L	95D31L					
	G	1300	E-EE100 GG-EE102V	4E-FE	1991			34B19L	38B19L	42B19L 44B19L	46B24L
					1997			34B19L	38B19L	42B19L 44B19L	46B24L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
COROLLA (E100)			GG-EE103V	5E-FE	1997			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
COROLLA (E100)			R-EE102V	4E-FE	1994	1997		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			R-EE106V	2E	1991	1994	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1991	1994	M/T	28B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			E-AE100	5A-FE	1991	1992		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
					1992		EXTRA-PACKAGE OF CELLES	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
	G	1500	E-AE100G	5A-FE	1991	1995		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			E-EE104G	5E-FE	1994	1995		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			E-EE108G	3E	1991		A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1991		M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			GF-AE100G	5A-FE	1997			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			GF-EE104G	5E-FE	1997			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			R-EE103V		1994	1997		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			R-EE107V	3E	1991		A/T	46B24L	46B24L	55B24L 60B24L	46B24L
				1991		M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
		1600	E-AE101	4A-FE	1991	1995		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
					1992	1995	EXTRA-PACKAGE OF CELLES	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
					1992	1995	CELLES&F X	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
	4A-GE		1991	1995		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L		
				1992	1995	EXTRA-PACKAGE OF CELLES	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
COROLLA (E100)					1992	1995	CELLES&F X	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
COROLLA (E100)				4A-GZE	1991	1995		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
				E-AE101G	4A-GE	1996		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
				E-AE104	4A-FE	1991		1995	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
				E-AE104G		1995		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
COROLLA (E100)	G	1600	E-AE109V	4A-FE	1996			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			GF-AE101G	4A-GE	1997			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			GF-AE104G	4A-FE	1997			4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			GG-AE109V		1997			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
COROLLA (E110)	D	2000	KD-CE110	2C	1995		A/T M/T A/T M/T A/T, 4WD M/T, 4WD	95D31L	95D31L	105D31L	95D31L	
			KD-CE114	3C-E	1995			80D26L	80D26L	85D26L	95D31L	
			KE-CE113		1995			80D26L	80D26L	85D26L	95D31L	
			KE-CE116	1998	95D31L			95D31L	105D31L	105D31L		
			1998	80D26L	80D26L			85D26L	95D31L			
			1998	95D31L	95D31L			105D31L 115D31L	105D31L			
			1998	80D26L	80D26L			85D26L 90D26L	95D31L			
		G	1300	E-EE110	4E-FE			1995	1998	34B19L	38B19L	40B19L 42B19L 44B19L
	GF-EE111				1998	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L			
	1500		E-AE110	5A-FE	1995	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L			
			GF-AE110		1998	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L			
	1600		E-AE101G	4A-GE	1996	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L			
			E-AE111	4A-FE	1995	1998	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L		
				4A-GE	1995	1998	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L		
			E-AE114	4A-FE	1996	1998	4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
	GF-AE111	4A-GE	1998	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L					

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
COROLLA (E110)			GF-AE114	4A-FE	1998			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
COROLLA (E110)			R-AE109V		1996	1998	4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
COROLLA (E120)	D	2200	KE-CE121	3C-E	2000		A/T	95D31L	95D31L	105D31L 115D31L	105D31L
					2000		M/T	80D26L	80D26L	85D26L	95D31L
	G	1300	CBA-NZE120	2NZ-FE	2004			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			TA-NZE120		2000			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			UA-NZE120		2002			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
		1500	CBA-NZE121	1NZ-FE	2004			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
					2004		WITH SMART DOOR LOCK	46B24L	46B24L	55B24L 60B24L	46B24L
			CBA-NZE124		2004		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			TA-NZE121		2000			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			TA-NZE124		2000		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			UA-NZE121		2002			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			UA-NZE124		2002		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
		1800	CBA-ZZE122	1ZZ-FE	2004			46B24L	46B24L	55B24L 60B24L	46B24L
			CBA-ZZE124		2004		4WD	46B24L	46B24L	55B24L 60B24L	46B24L
			TA-NZE122		2000			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			TA-NZE124		2000		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			UA-ZZE122		2002			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			UA-ZZE124		2002		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
COROLLA ALEX	G	1500	CBA-NZE121	1NZ-FE	2004			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
COROLLA ALEX	G	1500	CBA-NZE121	1NZ-FE	2004		WITH SMART DOOR LOCK	46B24L	46B24L	55B24L 60B24L	-
			CBA-NZE124		2004		WITH SMART DOOR LOCK	46B24L	46B24L	55B24L 60B24L	-
					2004	4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
					2001		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			TA-NZE121		2001		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			TA-NZE124		2001		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			UA-NZE121		2002			34B19L	38B19L	42B19L 44B19L	46B24L
		UA-NZE124		2002		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
		1800	CBA-ZZE122	1ZZ-FE	2004			46B24L	46B24L	55B24L 60B24L	-
			CBA-ZZE124		2004		4WD	46B24L	46B24L	55B24L 60B24L	-
			TA-ZZE123	2ZZ-GE	2001			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
					2004			46B24L	46B24L	55B24L 60B24L	-
			UA-ZZE122	1ZZ-FE	2002			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			UA-ZZE124		2002		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
COROLLA SPACIO (E110)	G		1500	TA-NZE121N	1NZ-FE	2001		WAGON	34B19L	38B19L	40B19L 42B19L 44B19L
E-AE111N		4A-FE		1997			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			1998			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L		
1800		E-AE115N	7A-FE	1997		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
		GF-AE115N		1998		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
		TA-ZZE122N	1ZZ-FE	2001		WAGON	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
COROLLA SPACIO (E110)		G	1800	TA-ZZE124N	1ZZ-FE	2001		WAGON	34B19L	38B19L	40B19L 42B19L 44B19L
COROLLA FIELDER	G	1500	CBA-NZE121G	1NZ-FE	2004			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
COROLLA FIELDER					2004		WITH SMART DOOR LOCK	46B24L	46B24L	55B24L 60B24L	-	
			CBA-NZE124G		2004		4WD, WITH SMART DOOR LOCK	46B24L	46B24L	55B24L 60B24L	-	
					2004		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			TA-NZE121G		2000			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			TA-NZE124G		2000		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			UA-NZE121G		2002			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			UA-NZE124G		2002		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			1800	CBA-ZZE122G	1ZZ-FE	2004			46B24L	46B24L	55B24L 60B24L	-
				CBA-ZZE124G		2004		4WD	46B24L	46B24L	55B24L 60B24L	-
				TA-ZZE122G		2000			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
						2004			46B24L	46B24L	55B24L 60B24L	-
				TA-ZZE123G	2ZZ-GE	2000			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
						2004			46B24L	46B24L	55B24L 60B24L	-
				TA-ZZE124G	1ZZ-FE	2000		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
				UA-ZZE122G		2002			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
	UA-ZZE124G		2002		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L			
COROLLA RUNX	G	1500	CBA-NZE121	1NZ-FE	2004			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
COROLLA RUNX	G	1500			2004		WITH SMART DOOR LOCK	46B24L	46B24L	55B24L 60B24L	-	
			CBA-NZE121	1NZ-FE	2004		4WD, WITH SMART DOOR LOCK	46B24L	46B24L	55B24L 60B24L	-	
			CBA-NZE124		2004		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
COROLLA RUNX			TA-NZE121		2001			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
COROLLA RUNX			TA-NZE124		2001			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			UA-NZE121		2002			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			UA-NZE124		2002	4WD		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			CBA-ZZE122	1ZZ-FE	2004		46B24L	46B24L	55B24L 60B24L	-	
			CBA-ZZE124		2004	4WD	46B24L	46B24L	55B24L 60B24L	-	
			TA-ZZE123	2ZZGE	2001		34B19L	38B19L	42B19L 44B19L	46B24L	
				2ZZ-GE	2004		46B24L	46B24L	55B24L 60B24L	-	
			UA-ZZE122	1ZZ-FE	2002		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			UA-ZZE124		2002	4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			COROLLA II (L40)	D	1500	X-NL40	1N-T	1990	1994	A/T	55D23R
1990	1994	M/T						55D23R	55D23R	75D23R	80D26R
G	1300	E-EL41		4E-FE	1990	1994		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
					1990	1994		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
	1500	E-EL43		5E-FE	1990	1994		34B19R	38B19R	75D23R 80D23R	46B24R
					1990	1994		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
		E-EL45	5E-FE	1990	1994		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
COROLLA II (L50)	D	1500	KD-NL50	1N-T	1994		A/T	55D23R	55D23R	75D23R	95D31R
					1994		M/T	55D23R	55D23R	75D23R	80D26R
COROLLA II (L50)	G	1300	E-EL51	4E-FE	1994			34B19R	38B19R	75D23R 80D23R	46B24R
					1994			34B19R	38B19R	75D23R 80D23R	46B24R
					1994			34B19R	38B19R	75D23R 80D23R	46B24R
CAVALIER	G	2400	-	T2	1996	2000	4A/T, FF, REIMPOR T CAR	BCI 75	AMX75	AMX75	BCI 75
CAMI	G	1300	GF-J100E	HC-EJ	1999		4WD	36B20L	38B19L	40B19L 42B19L 44B19L	55B24L
				K3-VE	2000		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	38B20L
				K3-VET	2000		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	38B20L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
CAMI			GF-J122E	K3-VE	2000		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	38B20L
			TA-J102E		2002		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	44B20L
CAMI				K3-VET	2002		TURBO	34B19L	38B19L	40B19L 42B19L 44B19L	44B20L
				K3-VE	2002			34B19L	38B19L	40B19L 42B19L 44B19L	44B20L
QUICK DELIVERY 100	D	2800	KC-LH81VH	3L	1995	1999	A/T	95D31L	95D31L	105D31L	140E41L
					1995	1999	M/T EXCLUDE Y SPECIFICATION	75D31L	95D31L	105D31L	140E41L
			1995	1999	M/T EXCLUDE Y SPECIFICATION	75D26L	75D26L	85D26L	140E41L		
			1995		M/T EXCLUDE Y SPECIFICATION	75D31L	95D31L	105D31L	140E41L		
		1995		M/T EXCLUDE Y SPECIFICATION	75D26L	75D26L	85D26L	140E41L			
		1995		M/T EXCLUDE Y SPECIFICATION	75D31L	95D31L	105D31L	140E41L			
	3000	KC-LY151	5L	1999			105D31L	105D31L	105D31L	85D26R+L	
	1999					105D31L	105D31L	105D31L	85D26R+L		
	3400	KC-BU68VH	3B	1995			55D26Rx2	55D26Rx2	75D26Rx2 85D26Rx2	80D26Rx2	
	3700	KK-BU280K	4B	1999			55D26Lx2	55D26Lx2	75D26Lx2 85D26Lx2	80D26Lx2	
L	2700	GB-RZU68VH	3RZ-FP	1996			80D26R	80D26R	85D26R 90D26R	80D26R	
QUICK DELIVERY 100	L	2700	KK-BU280K	3RZ-FPE	2000			55D23Lx2	55D23Lx2	75D23Lx2 80D23Lx2	-
QUICK DELIVERY 200	D	4000	PB-XZU2xx系	N04C-A	2004			55D26Lx2	55D26Lx2	75D26Lx2 85D26Lx2	80D26Lx2
	L	2700	LD-RZU280K	3RZ-FPE	2003			55D23Lx2	55D23Lx2	75D23Lx2 80D23Lx2	-
			PB-XZU281K		2004			55D23Lx2	55D23Lx2	75D23Lx2 80D23Lx2	-
CROWN (S10)	G	2000	TA-GXS12	1G-FE	1989			46B24R	46B24R	55B24R 60B24R	55D23R
	L	2000	E-GXS10	1G-GPE	1995	1999	COMFORT	55D26L	55D26L	80D26L 85D26L 90D26L	-
					1995	1999	COMFORT	55D26L	55D26L	80D26L 85D26L 90D26L	-
			GF-GXS10	1G-GPE	1999			COMFORT	55D26L	55D26L	80D26L 85D26L 90D26L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
CROWN (S10)			GF-YXS10	3Y-PE	1999		COMFORT	55D26L	55D26L	80D26L 85D26L 90D26L	-	
			TA-GXS10	1G-GPE	1989			55D26L	55D26L	80D26L 85D26L 90D26L	-	
CROWN (S10)			TA-YXS10	3Y-PE	1989			55D26L	55D26L	80D26L 85D26L 90D26L	-	
CROWN (S130)	D	2400	KD-LS130W	2L-TE	1995		TAXI	95D31L	95D31L	105D31L	140E41L	
			Q-LS130	2L	1998			95D31L	95D31L	105D31L	140E41L	
				2L-THE	1987	1991		1991	55D26L	55D26L	85D26L	55D26L
					1991	1993		1993	95D31L	95D31L	105D31L	140E41L
			Q-LS130W		1991			95D31L	95D31L	105D31L	140E41L	
			Q-LS131H		1991			95D31L	95D31L	105D31L	140E41L	
	S-LS136V		1991		95D31L	95D31L	105D31L	140E41L				
	G	2000	E-GS130	1G-FE	1991		A/T M/T	80D26L	80D26L	85D26L	140E41L	
					1991			55D23L	55D23L	75D23L 80D23L	55D23L	
					1991			55D23L	55D23L	75D23L 80D23L	55D23L	
			E-GS130G		1991			55D23L	55D23L	75D23L 80D23L	55D23L	
			E-GS130W		1995			55D23L	55D23L	75D23L 80D23L	55D23L	
			E-GS131H		1991			55D23L	55D23L	75D23L 80D23L	55D23L	
			GA-GS136V		1995			34B19L	38B19L	42B19L 44B19L	55D23L	
					1998			34B19L	38B19L	40B19L 42B19L 44B19L	55D23L	
				1998		55D23L		55D23L	75D23L 80D23L	-		
GF-GS130G		1998		WAGON	55D23L	55D23L	75D23L 80D23L	-				
GF-GS130W		1998		WAGON	55D23L	55D23L	75D23L 80D23L	-				
CROWN (S130)	G	2500	E-JZS130G	1JZ-GE	1991	1997	WAGON	55D23L	55D23L	75D23L 80D23L	55D23L	
					1991	1995		55D23L	55D23L	75D23L 80D23L	55D23L	
					1998			55D23L	55D23L	75D23L 80D23L	-	
		3000	E-JZS133	2JZ-GE	1991	1995		55D23L	55D23L	75D23L 80D23L	75D26L	
					1991			55D26L	55D26L	80D26L 85D26L 90D26L	55D26L	
					1992			75D26L	75D26L	80D26L 85D26L 90D26L	75D26L	
	E-JZS133Z		1991		55D23L	55D23L	75D23L 80D23L	75D26L				
	E-JZS135		1991	1995	55D23L	55D23L	75D23L 80D23L	75D26L				
	L	2000	E-GS130	1G-GP	1990		TAXI	55D26L	55D26L	80D26L 85D26L 90D26L	55D26L	
					1991	1995	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L		
T-GS136V		1991		1G-FE								
CROWN (S140)	D	2400	Q-LS141	2L-THE	1991	1995		95D31L	95D31L	105D31L	140E41L	
	G	2000	E-GS141	1G-FE	1993	1995		55D23L	55D23L	75D23L 80D23L	55D23L	
		2500	E-JZS141	1JZ-GE	1991	1995		55D23L	55D23L	75D23L 80D23L	55D23L	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
CROWN (S150)					1995	1998	GPS/WITH OUT NAVIGATION WITH TV	75D26L	75D26L	80D26L 85D26L 90D26L	75D26L			
					1996		PATROL CAR	55D26L	55D26L	80D26L 85D26L 90D26L	55D26L			
					1996		ROAD PATROL CAR	75D26L	75D26L	80D26L 85D26L 90D26L	75D26L			
					1998			55D23L	55D23L	75D23L 80D23L 80D26L	75D26L			
					1998		GPS WITH NAVIGATION	75D26L	75D26L	85D26L 90D26L 80D26L	-			
			GF-JZS155Z		2000		PATROL CAR	55D26L	55D26L	85D26L 90D26L	-			
CROWN (S150)	G	3000	GF-JZS157	2JZ-GE	1998		GPS WITH NAVIGATION	55D23L	55D23L	75D23L 80D23L 80D26L	75D26L			
					1998			75D26L	75D26L	85D26L 90D26L	-			
		4000	E-UZS151	1UZ-FE	1995			55D23L	55D23L	75D23L 80D23L 80D26L	80D26L			
					1995			75D26L	75D26L	85D26L 90D26L 80D26L	80D26L			
		E-UZS155	1UZ-FE	1995	75D26L			75D26L	85D26L 90D26L 80D26L	80D26L				
				1995	4WD, MULTI VISION			75D26L	75D26L	85D26L 90D26L	80D26L			
	E-UZS157	1UZ-FE	1995	4WD	55D23L	55D23L	75D23L 80D23L	80D26L						
			1995	MULTI VISION	75D26L	75D26L	75D23L 80D23L 80D26L	80D26L						
	L	2000			1G-GPE	1995	1998	TAXI	55D26L	55D26L	80D26L 85D26L 90D26L	-		
						1995	1998	TAXI	55D26L	55D26L	80D26L 85D26L 90D26L	-		
						1998		TAXI	55D26L	55D26L	80D26L 85D26L 90D26L	-		
						1998		TAXI	55D26L	55D26L	80D26L 85D26L 90D26L	-		
CROWN (S170)	G	2000	GH-GS171	1G-FE	2000		4WD	46B24R	46B24R	55B24R 60B24R	55D23R			
					1999			46B24R	46B24R	55B24R 60B24R	55D23R			
					1999			46B24R	46B24R	55B24R 60B24R	55D23R			
					2002			65D23R	75D23R	55B24R 60B24R	-			
		3000	GH-JZS175	2JZ-FSE	1999			46B24R	46B24R	55B24R 60B24R	65D23R			
					1999			MULTI VISION	55D23R	55D23R	55B24R 60B24R	65D23R		

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
CROWN (S170)			GH-JZS179	2JZ-GE	1999		4WD	46B24R	46B24R	55B24R 60B24R	65D23R
CROWN (S170)			TA-JZS175		2002			65D23R	75D23R	80D23R	-
CROWN (S180)	G	2500	DBA-GRS180	4GR-FSE	2004		2WD, ROYAL EXTRA	55D23L	55D23L	75D23L 80D23L	65D23L
					2004		2WD	55D23L	55D23L	75D23L 80D23L	80D26L
			2004		4WD, ROYAL EXTRA i- FOUR	55D23L	55D23L	75D23L 80D23L	65D23L		
CROWN (S180)	G	2500	DBA-GRS181	4GR-FSE	2004		4WD	55D23L	55D23L	75D23L 80D23L	80D26L
			UA-GRS180		2003		2WD, ROYAL EXTRA	55D23L	55D23L	75D23L 80D23L	65D23L
			DBA-GRS182	3GR-FSE	2004		2WD, ROYAL EXTRA	55D23L	55D23L	75D23L 80D23L	80D26L
		3000	DBA-GRS183		2004		4WD, S PACKAGE	55D23L	55D23L	75D23L 80D23L	65D23L
			UA-GRS182		2004		4WD	55D23L	55D23L	75D23L 80D23L	80D26L
			UA-GRS182		2003		2WD	55D23L	55D23L	75D23L 80D23L	80D26L
			UA-GRS183		2003		4WD, S PACKAGE	55D23L	55D23L	75D23L 80D23L	65D23L
2003		4WD	55D23L	55D23L	75D23L 80D23L	80D26L					
CROWN ATHLETE	G	2500	UA-GRS180	4GR-FSE	2003		2.5 ATHLETE	55D23L	55D23L	75D23L 80D23L	80D26L
		3000	UA-GRS182	3GR-FSE	2003		3.0 ATHLETE	55D23L	55D23L	75D23L 80D23L	80D26L
CROWN エステート	G	2500	TA-JZS171W	1JZ-FSE	2003		ATHLETE, WITH MULTI VISION	55D23R	55D23R	75D23R 80D23R	65D23R
					2003		ATHLETE	46B24R	46B24R	55B24R 60B24R	65D23R
		3000	TA-JZS173W	1JZ-GE	2003		ATHLETE Four	55D23R	55D23R	75D23R 80D23R	65D23R
			TA-JZS175W	2JZ-FSE	2003		ATHLETE G	55D23R	55D23R	75D23R 80D23R	65D23R
CROWN MAJESTA	G	3000	GH-UZS177	2JZ-FSE	1999			55D23R	55D23R	75D23R 80D23R	65D23R
			TA-UZS177		2003			55D23R	55D23R	75D23R 80D23R	65D23R
					2003		WITH MULTI VISION	65D23R	75D23R	75D23R 80D23R	65D23R
		4000	GH-UZS171	1UZ-FE	1999			55D23R	55D23R	75D23R 80D23R	80D26R
			1999			WITH MULTI VISION	65D23R	75D23R	80D23R	80D26R	
			1999				55D23R	55D23R	75D23R 80D23R	80D26R	
			1999			4WD, WITH MULTI VISION	65D23R	75D23R	80D23R	80D26R	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
CROWN MAJESTA			GH-UZS175		1999			55D23R	55D23R	75D23R 80D23R	80D26R		
CROWN MAJESTA			GH-UZS175		1999		WITH MULTI VISION	65D23R	75D23R	80D23R	80D26R		
			TA-UZS171		2003			55D23R	55D23R	75D23R 80D23R	80D26R		
CROWN MAJESTA	G	4000	TA-UZS173	1UZ-FE	2003		4WD, WITH MULTI VISION	65D23R	75D23R	80D23R	80D26R		
					2003		4WD	55D23R	55D23R	75D23R 80D23R	80D26R		
			2003		TA-UZS175		2003			55D23R	55D23R	75D23R 80D23R	80D26R
			2003				2003		WITH MULTI VISION	65D23R	75D23R	80D23R	80D26R
		4300	DBA-UZS186	3UZ-FE	2004		2WD	80D26L	80D26L	85D26L 90D26L	-		
			DBA-UZS187		2004		4WD	80D26L	80D26L	85D26L 90D26L	-		
GRANVIA (H10)	D	3000	KD-KCH10W	1KZ-TE	1995	1999		105D31L	105D31L	105D31L	85D26Rx2		
			KD-KCH16W		1995	1999	4WD	105D31L	105D31L	105D31L	85D26Rx2		
			KH-KCH10W		1999			105D31L	105D31L	105D31L	85D26Rx2		
			KH-KCH16W		1999		4WD	105D31L	105D31L	105D31L	85D26Rx2		
	G	2700	E-RCH11W	3RZ-FE	1995	1998		55D23R	55D23R	75D23R 80D23R	80D26R		
			3400	E-VCH10W	5VZ-FE	1997	1999		55D23R	55D23R	75D23R 80D23R	80D26R	
		E-VCH16W		1997		1999	4WD	55D23R	55D23R	75D23R 80D23R	80D26R		
		GF-VCH10W		1999				55D23R	55D23R	75D23R 80D23R	80D26R		
GF-VCH16W	1999		4WD	55D23R	55D23R	75D23R 80D23R	80D26R						
GRANVIA	G	3400	TA-VCH22K	5VZ-FE	2002			80D26R	80D26R	85D26R 90D26R	-		
			TA-VCH28K		2002			80D26R	80D26R	85D26R 90D26R	-		
KLUGER HYBRID	G	3300	DAA-MHU28W	3MZ-FE	2005		ELECTRIC 4WD SYSTEM	55B24L	55B24L	60B24L	-		
KLUGER	G	2400	TA-ACU20W	2AZ-FE	2000			46B24L	46B24L	55B24L 60B24L	55D23L		
			TA-ACU25W		2000		4WD	46B24L	46B24L	55B24L 60B24L	55D23L		
	3000	TA-MCU20W	1MZ-FE	2000			55D23L	55D23L	75D23L 80D23L	-			
		TA-MCU25W		2000		4WD	55D23L	55D23L	75D23L 80D23L	-			
KLUGER-L	G	2400	UA-MCU20W	2AZ-FE	2003			55D23L	55D23L	75D23L 80D23L	-		
			UA-MCU25W		2003		4WD	55D23L	55D23L	75D23L 80D23L	-		
	3000	UA-MCU20W	1MZ-FE	2003			55D23L	55D23L	75D23L 80D23L	-			
		UA-MCU25W		2003		4WD	55D23L	55D23L	75D23L 80D23L	-			

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
KLUGER-V	G	2400	UA-MCU20W	2AZ-FE	2003			55D23L	55D23L	75D23L 80D23L	-	
			UA-MCU25W		2003	4WD	55D23L	55D23L	75D23L 80D23L	-		
KLUGER-V	G	3000	UA-MCU20W	1MZ-FE	2003			55D23L	55D23L	75D23L 80D23L	-	
			UA-MCU25W		2003	4WD	55D23L	55D23L	75D23L 80D23L	-		
CRESTA (X100)	D	2400	KD-LX100	2L-TE	1996	1998		95D31L	95D31L	105D31L	140D38L	
			E-GX100		1G-FE	1996	1998	A/T	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L
	1996	1998		M/T		46B24L	46B24L	55B24L 60B24L	55D23L			
	1998	A/T		34B19L		38B19L	40B19L 42B19L 44B19L	55D23L				
				4WD		34B19L	38B19L	40B19L 42B19L 44B19L	55D23L			
	G	2000	E-JZX100		1JZ-GE	1996	1998		46B24L	46B24L	55B24L 60B24L	55D23L
				1996		1998		55D23L	55D23L	75D23L 80D23L	55D23L	
	E-JZX105	1JZ-GE	1996	1998		46B24L	46B24L	55B24L 60B24L	55D23L			
			1998	A/T	46B24L	46B24L	55B24L 60B24L	55D23L				
	4WD	46B24L			46B24L	55B24L 60B24L	55D23L					
		2500	E-JZX105	1JZ-GE	1996	1998		46B24L	46B24L	55B24L 60B24L	55D23L	
	1996				1998		55D23L	55D23L	75D23L 80D23L	55D23L		
	GF-JZX100	1JZ-GE	1996	1998		46B24L	46B24L	55B24L 60B24L	55D23L			
			1998	TURBO	55D23L	55D23L	75D23L 80D23L	-				
4WD	46B24L	46B24L			55B24L 60B24L	55D23L						
	3000	E-JZX101	2JZ-GE	1996	1998		55D23L	55D23L	75D23L 80D23L	55D23L		
1998					55D23L	55D23L	75D23L 80D23L	-				
CRESTA (X80)	D	2400	Q-LX80	2L-T	1990	1992		95D31L	95D31L	105D31L	140D38L	
			Q-LX80Y		2L	1990	1996	INSTRUC- TION CAR, TAXI	75D31L	75D31L	105D31L	140D38L
						1990	1996	INSTRUC- TION CAR	75D31L	75D31L	105D31L	140D38L
		G	1800	E-SX80	4S-FE	1990	1992		50D20L	50D20L	50D20L 80D26L	55D23L
				1990		1996	INSTRUC- TION CAR	55D26L	55D26L	85D26L 90D26L	55D26L	
		2000	E-GX81	1G-FE	1990	1992		46B24L	46B24L	55B24L 60B24L	55D23L	
	1990				1992	A/T	50D20L	50D20L	50D20L	55D23L		
	1990	1992	M/T	46B24L	46B24L	55B24L 60B24L	55D23L					
				2500	E-JZX81	1JZ-GE	1990	1992		55D23L	55D23L	75D23L 80D23L
	1990	1992					55D23L	55D23L	75D23L 80D23L	55D23L		
	3000	E-MX83	7M-GE	1190	1992		55D23L	55D23L	75D23L 80D23L	55D23L		
	CRESTA (X80)	L	2000	E-YX80Y	3Y-P	1990	1996	INSTRUC- TION CAR, TAXI	55D26L	55D26L	80D26L 85D26L 90D26L	55D26L
	CRESTA (X90)	D	2400	KD-LX90	2L-TE	1995	1996		95D31L	95D31L	105D31L	140D38L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
CRESTA (X90)	G		Y-LX90		1992	1995		95D31L	95D31L	105D31L	140D38L	
		1800	E-SX90	4S-FE	1992	1996		50D20L	50D20L	50D20L	55D23L	
		2000	E-GX90	1G-FE	1992	1996		46B24L	46B24L	55B24L 60B24L	55D23L	
CRESTA (X90)		2500	E-JZX90	1JZ-GE	1992	1994		55D23L	55D23L	75D23L 80D23L	55D23L	
					1994	1996		46B24L	46B24L	55B24L 60B24L	55D23L	
			1JZ-GTE	1992	1994		55D23L	55D23L	75D23L 80D23L	55D23L		
				1994	1996		46B24L	46B24L	55B24L 60B24L	55D23L		
		E-JZX93	1JZ-GE	1993	1994		55D23L	55D23L	75D23L 80D23L	55D23L		
			1994	1996		46B24L	46B24L	55B24L 60B24L	55D23L			
3000	E-JZX91	2JZ-GE	1992	1995		55D23L	55D23L	75D23L 80D23L	55D23L			
COASTER (B20,30)	D	3400	U-BB21	3B	1990			48D26Rx2	80D26R×2	85D26R×2	75D26Rx2	
						1990			48D26Rx2	80D26R×2	85D26R×2	75D26Rx2
						1990			48D26Rx2	80D26R×2	85D26R×2	75D26Rx2
		3600	U-BB23	14B	1990			48D26Rx2	80D26R×2	85D26R×2	80D26Rx2	
						1990			48D26Rx2	80D26R×2	85D26R×2	80D26Rx2
		4200	U-HDB30	1HD-T	1990	1992	A/T	55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
						1990	1992	M/T	55D23Rx2	55D23Rx2	75D23Rx2	75D26Rx2
						1990	1992	A/T	55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2
						1990	1992	M/T	55D23Rx2	55D23Rx2	75D23Rx2	75D26Rx2
			U-HZB30	1HZ	1990	1992	A/T	55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
						1990	1992	M/T	55D23Rx2	55D23Rx2	75D23Rx2	75D26Rx2
						1990	1992	A/T	55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2
						1990	1992	M/T	55D23Rx2	55D23Rx2	75D23Rx2	75D26Rx2
		U-HZB31			1990	1992	A/T	55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
	1990			1992	M/T	55D23Rx2	55D23Rx2	75D23Rx2	75D26Rx2			
U-HZB36V			1990	1992	A/T	55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2			
			1990	1992	M/T	55D23Rx2	55D23Rx2	75D23Rx2	75D26Rx2			
G	2400	T-RB20	22R	1990			48D26R	80D26R	85D26R 90D26R	55D23R		
COASTER (B40,50)	D	3400	KC-BB40	3B	1995	1999		48D26Rx2	80D26R×2	85D26R×2	95D31Rx2	
						1995	1999		48D26Rx2	80D26R×2	85D26R×2	95D31Rx2
			U-BB40		1992	1997	HIGH ROOF	48D26Rx2	80D26R×2	85D26R×2	75D26Rx2	
					1992	1997	STANDARD ROOF	48D26Rx2	80D26R×2	85D26R×2	95D31Rx2	
		U-BB46V		1992	1997		48D26Rx2	80D26R×2	85D26R×2	95D31Rx2		
4000	PB-XZB4x系	N04C-TB	2004				105D31Rx 2	105D31Rx 2	105D31Rx2	-		

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
COASTER (B40,50)			PB-XZB51	N04C-TC	2004			105D31Rx 2	105D31Rx 2	105D31Rx2	-		
			PB-XZB5x系	N04C-TB	2004			105D31Rx 2	105D31Rx 2	105D31Rx2	-		
			4100	KC-BB55	15B-F	1995	1997	4WD	95D31R	95D31R	105D31Rx2	-	
COASTER (B40,50)			KC-BB58		1997	1999		95D31Rx2	95D31Rx2	105D31Rx2	95D31Rx2		
				15B-FTE	1999			105D31Rx 2	105D31Rx 2	105D31Rx2	-		
			4200	KC-HDB50	1HD-FT	1997	1999		95D31Rx2	95D31Rx2	105D31Rx2	105D31Rx 2	
						1997	1999		95D31Rx2	95D31Rx2	105D31Rx2	105D31Rx 2	
COASTER (B40,50)	D	4200	KC-HZB50	1HZ	1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2		
			KK-HDB50	1HD-FTE	1999			95D31Rx2	95D31Rx2	105D31Rx2	105D31Rx 2		
			KK-HDB51		1999			95D31Rx2	95D31Rx2	105D31Rx2	105D31Rx 2		
			KK-HZB40	1HZ	1999			55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2		
			KK-HZB41		1999			55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2		
			KK-HZB46V		1999			55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2		
			KK-HZB50		1999			55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2		
			KK-HZB56V		1999			55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2		
			U-HDB50	1HD-T	1992	1997		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2		
			U-HDB51		1992	1997		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2		
			U-HZB40	1HZ	1992	1997		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2		
			U-HZB41		1992	1997		75D26Rx2	75D26Rx2	85D26Rx2	95D31Rx2		
							1992	1997	EX (15SEATS)	55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2
							1992	1997	EXCLUDE EX (15SEATS)	55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2
							1992	1997		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2
							1992	1997		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2
				L	4100	LD-BZB40	1BZ-FPE	2002	2004		105D31R 105D31R	105D31R 105D31R	115D31R 115D31R
COASTER R	D	5300	KC-RX4JFAT	J05C	1996		(GF) 29SEATS	65D26Rx2	80D26R×2	85D26R×2	95E41Rx2		
					1996		(GB) 20SEATS	95E41Rx2	100E41Rx 2	110E41Rx2 120E41Rx2 130E41Rx2	-		
				J05C-TI	1996		(GC) 25SEATS	95E41Rx2	100E41Rx 2	110E41Rx2 120E41Rx2 130E41Rx2	-		

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
COASTER R					1996		(GD) 29SEATS	95E41Rx2	100E41Rx2	110E41Rx2 120E41Rx2 130E41Rx2	-
					1996		(GE) 29SEATS	65D26Rx2	80D26R×2	85D26R×2	95E41Rx2
COASTER R			KK-RX4J	J05C-TG	2001		SUPER TOURING	95E41R	100E41R	110E41Rx2 120E41Rx2 130E41Rx2	-
					2001		SUPER DELUXE	65D23R	75D23R	75D23R	-
					2001		DELUXE	65D23R	75D23R	75D23R	-
CORSA (L40)	D	1500	X-NL40	1N-T	1990	1994	A/T	55D23R	55D23R	75D23R	95D31R
					1990	1994	M/T	55D23R	55D23R	75D23R	80D26R
	G	1300	E-EL41	4E-FE	1990	1994		34B19R	38B19R	42B19R 44B19R	46B24R
					1990	1994		34B19R	38B19R	42B19R 44B19R	46B24R
		1500	E-EL43	5E-FE	1990	1994		34B19R	38B19R	42B19R 44B19R	46B24R
					1990	1994		34B19R	38B19R	42B19R 44B19R	46B24R
		E-EL45	5E-FE	1990	1994		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
CORSA (L50)	D	1500	KD-NL50	1N-T	1994		A/T	55D23R	55D23R	75D23R	95D31R
					1994		M/T	55D23R	55D23R	75D23R	80D26R
	G	1300	E-EL51	4E-FE	1994			34B19R	38B19R	42B19R 44B19R	46B24R
					1996			34B19R	38B19R	42B19R 44B19R	46B24R
		1500	E-EL53	5E-FE	1994	1996		34B19R	38B19R	42B19R 44B19R	46B24R
					1996		4WD	34B19R	38B19R	42B19R 44B19R	46B24R
		E-EL55		1996	1996		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
CORONA (T140)	L	1800	E-YT140	2Y-PU	1992		TAXI	46B24R	46B24R	55B24R 60B24R	55D26R
		1800	E-YT140	2Y-PU	1985	1992	TAXI	46B24R	46B24R	55B24R 60B24R	55D26R
CORONA (T170)	D	2000	Q-CT170	2C	1989	1992	A/T	95D31L	95D31L	105D31L	95D31L
			S-CT176V		1989	1992	M/T	80D26L	80D26L	85D26L	95D31L
					1989	1992	A/T	95D31L	95D31L	105D31L	95D31L
			1989	1992	M/T	80D26L	80D26L	85D26L	95D31L		
	G	1500	E-AT170	5A-FE	1989	1992	A/T	46B24L	46B24L	55B24L 60B24L	46B24L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
CORONA (T170)		1600			1989	1992	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			R-ET176V	3E	1989	1992	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			E-AT175	4A-FE	1989	1992		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
CORONA (T170)		1800	E-ST170		1989	1992	A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
					1989	1992	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
		2000	E-ST171	3S-FE	1989	1992	A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
					1989	1992	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
					1989	1992	A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
1989	1992	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L						
CORONA (T180)	G	1800	E-ST180	4S-FE	1990	1993	A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
CORONA (T180)	G	1800	E-ST180	4S-FE	1990	1993	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
					1990	1993	A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
					1990	1993	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			2000	E-ST182	3S-FE	1989	1993	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
						1989	1993	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
						1989	1993	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
		E-ST183	3S-FE	1989	1993	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L		
				1989	1993	A/T	46B24L	46B24L	55B24L 60B24L	46B24L		
				1989	1993	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L		
				1989	1993	A/T	46B24L	46B24L	55B24L 60B24L	46B24L		
1989	1993	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L						
CORONA (T190)	D	2000	X-CT190	2C	1992	1994	A/T	95D31L	95D31L	105D31L	95D31L	
1992					1994	M/T	80D26L	80D26L	85D26L	95D31L		
	G	1600	Y-CT195		1994	1995	4WD	80D26L	80D26L	85D26L	95D31L	
1994					1995	A/T	95D31L	95D31L	105D31L	95D31L		
E-AT190			4A-FE	1994	1995	A/T	46B24L	46B24L	55B24L 60B24L	46B24L		
				1994	1995	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L		

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
CORONA (T190)		1800		4S-FE	1994	1995	A/T	46B24L	46B24L	55B24L 60B24L	46B24L		
					1994	1995	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L		
		2000	E-ST191	3S-FE	1994	1995		46B24L	46B24L	55B24L 60B24L	46B24L		
				E-ST195	1994	1995	A/T	46B24L	46B24L	55B24L 60B24L	46B24L		
CORONA (T190)					1994	1995	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L		
CORONA (T200)	D	2000	KD-CT210	2C-T	1996			80D26L	80D26L	85D26L	95D31L		
			KD-CT215		1996		4WD	80D26L	80D26L	85D26L	95D31L		
			2200	KE-CT211	3C-TE	1997		A/T	105D31L	105D31L	105D31L	-	
					1997		M/T	80D26L	80D26L	85D26L	105D31L		
CORONA (T200)	D	2200	KH-CT216	3C-TE	1997			105D31L	105D31L	105D31L	-		
			G	1600	E-AT210	4A-FE	1996			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
					GF-AT210		1998			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			1800	E-AT211	7A-FE	1996				34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
					E-ST200	4S-FE	1993		A/T	46B24L	46B24L	55B24L 60B24L	46B24L
				E-ST201		1993		M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
						1993		A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
						1993		M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
				GF-AT211	7A-FE	1998				34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
					2000	E-ST202	3S-FE	1993		A/T	46B24L	46B24L	55B24L 60B24L
							1993		M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
				3S-GE		1993		A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
						1993		M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			E-ST203	3S-FE		1993		A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
			E-ST205	3S-GE	1994		A/T	46B24L	46B24L	55B24L 60B24L	46B24L		
					1994		M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L		
					1996				46B24L	46B24L	55B24L 60B24L	46B24L	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
CORONA (T200)				3S-FSE	1997			46B24L	46B24L	55B24L 60B24L	46B24L
					1997			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			E-ST215	3S-FE	1996		A/T, 4WD	46B24L	46B24L	55B24L 60B24L	46B24L
					1996		M/T, 4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
CORONA (T200)	G	2000	GF-ST210	3S-FSE	1998			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
				3S-FE	1998		A/T, 4WD	46B24L	46B24L	55B24L 60B24L	46B24L
			GF-ST215	3S-FE	1998		M/T, 4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
COMFORT	D	2400	KD-LXS11	2L-TE	1997	1999	INSTRUC- TION CAR	95D31L	95D31L	105D31L	140D38L
					1996			95D31L	95D31L	105D31L	-
	G	1800	E-SXS11Y	4S-FE	1996	1999	INSTRUC- TION CAR	55D26L	55D26L	80D26L 85D26L 90D26L	-
					1999			INSTRUC- TION CAR	55D26L	55D26L	80D26L 85D26L 90D26L
	L	2000	E-GXS10	1G-GPE	1995	1999	INSTRUC- TION CAR	55D26L	55D26L	80D26L 85D26L 90D26L	-
					1995	1999		55D26L	55D26L	80D26L 85D26L 90D26L	-
			E-YXS11	3Y-PE	1997	1999	INSTRUC- TION CAR	55D26L	55D26L	80D26L 85D26L 90D26L	-
					1996	1999		55D26L	55D26L	80D26L 85D26L 90D26L	-
			E-YXS11Y	3Y-PE	1996	1999	INSTRUC- TION CAR	55D26L	55D26L	80D26L 85D26L 90D26L	-
					1999	2001		55D26L	55D26L	80D26L 85D26L 90D26L	-
			GF-GXS10	1G-GPE	1999	2001	INSTRUC- TION CAR	55D26L	55D26L	80D26L 85D26L 90D26L	-
					1999	2001		55D26L	55D26L	80D26L 85D26L 90D26L	-
			GF-YXS10	3Y-PE	1999		INSTRUC- TION CAR	55D26L	55D26L	80D26L 85D26L 90D26L	-
					1999			55D26L	55D26L	80D26L 85D26L 90D26L	-
			GF-YXS11Y	3Y-PE	1999		INSTRUC- TION CAR	55D26L	55D26L	80D26L 85D26L 90D26L	-
		1999				55D26L		55D26L	80D26L 85D26L 90D26L	-	
		TA-YXS10	3Y-PE	2001		IDLING- STOP CAR	55D26L	55D26L	80D26L 85D26L 90D26L	-	
				2001			75D26L	75D26L	80D26L 85D26L 90D26L	-	
		TA-YXS11	3Y-PE	2001		IDLING- STOP CAR	55D26L	55D26L	80D26L 85D26L 90D26L	-	
				2001			75D26L	75D26L	80D26L 85D26L 90D26L	-	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
COMFORT			TA-YXS11Y		2001		INSTRUC-TION CAR	55D26L	55D26L	80D26L 85D26L 90D26L	-	
CYNOS (L40)	G	1500	E-EL44	5E-FE	1991	1992		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
					1992	1995		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
					1991	1992		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
				5E-FHE	1991	1992			40B19R 42B19R 44B19R	46B24R		
CYNOS (L40)					1992	1995		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
CYNOS (L50)	G	1300	E-EL52	4E-FE	1995	1996		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			E-EL52C		1996			46B24R	46B24R	55B24R 60B24R	46B24R	
		1500	E-EL54	5E-FE	1995	1996		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
								34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
					1996			46B24R	46B24R	55B24R 60B24R	46B24R	
		E-EL54C	5E-FHE	1996					40B19R 42B19R 44B19R	46B24R		
SUCCEED	D	1400	KP-NLP51V	1ND-TV	2002		VAN	55D23R	55D23R	75D23R 40B19R 42B19R 44B19R	85D26R	
	G	1500	UA-NCP58G	1NZ-FE	2002		WAGON	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			UA-NCP59G		2002		WAGON	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			UB-NCP50V	2NZ-FE	2002		VAN	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			UB-NCP51V		2002		VAN	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			UB-NCP55V	1NZ-FE	2002		4WD, VAN	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
SIENTA	G	1500	UA-NCP81G	1NZ-FE	2003		2WD	46B24R	46B24R	55B24R 60B24R	46B24R	
			UA-NCP85G		2003		4WD	46B24R	46B24R	55B24R 60B24R	46B24R	
SUPRA (A70)	G	2000	E-GA70	1G-FE	1988	1993		55D23L	55D23L	75D23L 80D23L	55D23L	
					1988			1993	55D23L	55D23L	75D23L 80D23L	55D23L
					1988			1993	55D23L	55D23L	75D23L 80D23L	55D23L
					1989			1993	55D23L	55D23L	75D23L 80D23L	55D23L
				E-GA70H	1G-GTEU	1990		1993				75D23L 80D23L
		2500	E-JZA70	1JZ-GTE	1990	1993		55D26L	55D26L	85D26L 90D26L	55D26L	
SUPRA (A80)	G	3000	E-JZA80	2JZ-GE	1993	1995		55D23L	55D23L	75D23L 80D23L	55D23L	
					1995				46B24L	46B24L	55B24L 60B24L	55D23L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA				
SUPRA (A80)				2JZ-GTE	1996		SZ-R	46B24L	46B24L	55B24L 60B24L	55D23L				
					1993	1995		55D23L	55D23L	75D23L 80D23L	55D23L				
					1995			46B24L	46B24L	55B24L 60B24L	55D23L				
STARLET (P80)	D	1500	Q-NP80	1N	1989	1992	A/T	55D23L	55D23L	75D23L	95D31L				
					1989	1992	M/T	55D23L	55D23L	75D23L	80D26L				
			1992		1995	A/T	55D23L	55D23L	75D23L	95D31L					
			1992		1995	M/T	55D23L	55D23L	75D23L	80D26L					
	G	1300	E-EP82	4E-FE	1989	1992	A/T	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R				
STARLET (P80)					1989	1992	M/T	28B17R	38B19R	40B19R 42B19R 44B19R	46B24R				
					1992	1994	M/T	28B17R	38B19R	42B19R 44B19R	46B24R				
					1992	1994	SOLEIL A/T EXCLUDE	46B24R	46B24R	55B24R 60B24R	46B24R				
					1992	1994	SOLEIL A/T	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R				
					1992	1995	Gi	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R				
					1994			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R				
					1994		EXCLUDE Gi A/T	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R				
					1994		EXCLUDE Gi M/T	28B19R	38B19R	40B19R 42B19R 44B19R	46B24R				
					1989	1992	A/T	46B24R	46B24R	55B24R 60B24R	46B24R				
					1989	1992	M/T	28B17R	38B19R	42B19R 44B19R	46B24R				
					1989	1995		4E-FTE		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
							E-EP82	4E-FE	1992		PATROL CAR	46B24R	46B24R	55B24R 60B24R	46B24R
							E-EP85		1992	1995		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
					STARLET (P80)	G	1300	E-EP85	4E-F	1990	1992		34B19R	38B19R	40B19R 42B19R 44B19R
1991			46B24R	46B24R						55B24R 60B24R	46B24R				
STARLET (P90)	D	1500	KD-NP90	1N	1995		A/T	55D23R	55D23R	75D23R	95D31R				
					1995		M/T	55D23R	55D23R	75D23R	80D26R				
	G	1300	E-EP91	4E-FE	1995			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R				

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
STARLET (P90)				4E-FTE	1995			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			E-EP95	4E-FE	1995	4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
SPARKY	G	1300	LA-S231E	K3-VE	2002		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	44B19L
			TA-S221E		2000		34B19L	38B19L	40B19L 42B19L 44B19L	38B20L	
			TA-S231E	2000	4WD	34B19L	38B19L	40B19L 42B19L 44B19L	38B20L		
SPARKY			UA-S221E		2002			34B19L	38B19L	40B19L 42B19L 44B19L	44B19L
SPRINTER (E100)	D	2000	KA-CE106V	2C	1994	1995	A/T	95D31L	95D31L	105D31L	95D31L
					1994	1995	M/T	80D26L	80D26L	85D26L	95D31L
					1995			80D26L	80D26L	85D26L	95D31L
			KA-CE109V		1994			80D26L	80D26L	85D26L	95D31L
			KD-CE108G		1996		A/T	95D31L	95D31L	105D31L	95D31L
					1996		M/T	80D26L	80D26L	85D26L	95D31L
			S-CE106V		1991	1994		80D26L	80D26L	85D26L	95D31L
			S-CE109V		1991	1994		80D26L	80D26L	85D26L	95D31L
			X-CE100		1991	1994	A/T	95D31L	95D31L	105D31L	95D31L
					1991	1994	M/T	80D26L	80D26L	85D26L	95D31L
			X-CE104		1991	1994		80D26L	80D26L	85D26L	95D31L
			X-CE108G		1991	1996		80D26L	80D26L	85D26L	95D31L
					1994	1996	A/T	95D31L	95D31L	105D31L	95D31L
					1994	1996	M/T	80D26L	80D26L	85D26L	95D31L
	1995			80D26L	80D26L	85D26L	95D31L				
	2200	KE-CE102G	3C-E	1998		A/T	95D31L	95D31L	105D31L	105D31L	
		KE-CE105V		1998		M/T	80D26L	80D26L	85D26L	95D31L	
				1998		A/T	95D31L	95D31L	105D31L	105D31L	
		KE-CE107V		1998		M/T	80D26L	80D26L	85D26L	95D31L	
				1998		A/T	95D31L	95D31L	105D31L	105D31L	
		KE-CE113		1998		M/T	80D26L	80D26L	85D26L	95D31L	
				1998		A/T	95D31L	95D31L	105D31L	105D31L	
		KE-CE116		1998		M/T	80D26L	80D26L	85D26L	95D31L	
			1998		A/T, 4WD	95D31L	95D31L	105D31L	105D31L		
			1998		M/T, 4WD	80D26L	80D26L	85D26L	95D31L		
SPRINTER (E100)	D	2200	KF-CE105V	3C-E	1998		A/T, 4WD	95D31L	95D31L	105D31L	105D31L
					1998		M/T, 4WD	80D26L	80D26L	85D26L	95D31L
	G	1300	E-EE100	4E-FE	1991	1996		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			GF-EE111		1998		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			GG-EE102V		1997		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			GG-EE103V	5E-FE	1997		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			R-EE102V	4E-FE	1994	1997		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
SPRINTER (E100)			R-EE106V	2E	1991	1994	A/T	46B24L	38B19L	40B19L 42B19L 44B19L	46B24L	
					1991	1994	M/T	28B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
		1500	E-AE100	5A-FE	1991	1996	MARINO, EXTRA PACKAGE	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
					1992	1996		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
					1992	1996		MARINO	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
					1991	1996		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
	E-AE100G		1991	1996	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L				
SPRINTER (E100)			E-AE108G	3E	1991	1996	A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
					1991	1996	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
		1500	E-EE104G	5E-FE	1994	1997		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
					1998	34B19L		38B19L	40B19L 42B19L 44B19L	46B24L		
					1997	34B19L		38B19L	40B19L 42B19L 44B19L	46B24L		
					1994	34B19L		38B19L	40B19L 42B19L 44B19L	46B24L		
					1991	1996		A/T	38B19L	38B19L	40B19L 42B19L 44B19L	46B24L
	R-EE107V	3E										
SPRINTER (E100)	G	1500	R-EE107V	3E	1991	1996	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			1600	E-AE101	4A-FE	1991	1996	MARINO, EXTRA PACKAGE	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
		1992				1996	34B19L		38B19L	40B19L 42B19L 44B19L	46B24L	
		1992				1996	MARINO		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
		4A-GE		1991	1996	MARINO, EXTRA PACKAGE	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L		
				1992	1996		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L		
				1992	1996		MARINO	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
		4A-GZE			1991	1996		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
SCEPTER	G	2200	E-SXV10	5S-FE	1992			55D23L	55D23L	75D23L 80D23L	-
			E-SXV15		1993			55D23L	55D23L	75D23L 80D23L	-
			E-SXV15W		1992			55D23L	55D23L	75D23L 80D23L	-
		3000	E-VCV10	3VZ-FE	1992			55D23L	55D23L	75D23L 80D23L	-
			E-VCV15		1993			55D23L	55D23L	75D23L 80D23L	-
			E-VCV15W		1992			55D23L	55D23L	75D23L 80D23L	-
SERA	G	1500	E-EXY10	5E-FHE	1990			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
CELICA (T180)	G	2000	E-ST182	3S-FE	1989	1993	A/T	46B24L	46B24L	55B24L 60B24L 40B19L	46B24L
					1989	1993	M/T	34B19L	38B19L	42B19L 44B19L	46B24L
					1992	1993	A/T	46B24L	46B24L	55B24L 60B24L	55D23L
CELICA (T180)					1992	1993	M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
CELICA (T180)	G	2000	E-ST182	3S-FE	1992	1993	S-R A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1992	1993	S-R M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
					1989	1993	A/T	46B24L	46B24L	55B24L 60B24L 40B19L	46B24L
				3S-FE	1989	1993	M/T	34B19L	38B19L	42B19L 44B19L	46B24L
					1989	1993	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1989	1993	M/T	34B19L	38B19L	42B19L 44B19L	46B24L
			E-ST183	3S-FE	1989	1993	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1989	1993	M/T	34B19L	38B19L	42B19L 44B19L	46B24L
					1992	1993	A/T	46B24L	46B24L	55B24L 60B24L	55D23L
				3S-FE	1989	1993	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
					1989	1993	M/T	34B19L	38B19L	42B19L 44B19L	46B24L
					1992	1993	A/T	46B24L	46B24L	55B24L 60B24L	55D23L
			3S-FE	1992	1993	M/T	34B19L	38B19L	42B19L 44B19L	46B24L	
				1990	1993		55D23L	55D23L	75D23L 80D23L	55D23L	
E-ST185	3S-GTE	1990	1993		55D23L	55D23L	75D23L 80D23L	55D23L			
		1990	1993		55D23L	55D23L	75D23L 80D23L	55D23L			
E-ST185H	3S-GTE	1990	1993		55D23L	55D23L	75D23L 80D23L	55D23L			
		1992	1993	4WD	55D23L	55D23L	75D23L 80D23L	-			
CELICA (T200)	G	2000	E-ST202	3S-FE	1993		A/T	46B24L	46B24L	55B24L 60B24L	46B24L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
CELICA (T200)					1993		M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L			
					1993		A/T	46B24L	46B24L	55B24L 60B24L	46B24L			
					1993		M/T	34B19L	38B19L	42B19L 44B19L	46B24L			
						E-ST202C		1994		CONVERTIBLE	55D23L	55D23L	75D23L 80D23L	55D23L
						E-ST203	3S-FE	1993		A/T	46B24L	46B24L	55B24L 60B24L	46B24L
						E-ST205	3S-GTE	1993		M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
					1994					55D26L	80D26L	85D26L 90D26L	55D26L	
CELICA (T230)	G	1800	GH-ZZT230	1ZZ-FE	1999			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L			
					1999			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L			
CELICA (T230)			TA-ZZT230	1ZZ-FE	2002			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L			
					2002			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L			
CELSIOR (CF10)	G	4000	E-UCF10	1UZ	1990	1994	F PACKAGE EXCLUDE F PACKAGE	75D31L	95D31L	105D31L 115D31L	95D31L			
					1990	1994		95D31L	95D31L	105D31L 115D31L	95D31L			
					1990	1994		75D31L	95D31L	105D31L 115D31L	95D31L			
CELSIOR (CF20)	G	4000	E-UCF20	1UZ-FE	1994	1998		80D26L	80D26L	85D26L 90D26L	80D26L			
					1994	1998		80D26L	80D26L	85D26L 90D26L	80D26L			
			GF-UCF20	1998			80D26L	80D26L	85D26L 90D26L	-				
				1998			80D26L	80D26L	85D26L 90D26L	-				
CELSIOR (CF30)	G	4300	UA-UCF30	3UZ-FE	2000			80D26R	80D26L	85D26L 90D26L	-			
					2000			80D26R	80D26L	85D26L 90D26L	-			
CENTURY (G40)	G	4000	E-VG40	5V-EU	1982	1989	LIMOUSINE	55D23R	55D23R	75D23R 80D23R	-			
					1989				95D31R	95D31R	105D31R 115D31R	95D31R		
					1990	1997			85D31R	95D31R	105D31R 115D31R	95D31R		
					1990				95D31R	95D31R	105D31R 115D31R	95D31R		
CENTURY (G50)	G	5000	E-GZG50	1GZ-FE	1997	2000		95D31R	95D31R	105D31R 115D31R	95D31R			
					2000			105D31R	105D31R	115D31R	95D31R			
SOARER (Z30)	G	2500	E-JZZ30	1JZ-GTE	1991	1994		75D26L	75D26L	80D26L 85D26L 90D26L	75D26L			
					1994			55D23L	55D23L	75D23L 80D23L	55D23L			

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
SOARER (Z30)		3000	E-JZZ31	2JZ-GE	1994			55D23L	55D23L	75D23L 80D23L	55D23L
		4000	E-UZZ30	1UZ-FE	1991	1994		80D26L	80D26L	85D26L 90D26L	95D31L
			E-UZZ31		1991	1994		95D31L	95D31L	105D31L 115D31L	95D31L
					1994	1995		75D31L	95D31L	105D31L 115D31L	95D31L
					1995	1996		80D26L	80D26L	85D26L 90D26L	95D31L
SOARER (Z30)	G	4000	E-UZZ31	1UZ-FE	1996			80D26L	80D26L	85D26L 90D26L	80D26L
			E-UZZ32		1991	1994		95D31L	95D31L	105D31L 115D31L	95D31L
			1994		1995		75D31L	95D31L	105D31L 115D31L	95D31L	
			1995				95D31L	95D31L	105D31L 115D31L	95D31L	
SOARER (Z40)	G	4300	CBA-UZZ40	3UZ-FE	2004			56618	56618		-
			UA-UZZ40	3UZ-FE	2001			56618	56618		-
TERCEL (L40)	D	1500	X-NL40	1N-T	1990	1994	A/T	55D23R	55D23R	75D23R	95D31R
		1990	1994	M/T	55D23R	55D23R	75D23R	80D26R			
TERCEL (L40)	G	1300	E-EL41	4E-FE	1992	1994		34B19R	38B19L	40B19L 42B19L 44B19L	46B24R
			E-EL43		1990	1994		34B19R	38B19L	40B19L 42B19L 44B19L	46B24R
		5E-FE		1990	1994		34B19R	38B19L	40B19L 42B19L 44B19L	46B24R	
				5E-FHE	1990	1994		34B19R	38B19L	40B19L 42B19L 44B19L	46B24R
		1500	E-EL45	5E-FE	1990	1994		34B19R	38B19L	40B19L 42B19L 44B19L	46B24R
TERCEL (L50)	D	1500	KD-NL50	1N-T	1994		A/T	55D23R	55D23R	75D23R	95D31R
					1994		M/T	55D23R	55D23R	75D23R	80D26R
	G	1300	E-EL51	4E-FE	1996			34B19R	38B19L	40B19L 42B19L 44B19L	46B24R
					1994			34B19R	38B19L	40B19L 42B19L 44B19L	46B24R
		1500	E-EL53	5E-FE	1994			34B19R	38B19L	40B19L 42B19L 44B19L	46B24R
					1994			34B19R	38B19L	40B19L 42B19L 44B19L	46B24R
					1994			34B19R	38B19L	40B19L 42B19L 44B19L	46B24R
E-EL55	1994			34B19R	38B19L	40B19L 42B19L 44B19L	46B24R				
DYNA (U100 - 200)	D	2500	KR-KDY230	2DK0FT V	2004		A/T	85D26L	85D26L	85D26L	85D26Lx2
					2004		M/T	80D26L	80D26L	85D26L	85D26Lx2
					2004		ROOT VAN	80D26L	80D26L	85D26L	85D26Lx2
					2004		4WD	80D26L	80D26L	85D26L	85D26Lx2
		2004		4WD, A/T	85D26L	85D26L	85D26L	85D26Lx2			
2800	KC-LY101	3L	1996	1999		A/T, STEEL RAISED FLOOR	85D31R	85D31R	105D31R	80D26Rx2	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
DYNA (U100 - 200)					1996	1999	M/T, STEEL RAISED FLOOR EXCLUDE	75D26R	75D26R	85D26R	80D26Rx2		
					1996	1999	STEEL RAISED FLOOR	75D26R	75D26R	85D26R	80D26Rx2		
DYNA (U100 - 200)	D	2800	KC-LY111	3L	1996	1999	A/T, STEEL RAISED FLOOR EXCLUDE	85D31R	95D31L	105D31L	80D26Rx2		
					1996	1999	STEEL RAISED FLOOR	75D26R	75D26R	85D26R	80D26Rx2		
					KC-LY121		1996	1999		75D26R	75D26R	85D26R	80D26Rx2
					KC-LY131	3L	1996	1999	A/T, WOODEN FLOOR EXCLUDE	85D31R	95D31R	105D31R	80D26Rx2
			1996	1999			STEEL RAISED FLOOR	75D26R	75D26R	85D26R	80D26Rx2		
DYNA (U100 - 200)			KC-LY161		1996	1999		75D26R	75D26R	85D26R	80D26Rx2		
					1995	1999		75D26R	75D26R	85D26R	80D26Rx2		
					1995	1999	A/T	85D31R	95D31R	105D31R	80D26Rx2		
			1995	1999	M/T	75D26R	75D26R	85D26R	80D26Rx2				
			3400	KC-BU100	3B	1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
						1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
						1997	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
						1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
						1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
						1997	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			4100	KC-BU102	15B-F	1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
						1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
						1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
						1997	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
						1996	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
						1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
						1996	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
						1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
1995	1999					55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2				
		KC-BU102D		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2			
		KC-BU102H		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2			
		KC-BU107		1996	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2			
		KC-BU112		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2			
		KC-BU112A		1996	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2			
		KC-BU112D		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2			
		KC-BU132		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2			

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
DYNA (U100 - 200)					1996	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			KC-BU137		1996	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			KC-BU142		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
					1997	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			KC-BU147		1996	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			KC-BU162		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-BU162A		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-BU162D		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-BU172		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
					1997	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			KC-BU182		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
					1997	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2				
DYNA (U100 - 200)			KC-BU212		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
					1997	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
				15B-FT	1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-BU222	15B-F	1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
					1997	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
				15B-FT	1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-BU297	15B-F	1997			FIRE ENGINE	105E41Rx 2	110E41Rx 2	120E41Rx2 130E41Rx2	105E41Rx 2
					1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-FB5B		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			5300	KC-XZU130A	J05C	1996	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2
DYNA (U100-200)	D	5300	KC-XZU140	J05C	1997	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
	G	2000	GB-YY101	3Y	1996	1999		55D23R	55D23R	75D23R 80D23R	55D23R	
					1996	1999		34B19L	38B19L	42B19L 44B19L	55D23R	
			GB-YY121	1996	1999		34B19R	38B19R	40B19R 42B19R 44B19R	55D23R		
				1995	1999		55D23R	55D23R	75D23R 80D23R	55D23R		
			GB-YY201	1995	1999		55D23R	55D23R	75D23R 80D23R	55D23R		
			GB-YY211	1995	1999		55D23R	55D23R	75D23R 80D23R	55D23R		

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA				
DYNA (U100-200)			GE-RZY220	1RZ-E	2001		A/T, STEEL, JASTROW TYPE	50D20L	50D20L	50D20L	55D23L				
					2001		A/T, STEEL RAISED FLOOR	50D20L	50D20L	50D20L	55D23L				
					2001		A/T, STEEL RAISED FLOOR	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L				
					2001		M/T, STEEL RAISED FLOOR	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L				
					2001		CARGO TRUCK	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L				
			GE-RZY230		2001		A/T, STEEL RAISED FLOOR	50D20L	50D20L	50D20L	55D23L				
					2001		M/T, STEEL RAISED FLOOR	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L				
					2001		CARGO TRUCK	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L				
DYNA (U100-200)		2700	GB-RZU100	3RZ-FE	1995	1999	DUMP	55D23R	55D23R	75D23R 80D23R	80D26R				
			GB-RZU100A		1995	1999		55D23R	55D23R	75D23R 80D23R	80D26R				
			GB-RZU140		1997	1999		55D23R	55D23R	75D23R 80D23R	80D26R				
	L	2000	GB-YY211	3Y-P	1995	1999		55D23R	55D23R	75D23R 80D23R	55D23R				
			GB-RZU100A	3RZ-FP	1995	1999		80D26R	80D26R	85D26R 90D26R	80D26R				
			GB-RZU100H		1995	1999		80D26R	80D26R	85D26R 90D26R	80D26R				
			KG-LY230	3RZ-FPE	2001			80D26L	80D26L	85D26L 90D26L	85D26L				
			KK-LY230		2001			80D26L	80D26L	85D26L 90D26L	85D26L				
			KK-LY280		2001			80D26L	80D26L	85D26L 90D26L	85D26L				
			DYNA (U300 - 400)	D	2700	LD-RZU340		3RZ- FE改	2003		WITH OPTION CAR	55D23L	55D23L	75D23L	80D26L
						3700		KK-BU3xx	4B	1999			55D23Lx2	55D23Lx2	75D23Lx2
4000	KR-XZU304A KR-XZU414	N04C-TC			2003		55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2					
					2003		55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2					
						2003		80D26Lx2	80D26Lx2	85D26L 90D26L		95D31Lx2			
	PB-XZU3xx	N04C-A N04C-TB			2003		55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2					
					2003		55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2					
	PB-XZU4xx				2003		55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2					
	PD-XZU3xx	N04C-TA			2003		55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2					

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
DYNA (U300 - 400)				N04C-TB	2003		HYBRID	55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2		
				N04C-TD	2003			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2		
			PD-XZU4xx	N04C-TA	2003			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2		
				N04C-TD	2003			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2		
			VF-XKU304H	N04C-TE	2003			95D31Lx2	95D31Lx2	105D31Lx2	-		
			VF-XKU344		2003			95D31Lx2	95D31Lx2	105D31Lx2	-		
			VF-XKU414		2003			95D31Lx2	95D31Lx2	105D31Lx2	-		
			VF-XKU424		2003			95D31Lx2	95D31Lx2	105D31Lx2	-		
			4100	KK-BU4xx	15B-FTE	1999			JASTROW TYPE	55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
				LD-BZU300	1BZ-FNE	2003			Wide vehicle with wooden raised floor	95D31L	95D31L	105D31L	-
						2003				95D31Lx2	95D31Lx2	105D31Lx2	-
				LD-BZU300A		2003			JASTROW TYPE	95D31L	95D31L	105D31L	-
			DYNA (U300 - 400)						2003		Wide vehicle with wooden raised floor	95D31Lx2	95D31Lx2
LD-BZU340	2003						95D31Lx2		95D31Lx2	105D31Lx2		-	
LD-BZU410	2003						95D31Lx2		95D31Lx2	105D31Lx2		-	
4600	KK-XZU3xx	S05C				2004		4WD	55D23Lx2	55D23Lx2		75D23Lx2	95D31Lx2
						1999			55D23Lx2	55D23Lx2		75D23Lx2	95D31Lx2
4700	KK-XZU4xx	J05D-TB				1999			55D23Lx2	55D23Lx2		75D23Lx2	95D31Lx2
						1999			55D23Lx2	55D23Lx2		75D23Lx2	95D31Lx2
						2004			55D23Lx2	55D23Lx2		75D23Lx2	95D31Lx2
4900	KK-XZU301H	S05D				1999			FIRE ENGINE	105E41Rx 2		110E41Rx 2	120E41Rx2 130E41Rx2
						1999		105E41Rx 2		110E41Rx 2		120E41Rx2 130E41Rx2	-
						1999		105E41Rx 2		110E41Rx 2		120E41Rx2 130E41Rx2	-
						1999		55D23Lx2		55D23Lx2		75D23Lx2	95D31Lx2
	KK-XZU3xx					1999		55D23Lx2	55D23Lx2	75D23Lx2		95D31Lx2	
	KK-XZU4xx					1999		55D23Lx2	55D23Lx2	75D23Lx2		95D31Lx2	
	PB-XZU301A	S05D-D				2004		DUMP	55D23Lx2	55D23Lx2		75D23Lx2	95D31Lx2
	PB-XZU301H		2004		Wide vehicle with wooden raised floor	55D23Lx2	55D23Lx2	75D23Lx2	80D26Lx2				

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
DYNA (U300 - 400)	D	4900	PB-XZU301		2004		WOODEN RAISED FLOOR	55D23Lx2	55D23Lx2	75D23Lx2	80D26Lx2
			PB-XZU306		2004		JASTROW TYPE	55D23Lx2	55D23Lx2	75D23Lx2	80D26Lx2
			PB-XZU306		2004		ROOT VAN	55D23Lx2	55D23Lx2	75D23Lx2	80D26Lx2
			PB-XZU306V		2004		ROOT VAN	55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
			PB-XZU321D		2004		FIRE ENGINE	55D23Lx2	55D23Lx2	75D23Lx2	80D26Lx2
			PB-XZU331		2004		JASTROW TYPE	55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
			PB-XZU351D		2004		JASTROW TYPE	55D23Lx2	55D23Lx2	75D23Lx2	80D26Lx2
			PB-XZU3xx		2004		FULL JASTROW TYPE	55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
			PB-XZU401		2004			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
			PB-XZU411		2004			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
			PB-XZU421		2004			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
			5300	KK-XZU3xx	J05C	1999		55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
			KK-XZU4xx		1999		55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2	
		L	2700	GE-RZU300	3RZ-FPE	2002		80D26L	80D26L	85D26L 90D26L	-
						2002		OPTION VEHICLE	55D23Lx2	55D23Lx2	75D23Lx2 80D23Lx2
DYNA (U300 - 400)		4100	LD-RZU300		2003			80D26L	80D26L	85D26L 90D26L	-
			LD-RZU301		2003			80D26L	80D26L	85D26L 90D26L	-
			KK-XZU301A	15B-LPG	2002			95D31L	95D31L	105D31L 115D31L	-
			KK-XZU301H		2002			95D31Lx2	95D31Lx2	105D31Lx2 115D31Lx2	-
			KK-XZU302		2002			95D31L	95D31L	105D31L 115D31L	-
			KK-XZU342		2002			95D31Lx2	95D31Lx2	105D31Lx2 115D31Lx2	-
			KK-XZU412		2002			95D31Lx2	95D31Lx2	105D31Lx2 115D31Lx2	-
			LD-BZU300	1BZ-FPE	2003		JASTROW TYPE	95D31L	95D31L	105D31L 115D31L	-
				2003		Wide vehicle with wooden raised floor	95D31Lx2	95D31Lx2	105D31Lx2 115D31Lx2	-	
		LD-BZU300A		2003		JASTROW TYPE	95D31L	95D31L	105D31L 115D31L	-	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
DYNA (U300 - 400)					2003		Wide vehicle with wooden raised floor	95D31Lx2	95D31Lx2	105D31Lx2 115D31Lx2	-	
			LD-BZU340		2003			95D31Lx2	95D31Lx2	105D31Lx2 115D31Lx2	-	
			LD-BZU410		2004			55D23Lx2	55D23Lx2	75D23Lx2 80D23Lx2	95D31Lx2	
					2004		WITH OPTION CAR	55D23Lx2	55D23Lx2	75D23Lx2 80D23Lx2	-	
DYNA (U60 - 90)	D	3000	N-BU60	B	1988	1995		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
DYNA (U60 - 90)	D	3000	N-BU70V		1988	1995		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			N-BU70VH		1988	1995		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			N-BU83		1988	1995		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			U-BU60		1990	1995		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			U-BU60VH		1990	1995		55D23Lx2	55D23Lx2	75D23Lx2	75D26Lx2	
					1990	1995	SPECIAL USER SPECIFIC A-TION	55D26L	80D26L	85D26L	75D26Lx2	
			U-BU61	11B	1990	1995		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
U-BU70V	B	1990	1995		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2				
DYNA (U60 - 90)			U-BU83		1990	1995		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			U-BU84	11B	1990	1995		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			U-VU70VH	B	1990	1995		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
		3400	P-Buxx	13B	1987	1995	DELIVERY VAN	55D26Rx2	55D26Rx2	75D23Rx2	75D31Rx2	
				13B-T	1988	1995		55D23Rx2	55D23Rx2	75D23Rx2	75D31Rx2	
		3700	U-Buxx	14B	1990	1995		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
					1991	1995		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
				14B-T	1990	1995		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
		4000	P-WU75D	1W		1988	1995		80D26Rx2	80D26Rx2	85D26Rx2	95D31Rx2
						1988	1995		80D26Rx2	80D26Rx2	85D26Rx2	95D31Rx2
						1988	1995		80D26Rx2	80D26Rx2	85D26Rx2	95D31Rx2
				U-WU75D		1990	1995		80D26Rx2	80D26Rx2	85D26Rx2	95D31Rx2
				U-WU85		1990	1995		80D26Rx2	80D26Rx2	85D26Rx2	95D31Rx2
				U-WU90		1990	1995		80D26Rx2	80D26Rx2	85D26Rx2	95D31Rx2
U-WU93				1990	1995		80D26Rx2	80D26Rx2	85D26Rx2	95D31Rx2		

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
DYNA (U60 - 90)			U-WU95		1990	1995		80D26Rx2	80D26Rx2	85D26Rx2	95D31Rx2
	G	2000	T-YU60	3Y	1990	1995		34B19L	38B19L	40B19L 42B19L 44B19L	55D23R
			T-YU61D		1990	1995		34B19L	38B19L	40B19L 42B19L 44B19L	55D23R
			T-YU70V	1990	1995		34B19L	38B19L	40B19L 42B19L 44B19L	55D23R	
DYNA (Y100 - 200)	D	3000	KG-LY122	5L	1999			105D31R	105D31R	105D31R	85D26Rx2
			KG-LY132		1999			105D31R	105D31R	105D31R	85D26Rx2
			KG-LY152		1999		4WD	105D31R	105D31R	105D31R	85D26Rx2
			KG-LY162		1999		4WD	105D31R	105D31R	105D31R	85D26Rx2
			KG-LY212		1999			105D31R	105D31R	105D31R	85D26Rx2
	G	2000	GE-YY121	3Y	1999			34B19L	38B19L	40B19L 42B19L 44B19L	55D23R
			GE-YY131		1999			34B19L	38B19L	40B19L 42B19L 44B19L	55D23R
			GE-YY211		1999			34B19L	38B19L	40B19L 42B19L 44B19L	55D23R
	L				1999			34B19L	38B19L	40B19L 42B19L 44B19L	55D23R
	DYNA (Y50, 60)	D	2400	U-LY50	2L	1990	1995		75D26R	75D26R	85D26R
2800			U-LY51	3L	1990	1995		75D26R	75D26R	85D26R	80D26Rx2
			U-LY61		1990	1995		75D26R	75D26R	85D26R	80D26Rx2
G		1800	T-YY51	2Y	1990	1995		34B19L	38B19L	40B19L 42B19L 44B19L	50D20R
			2000	T-YY52	3Y	1990	1995		34B19L	38B19L	40B19L 42B19L 44B19L
		T-YY61		1990		1995		34B19L	38B19L	40B19L 42B19L 44B19L	50D20R
DYNA	D	3000	KK-LY228K	5L	2001			105D31L	105D31L	105D31L	85D26Lx2
			KK-LY270		2001		4WD	105D31L	105D31L	105D31L	85D26Lx2
DYNA 350 (B4, B5)	D	4100	KC-FB5B	15B-F	1997			55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2
		5300	KC-FB4J	J05C	1997			55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2
	L	4100		15B-FP	1997			55D23Rx2	55D23Rx2	75D23Rx2 80D23Rx2	95D31Rx2
TOWN ACE TRUCK	D	2000	KB-CM51	2C	1993	1996		80D26R	80D26R	85D26R	95D31R
			KB-CM52		1996			80D26R	80D26R	85D26R	80D26R
			KB-CM55		1993	1996		80D26R	80D26R	85D26R	80D26R
					1996	1996		80D26R	80D26R	85D26R	95D31R
				1993	1996		80D26R	80D26R	85D26R	95D31R	
				1996			80D26R	80D26R	85D26R	80D26R	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
TOWN ACE TRUCK			KB-CM60		1993	1996	4WD	80D26R	80D26R	85D26R	95D31R	
			KB-CM61		1996			80D26R	80D26R	85D26R	80D26R	
					1993	1996		80D26R	80D26R	85D26R	95D31R	
					1996			80D26R	80D26R	85D26R	80D26R	
			KB-CM65		1993	1996		80D26R	80D26R	85D26R	95D31R	
					1996			80D26R	80D26R	85D26R	80D26R	
			S-CM51		1990	1993		80D26R	80D26R	85D26R	95D31R	
			S-CM52		1991	1993		80D26R	80D26R	85D26R	95D31R	
		S-CM55	1991	1993	80D26R	80D26R	85D26R	95D31R				
		S-CM60	1990	1993	80D26R	80D26R	85D26R	95D31R				
		S-CM65	1990	1993	80D26R	80D26R	85D26R	95D31R				
		2200	3C-E	KF-CM70	1999		4WD	80D26R	80D26R	85D26R	105D31R	
		KF-CM80		1999		80D26R		80D26R	85D26R	105D31R		
		KF-KM85		1999		80D26R		80D26R	85D26R	105D31R		
		KJ-CM70		1999		80D26R		80D26R	85D26R	105D31R		
		KJ-CM75		1999		80D26R		80D26R	85D26R	105D31R		
		KJ-CM80		1999		80D26R		80D26R	85D26R	105D31R		
		KJ-CM85	1999		80D26R	80D26R	85D26R	105D31R				
G	1500	GA-KM51	5K	1996			34B19R	38B19R	40B19R	42B19R	46B24R	
				1990	1996	34B19R	38B19R	40B19R	42B19R	44B19R	46B24R	
	1800	GA-YM55	2Y	1996			34B19R	38B19R	40B19R	42B19R	46B24R	
		GA-YM60		1996		34B19R	38B19R	40B19R	42B19R	44B19R	46B24R	
TOWN ACE TRUCK	G	1800	GA-YM65	2Y	1996			34B19R	38B19R	40B19R	42B19R	44B19R
					1999		34B19R	38B19R	40B19R	42B19R	44B19R	46B24R
			GC-KM70	7K-E	1999			34B19R	38B19R	40B19R	42B19R	44B19R
			GC-KM75		1999			34B19R	38B19R	40B19R	42B19R	44B19R
			GC-KM80		1999		4WD	34B19R	38B19R	40B19R	42B19R	44B19R
			GC-KM85		1999		4WD	34B19R	38B19R	40B19R	42B19R	44B19R
			GK-KMxx	2004			34B19R	38B19R	40B19R	42B19R	44B19R	46B24R
			T-YM55	2Y	1990	1996			34B19R	38B19R	40B19R	42B19R
T-YM65	1990	1996				34B19R	38B19R	40B19R	42B19R	44B19R		
TOWN ACE NOAH VAN	D	2000	KB-CR41V	2C	1996			80D26R	80D26R	85D26R	95D31R	
			KB-CR51V		1996		80D26R	80D26R	85D26R	95D31R		
		2200	KF-CR42V	3C-E	1998			80D26R	80D26R	85D26R	105D31R	
			KF-CR52V		1998		80D26R	80D26R	85D26R	105D31R		
			KJ-CR42V		1998		80D26R	80D26R	85D26R	105D31R		
			KJ-CR52V		1998		80D26R	80D26R	85D26R	105D31R		

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TOWN ACE WAGON		2000			1990	1992	EXCLUDE SW	46B24R	46B24R	55B24R 60B24R	46B24R
			E-YR21G	3Y-EU	1988	1993		46B24R	46B24R	55B24R 60B24R	46B24R
			E-YR30G		1992	1993		46B24R	46B24R	55B24R 60B24R	46B24R
			E-YR36G		1985	1992		46B24R	46B24R	55B24R 60B24R	46B24R
CHASER (X100)	G	1800	E-SX100	4S-FE	1997	1998		46B24L	46B24L	55B24L 60B24L	55D23L
			GF-SX100			1998			46B24L	46B24L	55B24L 60B24L
CHASER (X100)	G	2000	E-GX100	1G-FE	1996	1998	A/T	46B24L	46B24L	55B24L 60B24L	55D23L
						1996	1998	M/T	34B19L	38B19L	42B19L 44B19L
		GF-GX100		1998		A/T	46B24L	46B24L	55B24L 60B24L	55D23L	
		GF-GX100	1G-FE	1998		M/T	34B19L	38B19L	42B19L 44B19L	55D23L	
	GF-GX105	1998			4WD	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L		
	2500	E-JZX100	1JZ-GE	1996	1998	TURBO	46B24L	46B24L	55B24L 60B24L	55D23L	
				1JZ-GTE	1996		1998	55D23L	55D23L	75D23L 80D23L	55D23L
		E-JZX105	1JZ-GE	1996	1998		46B24L	46B24L	55B24L 60B24L	55D23L	
		GF-JZX100	1JZ-GTE	1998			46B24L	46B24L	55B24L 60B24L	55D23L	
		1998			TURBO	55D23L	55D23L	75D23L 80D23L	55D23L		
CHASER (X100)		3000	GF-JZX105	1JZ-GE	1998			46B24L	46B24L	55B24L 60B24L	55D23L
			E-JZX101	2JZ-GE	1996	1998		55D23L	55D23L	75D23L 80D23L	55D23L
			GF-JZX101		1998			55D23L	55D23L	75D23L 80D23L	-
CHASER (X80)	D	2400	Q-LX80	2L-T	1990	1992	INSTRUC-TION CAR	95D31L	95D31L	105D31L	140D38L
		2400	Q-LX80Y	2L-T	1990			75D31L	95D31L	105D31L	140D38L
	G	1800	E-SX80	4S-FE	1990	1992	INSTRUC-TION CAR	50D20L	50D20L	50D20L 85D26L 90D26L	55D23L 55D26L
			E-SX80Y		1990			55D26L	80D26L	55B24L 60B24L	55D23L
	2000	E-GX81	1G-FE	1990	1992	A/T	46B24L	46B24L	55B24L 60B24L	55D23L	
							1990	1992	50D20L	50D20L	50D20L 55B24L 60B24L
				1990	1992		M/T	46B24L	46B24L	55B24L 60B24L	55D23L
				1990	1992			55D23L	55D23L	75D23L 80D23L	55D23L
	2500	E-JZX81	1JZ-GE	1990	1992		55D23L	55D23L	75D23L 80D23L	55D23L	
							1990	1992	55D23L	55D23L	75D23L 80D23L
	3000	E-MX83	7M-GE	1990	1992		55D23L	55D23L	75D23L 80D23L	55D23L	
					55D23L		55D23L	75D23L 80D23L	55D23L		
L	2000	E-YX80Y	3Y-P	1990		INSTRUC-TION CAR, TAXI	55D26L	80D26L	85D26L 90D26L	55D26L	
CHASER (X90)	D	2400	KD-LX100	2L-TE	1996	1998		95D31L	95D31L	105D31L	140D38L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
CHASER (X90)			KD-LX90		1995	1996		95D31L	95D31L	105D31L	-	
			Y-LX90		1992	1995		95D31L	95D31L	105D31L	-	
	G	1800	E-SX90	4S-FE	1992	1996		50D20L	50D20L	50D20L	55D23L	
		2000	E-GX90	1G-FE	1992	1996		46B24L	46B24L	55B24L 60B24L	55D23L	
		2500	E-JZX90	1JZ-GE	1992	1994		55D23L	55D23L	75D23L 80D23L	55D23L	
	1JZ-GE			1994	1996		46B24L	46B24L	55B24L 60B24L	55D23L		
			1JZ-GTE	1992	1994		55D23L	55D23L	75D23L 80D23L	55D23L		
CHASER (X90)	G	2500	E-JZX90	1JZ-GTE	1994	1996		46B24L	46B24L	55B24L 60B24L	55D23L	
			E-JZX93	1JZ-GE	1993	1994		55D23L	55D23L	75D23L 80D23L	55D23L	
		3000	E-JZX91	2JZ-GE	1994	1996		46B24L	46B24L	55B24L 60B24L	55D23L	
	1992				1996		55D23L	55D23L	75D23L 80D23L	55D23L		
DUET	G	1000	GF-M100A	EJ-DE	1998			34B19L	38B19L	40B19L 42B19L 44B19L	38B20L	
					1998	4WD	34B19L	38B19L	40B19L 42B19L 44B19L	38B20L		
					TA-M110A	EJ-VE	2000	4WD	34B19L	38B19L	40B19L 42B19L 44B19L	38B20L
					TA-M111A	K3-VE2	2000	4WD	34B19L	38B19L	40B19L 42B19L 44B19L	38B20L
					TM-M100A	EJ-VE	2000		34B19L	38B19L	40B19L 42B19L 44B19L	38B20L
DUET		1300	TM-M101A	K3-VE2	2000			34B19L	38B19L	40B19L 42B19L 44B19L	38B20L	
			TA-M101A		2000	2WD	34B19L	38B19L	40B19L 42B19L 44B19L	38B20L		
			TA-M111A		2000	4WD	34B19L	38B19L	40B19L 42B19L 44B19L	38B20L		
DELYBIY	D	2000	S-CXC10V	2C	1990	1994		80D26R	80D26R	85D26R	95D31R	
	G	1500	T-KXC10V	5K	1989			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
TOYOACE (B4, B5)	D	4100	KC-FB5B	15B-F	1995			55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
		5300	KC-FB4J	J05C	1995			55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
	L	4100	KC-FB4J	15B-FP	1997			55D23Rx2	55D23Rx2	75D23Rx2 80D23Rx2	95D31Rx2	
TOYOACE (U100 - 200)	D	3400	KC-BU100	3B	1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-BU100A		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-BU105		1997	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			KC-BU120V		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
TOYOACE (U100 - 200)		4100	KC-BU140	15B-F	1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-BU145		1997	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			KC-BU102		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-BU102D		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-BU102H		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-BU107		1996	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			KC-BU112		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-BU112A		1996	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			KC-BU112D		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-BU132		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
									1996	1999	55D23Rx2	55D23Rx2
TOYOACE (U100 - 200)	D	4100	KC-BU137	15B-F	1996	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			KC-BU142		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
					1997	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			KC-BU147		1996	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			KC-BU162		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
					1997	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			KC-BU162A		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
TOYOACE (U100 - 200)			KC-BU162D	15B-F	1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-BU172		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
					1997	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			KC-BU182		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-BU202		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			KC-BU212		1995	1999		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
					1997	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
					15B-FT	1995		1999	55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2
			KC-BU222		15B-F	1995		1999	55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2
						1997		1999	55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2
					15B-FT	1995		1999	55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2
KC-BU5B	15B-F	1995	1999	55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2					

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TOYOACE (U100 - 200)		5300	KC-XZU130A	J05C	1996	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2
			KC-XZU140		1997	1999		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2
	G	2700	GB-RZU100	3RZ-FE	1995	1999		55D23R	55D23R	75D23R 80D23R	80D26R
			GB-RZU140		1998	55D23R		55D23R	75D23R 80D23R	80D26R	
	L	2700	GB-RZU100A	3RZ-FP	1995	1999		80D26R	80D26R	85D26R 90D26R	80D26R
			GB-RZU100H		1995	1999		80D26R	80D26R	85D26R 90D26R	80D26L
TOYOACE (U300 - 400)	D	2700	LD-RZU300	3RZ- FE改	2003		WITH OPTION CAR	55D23L	55D23L	75D23L	80D26L
			LD-RZU340		2003			55D23L	55D23L	75D23L	80D26L
		3700	KK-BU3xx	4B	1999			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
		4000	KR-XZU304A KR-XZU414	N04C-TC	2003			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
					2003			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
			PB-XZU3xx	N04C-A N04C-TB	2003			80D26Lx2	80D26Lx2	85D26Lx2	95D31Lx2
					2003			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
			PB-XZU4xx	N04C-TA N04C-TD	2003			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
					2003			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
			PD-XZU3xx	N04C-TA N04C-TD	2003			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
					2003			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
			PD-XZU4xx	N04C-TA N04C-TD	2003			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
					2003			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
			VF-XZU3xx	N04C-TE	2003			95D31Lx2	95D31Lx2	105D31Lx2	-
					2003			95D31Lx2	95D31Lx2	105D31Lx2	-
TOYOACE (U300 - 400)		4100	KK-BU4xx	15B-FTE	1999		JASTROW TYPE	55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2
			LD-BZU300	1BZ-FNE	2003			95D31L	95D31L	105D31L	-
			2003	Wide vehicle with wooden raised floor	95D31Lx2			95D31Lx2	105D31Lx2	-	
TOYOACE (U300 - 400)	D	4100	LD-BZU300A	1BZ-FNE	2003		JASTROW TYPE	95D31L	95D31L	105D31L	-
					2003			Wide vehicle with wooden raised floor	95D31Lx2	95D31Lx2	105D31Lx2
			LD-BZU340	2003	95D31Lx2			95D31Lx2	105D31Lx2	-	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
TOYOACE (U300 - 400)			LD-BZU410		2003			95D31Lx2	95D31Lx2	105D31Lx2	-		
					2004			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2		
			4600	KK-XZU302H	S05C	2003			55D23Lx2	55D23Lx2	75D23Lx2	80D26Lx2	
				KK-XZU342		2003			55D23Lx2	55D23Lx2	75D23Lx2	80D26Lx2	
				KK-XZU3xx		1999		4WD	55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2	
				KK-XZU4xx		1999			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2	
				KK-XZU4xx		1999			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2	
			4700		J05D-TB	2004			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2	
			4900	KK-XZU3xx	S05D	1999			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2	
				KK-XZU4xx		1999			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2	
				PB-XZU301A	S05D-D	2004		DUMP	55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2	
						2004		Wide vehicle with wooden raised floor	55D23Lx2	55D23Lx2	75D23Lx2	80D26Lx2	
				PB-XZU301H		2004		WOODEN RAISED FLOOR	55D23Lx2	55D23Lx2	75D23Lx2	80D26Lx2	
				PB-XZU301		2004		JASTROW TYPE	55D23Lx2	55D23Lx2	75D23Lx2	80D26Lx2	
				PB-XZU306		2004		WOODEN RAISED FLOOR	55D23Lx2	55D23Lx2	75D23Lx2	80D26Lx2	
						2004		ROOT VAN	55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2	
				PB-XZU306V		2004		HEAVY DUTY DUMPER	55D23Lx2	55D23Lx2	75D23Lx2	80D26Lx2	
				PB-XZU321D		2004		JASTROW TYPE	55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2	
				PB-XZU331		2004		JASTRAW TYPE, Wide vehicle with wooden raised floor	55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2	
						2004		JASTROW TYPE	55D23Lx2	55D23Lx2	75D23Lx2	80D26Lx2	
	PB-XZU346		2004			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2				
	PB-XZU351D		2004		JASTROW TYPE	55D23Lx2	55D23Lx2	75D23Lx2	80D26Lx2				
TOYOACE (U300 - 400)			PB-XZU3xx		2004		FULL JASTROW TYPE	55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2		
					2004		FULL JASTROW TYPE	55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2		
			5300	KK-XZU3xx	J05C	1999			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2	
				KK-XZU4xx		1999			55D23Lx2	55D23Lx2	75D23Lx2	95D31Lx2	
			L	2700	GE-RZU300	3RZ-FPE	2002		OPTION CAR	80D26L	80D26L	85D26L 90D26L	-
							2002			55D23Lx2	55D23Lx2	75D23Lx2 80D23Lx2	-
		LD-RZU300		2003			80D26L	80D26L	85D26L 90D26L	-			
TOYOACE (U300 - 400)			LD-RZU301		2003			80D26L	80D26L	85D26L 90D26L	-		
			4100	KK-XZU301A	15B-LPG	2002			95D31L	95D31L	105D31L 115D31L	-	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
TOYOACE (U300 - 400)			KK-XZU301H		2002			95D31Lx2	95D31Lx2	105D31Lx2 115D31Lx2	-	
			KK-XZU302		2002			95D31L	95D31L	105D31L 115D31L	-	
			KK-XZU342		2002			95D31Lx2	95D31Lx2	105D31Lx2 115D31Lx2	-	
			KK-XZU412		2002			95D31Lx2	95D31Lx2	105D31Lx2 115D31Lx2	-	
			LD-BZU300	1BZ-FPE	2003			JASTROW TYPE	95D31L	95D31L	105D31L 115D31L	-
			LD-BZU300A		2003			Wide vehicle with wooden raised floor	95D31Lx2	95D31Lx2	105D31Lx2 115D31Lx2	-
					2003			JASTROW TYPE	95D31L	95D31L	105D31L 115D31L	-
			LD-BZU340		2003			Wide vehicle with wooden raised floor	95D31Lx2	95D31Lx2	105D31Lx2 115D31Lx2	-
					2003				95D31Lx2	95D31Lx2	105D31Lx2 115D31Lx2	-
									2004			55D23Lx2
TOYOACE (U60 - 90)	D	3000	N-BU60	B	1988	1995		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			N-BU83		1988	1995		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			U-BU60		1990	1995		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			U-BU60VH		1990	1995		55D23Lx2	55D23Lx2	75D23Lx2	75D23Lx2	
			U-BU61	11B	1990	1995		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
TOYOACE (U60 - 90)			U-BU70V	B	1990	1995		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			U-BU70VH		1990	1995		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			U-BU83		1990	1995		55D23Rx2	55D23Rx2	75D23Rx2	80D26Rx2	
			U-BU84	11B	1990	1995		55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2	
			3400	P-Buxx	13B-T	1988		1995	55D23Rx2	55D23Rx2	75D23Rx2	75D31Rx2
			3700	U-Buxx	14B	1990		1995	55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2
					14B-T	1990		1995	55D23Rx2	55D23Rx2	75D23Rx2	95D31Rx2
			4000	P-WU7x	1W	1987		1995	80D26Rx2	80D26Rx2	85D26Rx2	95D31Rx2
						1985		1995	80D26Rx2	80D26Rx2	85D26Rx2	95D31Rx2

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TOYOACE (U60 - 90)			U-WU7x		1990	1995		80D26Rx2	80D26Rx2	85D26Rx2	95D31Rx2
			U-WU8x		1990	1995		80D26Rx2	80D26Rx2	85D26Rx2	95D31Rx2
			U-WU9x		1990	1995		80D26Rx2	80D26Rx2	85D26Rx2	95D31Rx2
	G	2000	T-YU60	3Y	1990	1995		34B19L	38B19L	40B19L 42B19L 44B19L	55D23R
			T-YU61D		1990	1995		34B19L	38B19L	42B19L 44B19L	55D23R
			T-YU70V		1990	1995		34B19L	38B19L	40B19L 42B19L 44B19L	55D23R
TOYOACE (Y100 - 200)	D	2500	KR-KDY220	2DK-FTV	2004		A/T	85D26L	85D26L	85D26L	85D26Lx2
TOYOACE (Y100 - 200)	D	2500	KR-KDY220	2DK-FTV	2004		M/T	80D26L	80D26L	85D26L	85D26Lx2
			2800	KC-LY101	3L	1996	1999	A/T, STEEL , JASTROW TYPE	85D31R	95D31R	105D31R
		1996				1999	A/T, STEEL RAISED FLOOR	85D31R	95D31R	105D31R	80D26Rx2
		1996				1999	M/T, STEEL RAISED FLOOR	75D26R	75D26R	85D26R	80D26Rx2
		1996				1999	M/T, STEEL, JASTROW TYPE	75D26R	75D26R	85D26R	80D26Rx2
		1996				1999	EXCLUDE STEEL RAISED FLOOR	75D26R	75D26R	85D26R	80D26Rx2
		1996	1999	A/T, STEEL RAISED FLOOR	85D31R	95D31R	105D31R	80D26Rx2			
KC-LY111	1996	1999									
TOYOACE (Y100 - 200)					1996	1999	A/T, STEEL RAISED FLOOR	85D31R	95D31R	105D31R	80D26Rx2
					1996	1999	M/T, STEEL RAISED FLOOR	75D26R	75D26R	85D26R	80D26Rx2
					1996	1999	M/T, STEEL, JASTROW TYPE	75D26R	75D26R	85D26R	80D26Rx2
					1996	1999	EXCLUDE STEEL RAISED FLOOR	75D26R	75D26R	85D26R	80D26Rx2
					1996	1999	KC-LY121	75D26R	75D26R	85D26R	80D26Rx2

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TOYOACE (Y100 - 200)			GB-YY131		1996	1999	MT, STEEL, JASTROW TYPE A/T, STEEL RAISED FLOOR MT, STEEL, JASTROW TYPE MT, STEEL RAISED FLOOR CARGO TRUCK A/T, STEEL, JASTROW TYPE MT, STEEL, JASTROW TYPE	34B19L	38B19L	40B19L 42B19L 44B19L	55D23R
			GB-YY201		1995	1999		55D23R	55D23R	75D23R 80D23R	55D23R
			GB-YY211		1995	1999		55D23R	55D23R	75D23R 80D23R	55D23R
					1996	1999		34B19L	38B19L	40B19L 42B19L 44B19L	55D23L
			GE-RZY220	1RZ-E	2001	50D20L		50D20L	50D20L	55D23L	
				2001	50D20L	50D20L		50D20L	55D23L		
				2001	34B19L	38B19L		40B19L 42B19L 44B19L	55D23L		
				2001	34B19L	38B19L		40B19L 42B19L 44B19L	55D23L		
				2001	34B19L	38B19L		40B19L 42B19L 44B19L	55D23L		
				2001	34B19L	38B19L		40B19L 42B19L 44B19L	55D23L		
TOYOACE (Y100 - 200)	G	2000	GE-RZY230	1RZ-E	2001		CARGO TRUCK	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L
			GE-YY101	3Y	1999		55D23R	55D23R	75D23R 80D23R	55D23R	
			GE-YY121		1999		34B19L	38B19L	40B19L 42B19L 44B19L	55D23L	
			GE-YY131		1999			34B19L	38B19L	40B19L 42B19L 44B19L	55D23L
TOYOACE (Y100 - 200)			GE-YY211		1999		A/T A/T MT Vehicle with steel floor	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L
			TC-TRY220		1TR-FE	2003		50D20L	50D20L	50D20L	55D23L
					2003	50D20L		50D20L	50D20L	55D23L	
					2003	34B19L		38B19L	40B19L 42B19L 44B19L	55D23L	
					2003	50D20L		50D20L	50D20L	55D23L	
			L	2000	GB-YY211	3Y-P		1995	1999	55D23L	55D23L
				1999		34B19L	38B19L	40B19L 42B19L 44B19L	55D23R		

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
TOYOACE (Y100 - 200)		2700	KG-LY230	3RZ-FPE	2001			80D26L	80D26L	85D26L 90D26L	80D26L	
					2001			80D26L	80D26L	85D26L 90D26L	80D26L	
			KK-LY280		2001			80D26L	80D26L	85D26L 90D26L	80D26L	
TOYOACE (Y50, 60)	D	2400	U-LY50	2L	1990	1995		75D26R	75D26R	85D26R	80D26Rx2	
			U-LY51	3L	1990	1995		75D26R	75D26R	85D26R	80D26Rx2	
			U-LY61		1990	1995		75D26R	75D26R	85D26R	80D26Rx2	
	G	1800	T-YY51	2Y	1990	1995		34B19L	38B19L	40B19L 42B19L 44B19L	50D20R	
			T-YY52	3Y	1990	1995		34B19L	38B19L	40B19L 42B19L 44B19L	50D20R	
		T-YY61	1990		1995		34B19L	38B19L	40B19L 42B19L 44B19L	50D20R		
TOYOACE	D	3000	KK-LY270	5L	2001		4WD	105D31L	105D31L	105D31L	85D26Lx2	
			KK-LY288K		2001			105D31L	105D31L	105D31L	85D26Lx2	
NADIA	G	2000	GF-SXN10	3S-FE	1998			46B24L	46B24L	55B24L 60B24L 40B19L	-	
				3S-FSE	1998			34B19L	38B19L	42B19L 44B19L	46B24L	
			GF-SXN10H	3S-FE	1999			46B24L	46B24L	55B24L 60B24L	-	
			GF-SXN15		1998			46B24L	46B24L	55B24L 60B24L	-	
NADIA	G	2000	GF-SXN15H	3S-FE	1999		4WD	46B24L	46B24L	55B24L 60B24L 40B19L	-	
			TA-ACN10	1AZ-FSE	2001			34B19L	38B19L	42B19L 44B19L	46B24L	
					2001			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			TA-ACN15		2002			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			TA-ACN15H		2002			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
			TA-SXN15	3S-FE	2001		4WD	46B24L	46B24L	55B24L 60B24L	-	
NADIA			TA-SXN15H		2001		4WD	46B24L	46B24L	55B24L 60B24L	-	
NOAH	G	2000	CBA-AZR60G	1AZ-FSE	2004			2WD, 7SEATS	55D23L	55D23L	75D23L 80D23L	-
					2004			2WD, 8SEATS, G GRADE	55D23L	55D23L	75D23L 80D23L	-
					2004			2WD, 8SEATS, WITH WIDE MULTI AV	55D23L	55D23L	75D23L 80D23L	-
					2004			2WD, 8SEATS	46B24L	46B24L	55B24L 60B24L	55D23L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
NOAH			CBA-AZR65G		2004		4WD, 7SEATS	55D23L	55D23L	75D23L 80D23L	-	
					2004		4WD, 8SEATS, G GRADE	55D23L	55D23L	75D23L 80D23L	-	
					2004		4WD, 8SEATS, WITH WIDE MULTI AV	55D23L	55D23L	75D23L 80D23L	-	
					2004		4WD, 8SEATS	46B24L	46B24L	55B24L 60B24L	55D23L	
					TA-AZR60G	2001		2WD, L GRADE	46B24L	46B24L	55B24L 60B24L	55D23L
			2001				2WD, S, X, G, WITH TV	34B19L	38B19L	40B19L 44B19L	55D23L	
			2001				2WD, S, X, G, SLIDE DOOR	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
					TA-AZR65G	2001		4WD, L GRADE	46B24L	46B24L	55B24L 60B24L	55D23L
			2001				4WD, S, X, G, WITH TV	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L	
			2001				4WD, S, X, G, SLIDE DOOR	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
HIACE GRAND	D	3000	KH-KCH10W	1KZ-TE	1999			105D31L	105D31L	105D31L	80D26Rx2	
			KH-KCH16W		1999	4WD	105D31L	105D31L	105D31L	80D26Rx2		
	G	3400	GF-VCH10W	5VZ-FE	1999			55D23R	55D23R	75D23R 80D23R	80D26R	
			GF-VCH16W		1999	4WD	55D23R	55D23R	75D23R 80D23R	80D26R		
HIACE COMMUTE R	D	2400	U-LH80VH	2L	1993		A/T	95D31L	95D31L	105D31L	130E41L	
					1993		N M/T	75D31L	95D31L	105D31L	130E41L	
					1993		N EXCLUDE M/T	75D26L	75D26L	85D26L	130E41L	
			1993			N EXCLUDE N	75D31L	95D31L	105D31L	130E41L		
			1993			N EXCLUDE N	75D26L	75D26L	85D26L	130E41L		
		2800	KC-LH125B S-LH115B		3L	1996 1989	1996			85D31R 75D26R	95D31R 75D26R	105D31R 85D26R
HIACE COMMUTE R	G	3000	U-LH129S		1989		INSRUCTION CAR	115F51	115F51	130F51 150F51 170F51	115F51	
			KC-LH138S KG-LH184B		1KZ-TE 5L	1996		INSRUCTION CAR	115F51	115F51	130F51 150F51 170F51	115F51
						1998		SUPER LONG, 4WD	105D31R	105D31R	105D31R	85D26Lx2
			KG-LH186B			1998		SUPER LONG, 4WD	105D31R	105D31R	105D31R	85D26Lx2
		2000	GB-RZH124B T-RZH124B	1RZ-E	1996	1998			50D20R 50D20R	50D20R 50D20R	50D20R 50D20R	55D23R 55D23R
					1998			50D20R	50D20R	50D20R	55D23R	
					1989	1996		46B24R	46B24R	55B24R 60B24R	55D23R	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA				
HIACE COMMUTE R		2400	T-RZH132S	2RZ-E	1989	1996	INSRUCTI ON CAR	115F51	115F51	130F51 150F51 170F51	115F51				
			GA-RZH133S		1996	INSRUCTI ON CAR	115F51	115F51	130F51 150F51 170F51	115F51					
			GE-RZH125B		1998		50D20R	50D20R	50D20R	55D23R					
			T-RZH113S		1989	1993	INSRUCTI ON CAR	115F51	115F51	130F51 150F51 170F51	115F51				
			T-RZH133S		1990	1996	INSRUCTI ON CAR	115F51	115F51	130F51 150F51 170F51	115F51				
HIACE TRUCK	D	2400	U-LH80	2L	1990	1995	A/T	85D31R	95D31R	105D31R	80D26Rx2				
					1990	1995	M/T	75D26R	75D26R	85D26R	80D26Rx2				
			U-LH85		1990	1995		75D26R	75D26R	85D26R	80D26Rx2				
			U-LH90		1991	1995		75D26R	75D26R	85D26R	80D26Rx2				
			U-LH95		1991	1995		75D26R	75D26R	85D26R	80D26Rx2				
		2800	KC-LY101	3L	1995		A/T	85D31R	95D31R	105D31R	80D26Rx2				
					1995		M/T	75D26R	75D26R	85D26R	80D26Rx2				
					1995		A/T	85D31R	95D31R	105D31R	80D26Rx2				
					1995		M/T	75D26R	75D26R	85D26R	80D26Rx2				
					1995			75D26R	75D26R	85D26R	80D26Rx2				
					1995			75D26R	75D26R	85D26R	80D26Rx2				
	G	1600	L-YH80	1Y-J	1985	1995		34B19R	38B19R	40B19R 42B19R 44B19R	50D20R				
HIACE TRUCK	G	1800	T-YH81	2Y-J	1990	1995		34B19R	38B19R	40B19R 42B19R 44B19R	50D20R				
		2000	GB-YY101	3Y	1995			55D23R	55D23R	75D23R 80D23R	55D23R				
HIACE VAN	D	2400	U-LH102V	2L	1989		A/T	85D31R	95D31R	105D31R	80D26Lx2				
					1989		M/T	75D26R	75D26R	85D26R	80D26Lx2				
			U-LH80VH		1990		A/T	95D31L	95D31L	105D31L	130E41L				
					1990		M/T	75D26L	75D26L	85D26L	130E41L				
HIACE VAN					1990		Specifica- tion for special user M/T	75D31L	75D31L	95D31L 105D31L	130E41L				
						1990		Specifica- tion for special user M/T	75D26L	75D26L	85D26L	130E41L			
						1990		Specifica- tion for special user M/T	75D31L	75D31L	95D31L 105D31L	130E41L			
						2500	KR-KDH200K	2KD-FTV	2004		A/T	85D26R	85D26R	85D26R	85D26Rx2
						2004			M/T	80D26R	80D26R	85D26R	85D26Rx2		
						2004	KR-KDH200V				A/T	85D26R	85D26R	85D26R	85D26Rx2

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
HIACE VAN			KR-KDH205V		2004		M/T	80D26R	80D26R	85D26R	85D26Rx2			
					2004		SUPER GL	85D26R	85D26R	85D26R	85D26Rx2			
					2004		4WD, A/T	85D26R	85D26R	85D26R	85D26Rx2			
					2004		4WD, M/T	80D26R	80D26R	85D26R	85D26Rx2			
			2800	3L	KC-LH103V	1996	1998		85D31R	95D31R	105D31R	80D26Lx2		
			KC-LH109V		1996	1998		85D31R	95D31R	105D31R	80D26Lx2			
			KC-LH113K		1996	1998		85D31R	95D31R	105D31R	80D26Lx2			
			KC-LH119V		1996	1998		85D31R	95D31R	105D31R	80D26Lx2			
			KC-LH123V		1996	1998		85D31R	95D31R	105D31R	80D26Lx2			
			KC-LH129V		1996	1998		85D31R	95D31R	105D31R	80D26Lx2			
			U-LH103V		1994	1996		85D31R	95D31R	105D31R	80D26Lx2			
			U-LH109V		1989	1993		A/T	85D31R	95D31R	105D31R	80D26Lx2		
					1989	1993		M/T	75D26R	75D26R	85D26R	80D26Lx2		
					1993	1996			85D31R	95D31R	105D31R	80D26Lx2		
					U-LH113K	1989	1993		A/T	85D31R	95D31R	105D31R	80D26Lx2	
						1989	1993		M/T	75D26R	75D26R	85D26R	80D26Lx2	
						1993	1996			85D31R	95D31R	105D31R	80D26Lx2	
					U-LH113V	1989	1993		A/T	85D31R	95D31R	105D31R	80D26Lx2	
						1989	1993		M/T	75D26R	75D26R	85D26R	80D26Lx2	
						1993	1996			85D31R	95D31R	105D31R	80D26Lx2	
					U-LH119V	1989	1993		A/T	85D31R	95D31R	105D31R	80D26Lx2	
						1989	1993		M/T	95D31R	95D31R	105D31R	80D26Lx2	
						1993	1996			85D31R	95D31R	105D31R	80D26Lx2	
					U-LH123V	1989	1993		A/T	85D31R	95D31R	105D31R	80D26Lx2	
					1989	1993		M/T	75D26R	75D26R	85D26R	80D26Lx2		
					1993	1996			85D31R	95D31R	105D31R	80D26Lx2		
				U-LH125B	1993	1996			85D31R	95D31R	105D31R	80D26Lx2		
		U-LH129V	1990	1993		A/T	85D31R	95D31R	105D31R	80D26Lx2				
			1990	1993		M/T	75D26R	75D26R	85D26R	80D26Lx2				
			1993	1996			85D31R	95D31R	105D31R	80D26Lx2				
		3000	KG-LH162V	1998			105D31R	105D31R	105D31R	85D26Lx2				
			KG-LH168K	1999			105D31R	105D31R	105D31R	85D26Lx2				
			KG-LH168V	1998			105D31R	105D31R	105D31R	85D26Lx2				
HIACE VAN	D	3000	KG-LH172K	5L	1998		LONG	105D31R	105D31R	105D31R	85D26Lx2			
			KG-LH172V		1998			105D31R	105D31R	105D31R	85D26Lx2			
			KG-LH178V		1998			105D31R	105D31R	105D31R	85D26Lx2			
			KG-LH182K		1998			105D31R	105D31R	105D31R	85D26Lx2			
			KG-LH188K		1998			105D31R	105D31R	105D31R	85D26Lx2			
	G	2000	CBF-TRH200K	1TR-FE	2004			55D23R	55D23R	75D23R	-			
				2004		A/T, JASTROW	85D26R	85D26R	85D26R	85D26Rx2				
HIACE VAN					2004		M/T, JASTROW	80D26R	80D26R	85D26R	85D26Rx2			
					2004			55D23R	55D23R	75D23R	-			
					2004		A/T, JASTROW	85D26R	85D26R	85D26R	85D26Rx2			
					2004		M/T, JASTROW	80D26R	80D26R	85D26R	85D26Rx2			
						GB-RZH102V	1RZ-E	1996	1998	A/T	50D20R	50D20R	50D20R	55D23R
								1996	1998	M/T	34B19R	38B19R	42B19R	55D23R
						GB-RZH112K		1996	1998	A/T, LONG	50D20R	50D20R	50D20R	55D23R

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
HIACE VAN					1996	1998	M/T, LONG	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R		
					GB-RZH112V	1996	1998	A/T, LONG	50D20R	50D20R	50D20R	55D23R	
					GE-RZH102V	1996	1998	M/T, LONG	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R	
						1999		A/T	50D20R	50D20R	50D20R	55D23R	
						1999		M/T	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R	
						1998		A/T	50D20R	50D20R	50D20R	55D23R	
						1998		M/T	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R	
						1998		A/T	50D20R	50D20R	50D20R	55D23R	
					GE-RZH112K	1KZ-E	1998		SUPER GL	50D20R	50D20R	50D20R	55D23R
							1999		A/T	50D20R	50D20R	50D20R	55D23R
						1RZ-E	1999		M/T	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R
							1998		A/T	50D20R	50D20R	50D20R	55D23R
					GE-RZH112V	1KZ-E	1998		M/T	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R
							1999		A/T	50D20R	50D20R	50D20R	55D23R
							1999		M/T	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R
							1998		A/T, LONG	50D20R	50D20R	50D20R	55D23R
GE-RZH182K	1RZ-E	1998		M/T, LONG	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R					
		1998		SUPER GL	50D20R	50D20R	50D20R	55D23R					
HIACE VAN	G	2000	GE-RZH182K	1RZ-E 1TR-FE	2001		M/T	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R		
					TC-TRH102V	2003			50D20R	50D20R	50D20R	55D23R	
					TC-TRH112K	2003			50D20R	50D20R	50D20R	55D23R	
					TC-TRH112V	2003			50D20R	50D20R	50D20R	55D23R	
					TC-TRH122K	2003			50D20R	50D20R	50D20R	55D23R	
			T-RZH102V	1RZ	1989	1993	CD, DX	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R		
					1989	1993	GL	50D20R	50D20R	50D20R	55D23R		
			T-RZH112K		1989	1993		34B19R	38B19R	40B19R 42B19R 44B19R	55D23R		
HIACE VAN			T-RZH112V		1989	1993	CD, DX	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R		
					1989	1993	GL	50D20R	50D20R	50D20R	55D23R		
			T-RZH122V	Z-RZH102V	1RZ-E	1989	1993		34B19R	38B19R	40B19R 42B19R 44B19R	55D23R	
						1993	1996	GL	50D20R	50D20R	50D20R	55D23R	
			Z-RZH112K		1993	1996	EXCLUDE GL	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R		
					1993	1996		34B19R	38B19R	40B19R 42B19R 44B19R	55D23R		

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
HIACE VAN		2400	Z-RZH124B		1993	1996		50D20R	50D20R	50D20R	55D23R
			GE-RZH183K	2RZ-E	2001		A/T	50D20R	50D20R	50D20R	55D23R
					2001		M/T	34B19R	38B19R	42B19R 44B19R	55D23R
HIACE REGIUS VAN	D	3000	KG-LXH43H	5L	1997	1999		105D31L	105D31L	105D31L	85D26Lx2
			KG-LXH43V		1997	1999		105D31L	105D31L	105D31L	85D26Lx2
			KG-LXH49V		1997	1999	4WD	105D31L	105D31L	105D31L	85D26Lx2
	G	2000	GB-RCH42V	1RZ-E	1997	1999		34B19R	38B19R	42B19R 44B19R	55D23R
					1999			50D20R	50D20R	50D20R	55D23R
HIACE REGIUS WAGON	D	3000	KD-KCH40G	1KZ-TE	1997	1999		105D31L	105D31L	105D31L	80D26Rx2
			KD-KCH40W		1997	1999		105D31L	105D31L	105D31L	80D26Rx2
			KD-KCH46G		1997	1999	4WD	105D31L	105D31L	105D31L	80D26Rx2
			KD-KCH46W		1997	1999	4WD	105D31L	105D31L	105D31L	80D26Rx2
			KH-KCH40G		1999			105D31L	105D31L	105D31L	80D26Rx2
			KH-KCH40W		1999			105D31L	105D31L	105D31L	80D26Rx2
			KH-KCH46G		1999	4WD	105D31L	105D31L	105D31L	80D26Rx2	
	KH-KCH46W	1999	4WD	105D31L	105D31L	105D31L	80D26Rx2				
	G	2700	E-RCH41W	3RZ-FE	1997	1999		55D23R	55D23R	75D23R 80D23R	80D26R
HIACE REGIUS WAGON	G	2700	E-RCH47W	3RZ-FE	1997	1999	4WD	55D23R	55D23R	75D23R 80D23R	80D26R
			GF-RCH41W		1999			55D23R	55D23R	75D23R 80D23R	80D26R
			GF-RCH47W		1999	4WD	55D23R	55D23R	75D23R 80D23R	80D26R	
HIACE WAGON (H100)	D	2400	Q-LH100G	2L-TE	1990	1993		75D26R	75D26R	85D26R	80D26Lx2
					1990	1993	A/T	85D31R	95D31R	105D31R	80D26Lx2
					1990	1993	M/T	75D26R	75D26R	85D26R	80D26Lx2
		2800	Q-LH110G	2L	1989	1993		75D26R	75D26R	85D26R	80D26Lx2
					1990	1993		75D26R	75D26R	85D26R	80D26Lx2
					1989	1993	A/T	85D31R	95D31R	105D31R	80D26Lx2
HIACE WAGON (H100)		3000	Q-LH107G	3L	1989	1993	M/T	75D26R	75D26R	85D26R	80D26Lx2
					1990	1993	A/T	85D31R	95D31R	105D31R	80D26Lx2
					1990	1993	M/T	75D26R	75D26R	85D26R	80D26Lx2
					1990	1993	A/T	85D31R	95D31R	105D31R	80D26Lx2
					1990	1993	M/T	75D26R	75D26R	85D26R	80D26Lx2
					1996			105D31R	105D31R	105D31R	85D26Lx2
					1996	4WD	105D31R	105D31R	105D31R	85D26Lx2	
1996	4WD	105D31R	105D31R	105D31R	85D26Lx2						
1996	4WD, LONG	105D31R	105D31R	105D31R	85D26Lx2						

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
HIACE WAGON (H100)			KD-KZH120G		1996		SUPER LONG 4WD, SUPER LONG	105D31R	105D31R	105D31R	85D26Lx2	
			KD-KZH126G		1996			105D31R	105D31R	105D31R	80D26Lx2	
			Y-KZH100G		1993	1994		105D31R	105D31R	105D31R	80D26Lx2	
			Y-KZH106G		1994	1996		105D31R	105D31R	105D31R	85D26Lx2	
					1993	1994		105D31R	105D31R	105D31R	80D26Lx2	
			Y-KZH106W		1994	1996		105D31R	105D31R	105D31R	85D26Lx2	
					1993	1994		105D31R	105D31R	105D31R	80D26Rx2	
			Y-KZH110G		1994	1996		105D31R	105D31R	105D31R	85D26Lx2	
					1993	1994		105D31R	105D31R	105D31R	80D26Lx2	
			Y-KZH116G		1994	1996		105D31R	105D31R	105D31R	85D26Lx2	
					1993	1994		105D31R	105D31R	105D31R	80D26Lx2	
			Y-KZH120G		1994	1996		105D31R	105D31R	105D31R	85D26Lx2	
					1993	1994		105D31R	105D31R	105D31R	80D26Rx2	
			Y-KZH126G		1994	1996		105D31R	105D31R	105D31R	85D26Lx2	
					1993	1994		105D31R	105D31R	105D31R	80D26Lx2	
			G		2000	E-RZH100G		1RZ-E	1989	1993	50D20R	50D20R
E-RZH110G	1989	1993		50D20R		50D20R	50D20R		55D23R			
2400	E-RZH101G	1989		1996	50D20R	50D20R	50D20R		55D23R			
	E-RZH111G	1996		1999	50D20R	50D20R	50D20R		55D23R			
GF-RZH101G	50D20R	50D20R		50D20R	55D23R							
	GF-RZH111G	1999		50D20R	50D20R	50D20R	55D23R					
HIACE WAGON	G	2700	CBA-TRH214W	2TR-FE	2004			55D23R	55D23R	75D23R 80D23R	80D26R	
			CBA-TRH219W		2004		55D23R	55D23R	75D23R 80D23R	80D26R		
GRANVIA/ GRAND HIACE	G	3400	GB-VCH32S	5VZ-FE	1997		INSTRUC-TION CAR	55D23Rx2	55D23Rx2	75D23Rx2 80D23Rx2	55D23Rx2	
GRANVIA/ GRAND HIACE	G	3400	GE-VCH22S	5VZ-FE	1999			55D23Rx2	55D23Rx2	75D23Rx2 80D23Rx2	-	
			GE-VCH28S		1999		4WD	55D23Rx2	55D23Rx2	75D23Rx2 80D23Rx2	-	
HILUX (N100)	D	2400	KB-LN108	2L-TE	1995			55D23R+L	55D23R+L	75D23R+L	80D26R+L	
			2800		KB-LN106	3L	1994			55D23R+L	55D23R+L	75D23R+L
		KB-LN107			1994				55D23R+L	55D23R+L	75D23R+L	80D26R+L
		KB-LN109			1994				80D26R+L	80D26R+L	85D26R+L	80D26R+L
		S-LN100	1991		1994	80D26R+L	80D26R+L	85D26R+L	80D26R+L			
			S-LN106		1991	1993	80D26R+L	80D26R+L	85D26R+L	80D26R+L		
S-LN107	1991	1993	80D26R+L	80D26R+L	85D26R+L	80D26R+L						
HILUX (N100)	G	2000	S-LN131V	3Y	1991	1993		80D26R+L	80D26R+L	85D26R+L	80D26R+L	
			T-YN100		1990		34B19R	38B19R	40B19R 42B19R 44B19R	48D26R		
					1990	1991	34B19R	38B19R	40B19R 42B19R 44B19R	48D26R		
HILUX (N130)	D	2400	Q-LN130G	2L-TE	1990	1993	A/T	95D31R	95D31R	105D31R	80D26R+L	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
HILUX (N130)		3000	Y-KZN130G	1KZ-TE	1990	1993	M/T	80D26R	80D26R	85D26R	80D26R+L	
					1993	1995	SSR-X PACKAGE EXCLUDE	85D26R+L	85D26R+L	85D26R+L	85D26R+L	
			1993	1995	SSR-X PACKAGE	80D26R+L	80D26R+L	85D26R+L	85D26R+L			
			1993	1995	SSR-V PACKAGE EXCLUDE	80D26R+L	80D26R+L	85D26R+L	85D26R+L			
				Y-KZN130W								
	G	2000	E-YN130G	3Y-E	1990	1993		50D20R	50D20R	50D20R	55D23R	
		3000	E-VZN130G	3VZ-E	1990	1993		55D23R	55D23R	75D23R 80D23R	80D26R	
				1993	1997	SSR-V PACKAGE EXCLUDE	80D26R	80D26R	85D26R 90D26R	85D26R+L		
				1993	1997	PACKAGE SSR-V	80D26R	80D26R	85D26R 90D26R	80D26R		
HILUX (N140)	D	3000	KF-LN147	5L	1997		M/T	105D31R	105D31R	105D31R	85D26R+L	
	G	2000	GA-RZN147	1RZ-E	1997		A/T	34B19R	38B19R	40B19R 42B19R 44B19R	50D20R	
HILUX (N160)	D	2400	KB-LN165	2L-TE	1997		A/T, 4WD	105D31R	105D31R	105D31R	80D26R+L	
			KB-LN165H		1997		A/T, 4WD	105D31R	105D31R	105D31R	80D26R+L	
		2500	KF-LN165	1997		4WD	105D31R	105D31R	105D31R	85D26R+L		
			KF-LN165H	1997		4WD	105D31R	105D31R	105D31R	85D26R+L		
	3000	KF-LN167	5L	1997		M/T, 4WD	105D31R	105D31R	105D31R	85D26R+L		
	G	2000	GA-RZN167	1RZ-E	1997		M/T, 4WD	34B19R	38B19R	40B19R 42B19R 44B19R	50D20R	
HILUX (N170)	D	2400	KB-LN170H	2L-TE	1997		A/T, 4WD	105D31R	105D31R	105D31R	85D26R+L	
HILUX (N170)		2500	KB-LN170H	2L-TE	1997		4WD	105D31R	105D31R	105D31R	85D26R+L	
		3000	KF-LN172H	5L	1997		M/T, 4WD	105D31R	105D31R	105D31R	85D26R+L	
HILUX (N180)	D	3000	KD-KZN185G	1KZ-TE	1995		Standard body	105D31R	105D31R	105D31R	85D26R+L	
			KD-KZN185W		1995	1998	WIDE (SSR-G)	85D26R+L	85D26R+L	85D26R+L	85D26R+L	
					1995	1998	WIDE (SSR-V, -X)	105D31R	105D31R	105D31R	85D26R+L	
			1996			WITH INTER-COOLER	85D26R+L	85D26R+L	85D26R+L	85D26R+L		
HILUX (N180)				1KD-FTV	2000		4WD, SURF (SSR-G)	85D26R+L	85D26R+L	85D26R+L	-	
					2000		SURF (SSR-X, -V)	105D31R	105D31R	105D31R	85D26R+L	
				1KZ-TE	1998		SURF (SSR-G)	85D26R+L	85D26R+L	85D26R+L	-	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
HILUX (N180)	G	2700	E-RZN185W	3RZ-FE	1998	1998	SURF (SSR-X)	105D31R	105D31R	105D31R	85D26R+L	
					1995		55D23L	55D23L	75D23L 80D23L	80D26L		
					1998		SURF	55D23L	55D23L	75D23L 80D23L	80D26L	
			1998	SURF (SSR-G)	80D26L		80D26L	85D26R 90D26R	-			
			1998	SURF (SSR-X)	55D23L		55D23L	75D23L 80D23L	80D26L			
			1995	55D23L	55D23L		75D23L 80D23L	80D26L				
		3400	E-VZN185W	5VZ-FE	1995	1998	SURF	55D23L	55D23L	75D23L 80D23L	80D26L	
					1998		SURF	55D23L	55D23L	75D23L 80D23L	80D26L	
					1998		SURF	55D23L	55D23L	75D23L 80D23L	-	
HILUX (N80)	D	2400	S-LN80	2L	1990	1994	A/T	95D31R	95D31R	105D31R	80D26R+L	
					1990		M/T	75D26R	75D26R	85D26R	75D26R+L	
			1990	A/T	95D31R		95D31R	105D31R	80D26R+L			
			1990	M/T	75D26R		75D26R	85D26R	75D26R+L			
			1994	KC-LN86	3L		85D26R	85D26R	85D26R	80D26R+L		
		1994	KD-LN81			85D26R	85D26R	85D26R	80D26R+L			
		2800	T-YN80	2Y	1990	1994	A/T	34B19R	38B19R	40B19R 42B19R 44B19R	48D26R	
					1994		A/T	34B19R	38B19R	40B19R 42B19R 44B19R	48D26R	
					1994		M/T	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R	
					1994		GA-YN86	3Y-K	48D26R	80D26R	85D26R 90D26R	48D26R
	1994				SINGLE CAB A/T				34B19R	38B19R	40B19R 42B19R 44B19R	48D26R
	1994	SINGLE CAB M/T	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R						
	HILUX (N80)	G	2000	GA-YN86	3Y-K	1994		DOUBLE CAB	34B19R	38B19R	40B19R 42B19R 44B19R	48D26R
	HILUX SURF	D	3000	KN-KDN215W	1KD-FTV	2002		4WD, SSR-G	80D26R+L	80D26R+L	85D26R+L	80D26R+L
						2002		4WD	105D31L	105D31L	105D31L	80D26R+L
G		2700	CBA-TRN210W	2TR-FE	2004		2WD	55D23L	55D23L	75D23L 80D23L	80D26L	
					2004		4WD, G PACKAGE	80D26L	80D26L	85D26L 90D26L	80D26L	
HILUX SURF			LA-RZN210W	3RZ-FE	2004		4WD	55D23L	55D23L	75D23L 80D23L	80D26L	
					2002		2WD, FR	55D23L	55D23L	75D23L 80D23L	80D26L	
					2002		4WD, G PACKAGE	80D26L	80D26L	85D26L 90D26L	80D26L	
					2002		4WD, SSR-G	80D26L	80D26L	85D26L 90D26L	80D26L	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
HILUX SURF		3400	LA-RZN215W	5VZ-FE	2002		4WD	55D23L	55D23L	75D23L 80D23L	80D26L		
			TA-VZN210W		2002		2WD, FR	55D23L	55D23L	75D23L 80D23L	55D23L		
			TA-VZN215W		2002		4WD	55D23L	55D23L	75D23L 80D23L	55D23L		
PASSO	G	1000	DBA-KGC10-AHSAK	1KR-FE	2004		2WD, 5DOOR	40B19L	40B19L	42B19L 44B19L	44B20L		
			DBA-KGC15-AHSBK		2004		4WD, 5DOOR	40B19L	40B19L	42B19L 44B19L	44B20L		
			DBA-KGC15-AHSCK		2004		4WD, 5DOOR	40B19L	40B19L	42B19L 44B19L	44B20L		
		1300	DBA-QNC10-AHSDK	K3-VE	2004		2WD, 5DOOR	40B19L	40B19L	42B19L 44B19L	44B20L		
HARRIER HYBRID	G	3300	DAA-MHU38W	3MZ-FE	2005		Electric 4WD system	55B24L	55B24L	60B24L	-		
HARRIER	G	2200	GF-SXU10W	5S-FE	1997	2000		55D23L	55D23L	75D23L 80D23L	-		
			GF-SXU15W		1997	2000		55D23L	55D23L	75D23L 80D23L	-		
			GF-ZXU10W		2000			55D23L	55D23L	75D23L 80D23L	-		
			GF-ZXU15W		2000			55D23L	55D23L	75D23L 80D23L	-		
		2400	CBA-ACU30W	2AZ-FE	2004			55D23L	55D23L	75D23L 80D23L	-		
			CBA-ACU35W		2004		4WD	55D23L	55D23L	75D23L 80D23L	-		
			TA-ACU10W		2000			55D23L	55D23L	75D23L 80D23L	-		
			TA-ACU15W		2000		4WD	55D23L	55D23L	75D23L 80D23L	-		
			UA-ACU30W		2003			55D23L	55D23L	75D23L 80D23L	-		
			UA-ACU35W		2003		4WD	55D23L	55D23L	75D23L 80D23L	-		
			3000		CBA-MCU30W	1MZ-FE	2004			55D23L	55D23L	75D23L 80D23L	-
					3000		CBA-MCU31W	2004		AIRS	80D26L	80D26L	85D26L 90D26L
		CBA-MCU35W		2004				4WD	55D23L	55D23L	75D23L 80D23L	-	
		3000	CBA-MCU36W	1MZ-FE	2004			4WD, AIRS	80D26L	80D26L	85D26L 90D26L	-	
GF-MCU10W	1997		2000			55D23L	55D23L	75D23L 80D23L	-				
GF-MCU15W	1997		2000			55D23L	55D23L	75D23L 80D23L	-				
TA-ACU10W	2000					55D23L	55D23L	75D23L 80D23L	-				
			TA-MCU15W		2000		4WD	55D23L	55D23L	75D23L 80D23L	-		
			UA-MCU30W		2003			55D23L	55D23L	75D23L 80D23L	-		
			UA-MCU31W		2003		AIRS	80D26L	80D26L	85D26L 90D26L	-		

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
HARRIER			UA-MCU35W		2003		4WD	55D23L	55D23L	75D23L 80D23L	-
			UA-MCU36W		2003		4WD, AIRS	80D26L	80D26L	85D26L 90D26L	-
VISTA (V30)	D	2000	Q-CV30	2C-T	1990	1992	A/T	95D31L	95D31L	105D31L	95D31L
			X-CV30		1990	1992	M/T	80D26L	80D26L	85D26L	95D31L
			Y-CV30		1990	1994	A/T	95D31L	95D31L	105D31L	95D31L
					1990	1994	M/T	80D26L	80D26L	85D26L	95D31L
	G	1800	E-SV30	4S-FE	1990	1994		46B24L	46B24L	55B24L 60B24L	46B24L
			2000	E-SV32	3S-FE	1990	1994	A/T	46B24L	46B24L	55B24L 60B24L
		1990				1994	M/T	34B19L	38B19L	42B19L 44B19L	46B24L
		3S-GE		1990	1992		55D23L	55D23L	75D23L 80D23L	55D23L	
		E-SV33	3S-FE	1990	1992	A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
				1990	1992	M/T	34B19L	38B19L	42B19L 44B19L	46B24L	
				1992	1994	4WS, A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
				1992	1994	4WS, M/T	34B19L	38B19L	42B19L 44B19L	46B24L	
		E-SV35	3S-FE	1990	1992	A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
				1990	1992	M/T	34B19L	38B19L	42B19L 44B19L	46B24L	
				1992	1994	4WD A/T	46B24L	46B24L	55B24L 60B24L	46B24L	
				1992	1994	4WD M/T	34B19L	38B19L	42B19L 44B19L	46B24L	
VISTA (V30)	G	2000	E-SV35	3S-FE	1990	1992		55D23L	55D23L	75D23L 80D23L	55D23L
					1990	1992	A/T	46B24L	46B24L	55B24L 60B24L	46B24L
VISTA (V40)	D	2200	KB-CV40	3C-T	194	1995	A/T	105D31L	105D31L	105D31L	105D31L
					1994	1995	M/T	80D26L	80D26L	85D26L	105D31L
			KD-CV43		1995		A/T	105D31L	105D31L	105D31L	105D31L
					1995		M/T	80D26L	80D26L	85D26L	105D31L
	G	1800	E-SV40	4S-FE	1994		A/T	46B24L	46B24L	55B24L 60B24L	46B24L
		2000		3S-FE	1994		M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
					1994			46B24L	46B24L	55B24L 60B24L	46B24L
					1994			46B24L	46B24L	55B24L 60B24L	46B24L
					1994		M/T	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
VISTA (V50)	G	1800	TA-ZZV50	1ZZ-FE	2002			34B19L	38B19L	40B19L 42B19L 44B19L	55B24L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
VISTA (V50)		2000		1AZ-FSE	2001			34B19L	38B19L	40B19L 42B19L 44B19L	55B24L
			TA-AZV55		2002	4WD	38B19L	38B19L	40B19L 42B19L 44B19L	-	
VISTA ARDEO (V50)	G	1800	GF-ZZV50G	1ZZ-FE	1998			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			TA-ZZV50G		2000		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L	
					2002		34B19L	38B19L	40B19L 42B19L 44B19L	55B24L	
		2000	GF-SV50G	3S-FSE	1998			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			GF-SV55G		3S-FE	1998	4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
					1998	2002	4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
	TA-AZV50G TA-AZV55G	1AZ-FSE	2001			34B19L	38B19L	40B19L 42B19L 44B19L	55B24L		
			2002	4WD	55B24L	55B24L	60B24L	-			
FUNCARGO	G	1300	CBA-NCP20	2NZ-FE	2004			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
FUNCARGO	G	1300	GH-NCP20		1999	2002		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			UA-NCP20		2002			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
		1500	CBA-NCP21	1NZ-FE	2004			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			CBA-NCP25		2004	4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			GH-NCP21		1999	2002		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			GH-NCP25		1999	2002	4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			UA-NCP21		2002			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			UA-NCP25		2002			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
PLATZ	G	1000	GH-SCP11	1SZ-FE	1999		2WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			UA-SCP11		2002		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
		1300	GH-NCP16	2NZ-FE	1999		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
PLATZ		1500	UA-NCP16	1NZ-FE	2002		2WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R			
			GH-NCP12		1999	34B19R		38B19R	40B19R 42B19R 44B19R	46B24R				
			UA-NCP12		2002	34B19R		38B19R	40B19R 42B19R 44B19R	46B24R				
PRIUS	G	1500	DAA-NHW20	1NZ-FXE	2004		2WD, G PACKAGE	S46B24R	弊社該当 品なし 弊社該当 品なし 弊社該当 品なし 弊社該当 品なし		S46B24R			
					2004	2WD	S34B20R	S34B20R						
			ZA-NHW20		2003	2WD, G PACKAGE	S46B24R	S46B24R						
					2003	2WD	S34B20R	S34B20R						
BLIZZARD	D	2400	N-LD20					80D26R	80D26R	85D26R	130E41R			
					2L	1984	1991	80D26R	80D26R	85D26R	130E41R			
			N-LD20V		2L	1984	1991	80D26R	80D26R	85D26R	130E41R			
					2L-T	1984	1991	80D26R	80D26R	85D26R	130E41R			
BREVIS BREVIS	G	2500	TA-JCG10	1JZ-FSE	2001		4WD	46B24R	46B24R	55B24R 60B24R	65D23R			
			TA-JCG15		2001	46B24R		46B24R	55B24R 60B24R	65D23R				
			TA-JCG11		2001	46B24R		46B24R	55B24R 60B24R	65D23R				
PREMIO	G	1500	UA-NZT240	1NZ-FE	1989		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R			
					1989	34B19R		38B19R	40B19R 42B19R 44B19R	46B24R				
		1800	UA-ZZT240		1989	34B19R		38B19R	40B19R 42B19R 44B19R	46B24R				
			UA-ZZT245		1989	34B19R		38B19R	40B19R 42B19R 44B19R	46B24R				
2000	TA-AZT240	1989	46B24R	46B24R	55B24R 60B24R	-								
PROGRES	G	2500	GF-JCG10	1JZ-GE	1998	1999	4WD	46B24R	46B24R	55B24R 60B24R	55D23R			
			TA-JCG10		2001	46B24R		46B24R	55B24R 60B24R	65D23R				
			TA-JCG15		2001	46B24R		46B24R	55B24R 60B24R	65D23R				
		3000	GF-JCG11	2JZ-GE	1998	1999		46B24R	46B24R	55B24R 60B24R	55D23R			
			TA-JCG11	2JZ-FSE	1998	46B24R		46B24R	55B24R 60B24R	65D23R				
PRONARD	G	3000	GH-MCX20	1MZ-FE	2000			55D23L	55D23L	75D23L 80D23L	-			
			TA-MCX20		2002	55D23L	55D23L	75D23L 80D23L	-					
PROBOX	C	1500	UP-NCP52V	1NZ-FNE	2002		NATURAL GAS VEHICLE VAN	55D23R	55D23R	75D23R 80D23R	55D23R			
			KP-NLP51V		2002	55D23R		55D23R	75D23R	85D26R				
	G	1300	UB-NCP50V	2NZ-FE	2002			VAN	34B19R	38B19R	40B19R 44B19R	46B24R		
			1500		UA-NCP58G	1NZ-FE		2002		WAGON	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
					UA-NCP59G			2002	4WD, WAGON	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
PROBOX			UB-NCP51V		2002		VAN	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
			UB-NCP55V		2002	4WD, VAN	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R			
PORTE	G	1300	CBA-NNP10	2NZ-FE	2004		2WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
		1500	CBA-NNP11	1NZ-FE	2004		2WD	46B24R	46B24R	55B24R 60B24R	46B24R		
	L	1300	CBA-NNP10	2NZ-FE	2004		2WD, C PACKAGE	46B24R	46B24R	55B24R 60B24R	46B24R		
MARKII (X100)	D	2400	KD-LX100	2L-TE	1996			95D31L	95D31L	105D31L	140D38L		
MARKII (X100)	G	2000	E-GX100	1G-FE	1996	1998	A/T	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L		
					1996	1998	M/T	46B24L	46B24L	55B24L 60B24L	55D23L		
			GF-GX100	1998		A/T	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L			
				1998		M/T	46B24L	46B24L	55B24L 60B24L	55D23L			
			GF-GX105	1998		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	55D23L			
2500	E-JZX100	1JZ-GE	1996	1998			46B24L	46B24L	55B24L 60B24L	55D23L			
				1JZ-GTE	1996	1998			55D23L	55D23L	75D23L 80D23L	55D23L	
				E-JZX105	1JZ-GE	1996	1998			46B24L	46B24L	55B24L 60B24L	55D23L
			GF-JZX100	1998					46B24L	46B24L	55B24L 60B24L	55D23L	
				1JZ-GTE	1998		TURBO	55D23L	55D23L	75D23L 80D23L	-		
			GF-JZX105	1JZ-GE	1998		4WD	46B24L	46B24L	55B24L 60B24L	55D23L		
			3000	E-JZX101	2JZ-GE	1996	1998			55D23L	55D23L	75D23L 80D23L	55D23L
				GF-JZX101		1998			55D23L	55D23L	75D23L 80D23L	55D23L	
MARKII (X110)	G	2000	TA-GX110	1G-FE	2000			34B19R	38B19R	40B19R 42B19R 44B19R	55D23R		
					2000		WITH WIND-SHIELD DEICER	46B24R	46B24R	55B24R 60B24R	55D23R		
			TA-GX115	2002		WITH NAVIGATION	46B24R	46B24R	55B24R 60B24R	55D23R			
				2000		4WD, WITH WIND-SHIELD DEICER	46B24R	46B24R	55B24R 60B24R	55D23R			
			2000		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	-				

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
MARKII (X110)	G	2500			2002		4WD, WITH NAVIGATION	46B24R	46B24R	55B24R 60B24R	55D23R	
					2000			55D23R	55D23R	75D23R 80D23R	-	
					2002			55D23R	55D23R	75D23R 80D23R	65D23R	
					2002		4WD	46B24R	46B24R	55B24R 60B24R	65D23R	
					2000			46B24R	46B24R	55B24R 60B24R	55D23R	
					2002			46B24R	46B24R	55B24R 60B24R	65D23R	
					2002		WITH NAVIGATION	55D23R	55D23R	75D23R 80D23R	65D23R	
					2000		4WD	46B24R	46B24R	55B24R 60B24R	55D23R	
					2002		4WD, WITH NAVIGATION	55D23R	55D23R	75D23R 80D23R	65D23R	
					2003			46B24R	46B24R	55B24R 60B24R	65D23R	
MARKII (X70)	G	2000	E-GX70G	1G-FE	1995			50D20L	50D20L	50D20L	55D23L	
			GA-YX78V	3Y-E	1995			34B19R	38B19R	40B19R 42B19R 44B19R	55D23R	
		T-YX78V	1993		1995		34B19R	38B19R	40B19R 42B19R 44B19R	55D23R		
MARKII (X80)	D	2400	Q-LX80	2L-T	1990	1992	INSTRUCTION CAR, TAXI	95D31L	95D31L	105D31L	140D38L	
					1990	1992		75D31L	95D31L	105D31L	140D38L	
					1990	1992		75D31L	95D31L	105D31L	140D38L	
					1990	1992		INSTRUCTION CAR	50D20L	50D20L	50D20L	55D23L
					1990	1992		INSTRUCTION CAR	55D26L	80D26L	85D26L 90D26L	55D26L
					1990	1992		PATROL CAR	75D31L	95D31L	115D31L	75D31L
	G	1800	E-SX80	4S-FE	1990	1992		INSTRUCTION CAR	50D20L	50D20L	50D20L	55D23L
					1990	1992		INSTRUCTION CAR	55D26L	80D26L	85D26L 90D26L	55D26L
					1990	1992			46B24L	46B24L	55B24L 60B24L	55D23L
					1990	1992		A/T	50D20L	50D20L	50D20L	55D23L
		2000	E-GX80Z	1G-FE	1990	1992			46B24L	46B24L	55B24L 60B24L	55D23L
					1990	1992			50D20L	50D20L	50D20L	55D23L
					1990	1992		M/T	46B24L	46B24L	55B24L 60B24L	55D23L
					1990	1992			55D23L	55D23L	75D23L 80D23L	55D23L
	2500	E-JZX81	1JZ-GE	1990	1992		55D23L	55D23L	75D23L 80D23L	55D23L		
				1990	1992		55D23L	55D23L	75D23L 80D23L	55D23L		
	3000	E-MX83	7M-GE	1990	1992		55D23L	55D23L	75D23L 80D23L	55D23L		
				1990	1992	INSTRUCTION CAR, TAXI	55D26L	80D26L	85D26L 90D26L	55D26L		
MARKII (X90)	D	2400	KD-LX90	2L-TE	1995	1996		95D31L	95D31L	105D31L	140D38L	
					1992	1995		95D31L	95D31L	105D31L	140D38L	
	G	1800	E-SX90	4S-FE	1992	1996		50D20L	50D20L	50D20L	55D23L	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
MARKII (X90)		2000	E-GX90	1G-FE	1992	1996		46B24L	46B24L	55B24L 60B24L	55D23L		
MARKII (X90)		2500	E-JZX90	1JZ-GE	1992	1994		55D23L	55D23L	75D23L 80D23L	55D23L		
MARKII (X90)	G	2500	E-JZX90	1JZ-GE	1994	1996		46B24L	46B24L	55B24L 60B24L	55D23L		
					1JZ-GTE	1992	1994		55D23L	55D23L	75D23L 80D23L	55D23L	
				E-JZX93	1JZ-GE	1994	1996		46B24L	46B24L	55B24L 60B24L	55D23L	
						1993	1994		55D23L	55D23L	75D23L 80D23L	55D23L	
			E-JZX91	2JZ-GE	1994	1996		46B24L	46B24L	55B24L 60B24L	55D23L		
		3000			1992	1996		55D23L	55D23L	75D23L 80D23L	55D23L		
MARKII QUALIS (V20)	G	2200	E-SXV20W	5S-FE	1997	1998		55D23L	55D23L	75D23L 80D23L	55D23L		
			E-SXV25W		1997	1998	4WD	55D23L	55D23L	75D23L 80D23L	55D23L		
		2500	GF-SXV20W	2MZ-FE	1998	1998	4WD	55D23L	55D23L	75D23L 80D23L	-		
			GF-SXV25W		1998			55D23L	55D23L	75D23L 80D23L	-		
			E-MCV21W		1997			55D23L	55D23L	75D23L 80D23L	55D23L		
			E-MCV25W		1997			1998	4WD	55D23L	55D23L	75D23L 80D23L	55D23L
		3000	GF-MCV21W	1MZ-FE	1998	1998	4WD	55D23L	55D23L	75D23L 80D23L	-		
			GF-MCV25W		1998			55D23L	55D23L	75D23L 80D23L	-		
			E-MCV20W		1997			55D23L	55D23L	75D23L 80D23L	55D23L		
			GF-MCV20W		1998			55D23L	55D23L	75D23L 80D23L	-		
MARKII BLIT	G	2000	TA-GX110W	1G-FE	2002		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	55D23R		
			TA-GX115W		2002			34B19R	38B19R	40B19R 42B19R 44B19R	55D23R		
					2002			46B24R	46B24R	55B24R 60B24R	55D23R		
		2500	GH-JZX110W	1JZ-GTE	2002			55D23R	55D23R	75D23R 80D23R	65D23R		
			TA-JZX110W		2002			46B24R	46B24R	55B24R 60B24R	65D23R		
			TA-JZX115W	1JZ-GE	2002			55D23R	55D23R	75D23R 80D23R	65D23R		
					2002			46B24R	46B24R	55B24R 60B24R	65D23R		
MARK-X	G	2500	DBA-GRX120	4GR-FSE	2004		2WD, 250G	46B24L	46B24L	55B24R 60B24R	65D23L		

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
MARK-X	G	3000	DBA-GRX121	3GR-FSE	2004		2WD, 300G	55D23L	55D23L	75D23L 80D23L	65D23L			
					2004		2WD, 300G PREMIUM	55D23L	55D23L	75D23L 80D23L	65D23L			
			DBA-GRX125	2004		4WD, 250G Four	46B24L	46B24L	55B24L 60B24L	65D23L				
MASTER-ACE	D	2000	Q-CR21G	2C-T	1988	1992		80D26R	80D26R	85D26R	95D31R			
			Q-CR28G		1988	1992		80D26R	80D26R	85D26R	95D31R			
			Q-CR30G		1988	1992		80D26R	80D26R	85D26R	95D31R			
			Q-CR37G		1988	1992		80D26R	80D26R	85D26R	95D31R			
	G	1800	E-YR20G	2Y-U	1990	1992		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R			
			E-YR28G		1990	1992		46B24R	46B24R	55B24R 60B24R	46B24R			
		2000	E-YR21G	3Y-EU	1990	1992		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R			
			E-YR30G		1990	1992		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R			
			E-YR36G		1990	1992		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R			
MEGA-CRUISER	D	4100	KC-BXD20V	15B-FT	1996			95D31Lx2	95D31Lx2	105D31Lx2	-			
				15B-FTE	1999			105D31Lx 2	105D31Lx2	105D31Lx2	-			
LITE ACE TRUCK	D	2000	KB-CM51	2C	1993	1996		80D26R	80D26R	85D26R	95D31R			
							4WD	80D26R	80D26R	85D26R	80D26R			
								KB-CM52	1993	1996	80D26R	80D26R	85D26R	95D31R
									1996		80D26R	80D26R	85D26R	80D26R
								KB-CM55	1993	1996	80D26R	80D26R	85D26R	95D31R
									1996		80D26R	80D26R	85D26R	80D26R
								KB-CM60	1993	1996	80D26R	80D26R	85D26R	95D31R
									1996		80D26R	80D26R	85D26R	80D26R
								KB-CM61	1993	1996	80D26R	80D26R	85D26R	95D31R
									1996		80D26R	80D26R	85D26R	80D26R
								KB-CM65	1993	1996	80D26R	80D26R	85D26R	95D31R
									1996		80D26R	80D26R	85D26R	80D26R
								S-CM51	1989	1993	80D26R	80D26R	85D26R	95D31R
								S-CM52	1989	1993	80D26R	80D26R	85D26R	95D31R
								S-CM55	1989	1993	80D26R	80D26R	85D26R	95D31R
								S-CM60	1989	1993	80D26R	80D26R	85D26R	95D31R
								S-CM65	1989	1993	80D26R	80D26R	85D26R	95D31R
LITE ACE TRUCK	D	2200	KF-CM70	3C-E	1999			80D26R	80D26R	85D26R	105D31R			
			KF-CM75		1999			80D26R	80D26R	85D26R	105D31R			
			KF-CM80		1999			80D26R	80D26R	85D26R	105D31R			
			KF-CM85		1999			80D26R	80D26R	85D26R	105D31R			
			KJ-CM70		1999			80D26R	80D26R	85D26R	105D31R			
			KJ-CM75		1999			80D26R	80D26R	85D26R	105D31R			
LITE ACE TRUCK	D	2200	KJ-CM80		1999			80D26R	80D26R	85D26R	105D31R			
			KJ-CM85		1999			80D26R	80D26R	85D26R	105D31R			

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
LITE ACE TRUCK	G	1500	GA-KM51	5K	1996			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			T-KM51		1990	1996		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
		1800	GA-YM55	2Y	1990			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			GA-YM60		1990			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			GA-YM65	7K-E	1990			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			GC-KM70		1999			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			GC-KM75		1999			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			GC-KM80		1999			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			GC-KM85		1999			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			GK-KM70		2004			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			GK-KM75		2004			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			GK-KM80		2004			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			GK-KM85	2Y	2004			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			T-YM55		1990	1996		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			T-YM60		1990	1996		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			T-YM65		1990	1996		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
LITE ACE NOAH VAN	D	2000	KB-CR41V	2C	1996	1998		80D26R	80D26R	85D26R	95D31R	
			KB-CR51V		1996	1998		80D26R	80D26R	85D26R	95D31R	
			KF-CR42V	3C-E	1998			4WD	80D26R	80D26R	85D26R	105D31R
			KF-CR52V		1998			4WD	80D26R	80D26R	85D26R	105D31R
			KJ-CR42V		1998			4WD	80D26R	80D26R	85D26R	105D31R
			KJ-CR52V		1998			4WD	80D26R	80D26R	85D26R	105D31R
LITE ACE NOAH VAN	G	1500	GA-KR41V	5K	1996	1998		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
LITE ACE NOAH VAN		1800	GA-KR42V	7K	1996	1998		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
				7K-E	1998	34B19R		38B19R	40B19R 42B19R 44B19R	46B24R		
LITE ACE NOAH WAGON	D	2200	KD-CR40G	3C-T	1996	1999	4WD	80D26R	80D26R	85D26R	105D31R	
			KD-CR50G	3C-TE	1996	1999		80D26R	80D26R	85D26R	105D31R	
			KH-CR40G		1998	105D31R		105D31R	105D31R	105D31R	105D31R	
			KH-CR50G		1998	105D31R		105D31R	105D31R	105D31R	105D31R	
	G	2000	E-SR40G	3S-FE	1996	1999	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
			E-SR50G		1996	1999	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
			GF-SR40G	1998	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R				
			GF-SR50G	1998	4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R			
LITE ACE VAN	D	2000	KB-CR27V	2C	1993	1996		80D26R	80D26R	85D26R	95D31R	
			KB-CR36V		1993	1996		80D26R	80D26R	85D26R	95D31R	
LITE ACE VAN			KF-CR52V		2002		M/T M/T, 4WD A/T M/T A/T, 4WD	80D26R	80D26R	85D26R	105D31R	
			KJ-CR42V		2002			80D26R	80D26R	85D26R	105D31R	
					2002			105D31R	105D31R	105D31R	105D31R	
			KJ-CR52V		2002			80D26R	80D26R	85D26R	105D31R	
	G	1500	T-KM31V	5K-J	1990	1992	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
			T-KM36V		1990	1992	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
	G	1500	T-KR27V	5K	1992	1996	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
		1800	GK-KR42V	7K-E	1992		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
			GK-KR52V		2004		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
			T-YM31V	2Y	1990		1992	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
LITE ACE VAN			T-YR25V	2Y-J	1992	1996		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
LITE ACE WAGON	D	2000	Q-CM30G	2C	1987	1992		80D26R	80D26R	85D26R	95D31R	
					1990	1992		80D26R	80D26R	85D26R	95D31R	
				1988	1992	80D26R		80D26R	85D26R	95D31R		
				1992	1993	80D26R		80D26R	85D26R	95D31R		
		2200		3C-T	1992	1993		80D26R	80D26R	85D26R	95D31R	
					1992	1993		80D26R	80D26R	85D26R	95D31R	
				3C-T	1992	1993		80D26R	80D26R	85D26R	95D31R	
					1992	1993		80D26R	80D26R	85D26R	95D31R	
	G	1500	E-KM30G	5K-U	1985	1992		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
					1985	1992		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
		1800		2Y-U	1985	1992		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
					1992	1993		46B24R	46B24R	55B24R 60B24R	46B24R	
		2000		3Y-U	1992	1993		46B24R	46B24R	55B24R 60B24R	46B24R	
					3Y-EU	1992		1993	46B24R	46B24R	55B24R 60B24R	46B24R
						1992		1993	46B24R	46B24R	55B24R 60B24R	46B24R
		RAUM		G	1500	E-EXZ10		5E-FE	1997	1998	34B19R	38B19R
1997	1998		34B19R				38B19R		40B19R 42B19R 44B19R	46B24R		
RAUM	G	1500	GF-EXZ10	1NZ-FE	1998		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
					1998		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
			GF-EXZ15		2003	2WD,	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R		
					2003	2WD, G PACKAGE	46B24R	46B24R	55B24R 60B24R	46B24R		
			UA-NCZ20		2003	4WD, G PACKAGE	46B24R	46B24R	55B24R 60B24R	46B24R		
UA-NCZ25	2003	4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R						
LAND CRUISER (J100)	D	4200	KG-HDJ101K	1HD-FTE	1998		4WD, VAN, G SELECTION	80D26R+L	80D26R+L	85D26R+L	105D31R+L	
					2002		G SELECTION	105D31R+L	105D31R+L	105D31R+L	105D31R+L	
					2002		VX LIMITED	80D26R+L	80D26R+L	85D26R+L	105D31R+L	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
LAND CRUISER (J100)	G	4700	GF-UZJ100W	2UZ-FE	1998		4WD, STATION WAGON STATION WAGON	80D26L	80D26L	85D26L 90D26L	-	
					2002			80D26L	80D26L	85D26L 90D26L	80D26L	
LAND CRUISER (J60, 70)	D	2400	Q-LJ71G	2L-TE	1990	1993	A/T	95D31R	95D31R	105D31R	80D26Rx2	
					1990	1993		M/T	75D31R	95D31R	105D31R	80D26Rx2
					1990	1993		A/T	95D31R	95D31R	105D31R	80D26Rx2
					1990	1993			M/T	75D31R	95D31R	105D31R
					1990	1993		A/T	95D31R	95D31R	105D31R	80D26Rx2
					1990	1993			M/T	75D31R	95D31R	105D31R
			3000	Y-KZJ71G	1KZ-TE	1993			105D31R	105D31R	105D31R	85D26Rx2
						1993			105D31R	105D31R	105D31R	85D26Rx2
						1993			105D31R	105D31R	105D31R	85D26Rx2
						1993			105D31R	105D31R	105D31R	85D26Rx2
			3500	S-PZJ70	1PZ	1990	1994		75D31Rx2	95D31Rx2	105D31Rx2	75D31Rx2
						1990	1994		75D31Rx2	95D31Rx2	105D31Rx2	75D31Rx2
		1990				1994		75D31Rx2	95D31Rx2	105D31Rx2	75D31Rx2	
		1990				1994		75D31Rx2	95D31Rx2	105D31Rx2	75D31Rx2	
		1991				1994		75D31Rx2	95D31Rx2	105D31Rx2	75D31Rx2	
		1991				1994		75D31Rx2	95D31Rx2	105D31Rx2	75D31Rx2	
		4200	KB-HZJ70	1HZ	1994	1996		75D31Rx2	95D31Rx2	105D31Rx2	75D31Rx2	
					1994	1996		75D31Rx2	95D31Rx2	105D31Rx2	75D31Rx2	
					1994	1996		75D31Rx2	95D31Rx2	105D31Rx2	75D31Rx2	
					1996	1999		75D31Rx2	95D31Rx2	105D31Rx2	75D31Rx2	
					1996	1999		75D31Rx2	95D31Rx2	105D31Rx2	75D31Rx2	
					1996	1999	FIRE ENGINE	95D31Rx2	95D31Rx2	105D31Rx2	95D31Rx2	
			1999			80D26Rx2		85D26Rx2	85D26Rx2	95D31Rx2		
			1999			80D26Rx2		85D26Rx2	85D26Rx2	95D31Rx2		
			1999			80D26Rx2		85D26Rx2	85D26Rx2	95D31Rx2		
			1999			80D26Rx2		85D26Rx2	85D26Rx2	95D31Rx2		
			1999			80D26Rx2		85D26Rx2	85D26Rx2	95D31Rx2		
LAND CRUISER (J60, 70)	D			KG-HZJ74V				80D26Rx2	85D26Rx2	85D26Rx2	95D31Rx2	

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
LAND CRUISER (J60, 70) LAND CRUISER (J60, 70)			KG-HZJ76K		1999			80D26Rx2	85D26Rx2	85D26Rx2	95D31Rx2		
			KG-HZJ76V		1999			80D26Rx2	85D26Rx2	85D26Rx2	95D31Rx2		
			KG-HZJ79		1999			FIRE ENGINE	95D31Rx2	95D31Rx2	105D31Rx2	95D31Rx2	
			U-HZJ70V		1994	1996		FIRE ENGINE	75D31Rx2	95D31Rx2	105D31Rx2	75D31Rx2	
			U-HZJ73HV		1990	1996		FIRE ENGINE	75D31Rx2	95D31Rx2	105D31Rx2	75D31Rx2	
			U-HZJ73V		1991	1996		FIRE ENGINE	75D31Rx2	95D31Rx2	105D31Rx2	75D31Rx2	
			U-HZJ77HV		1990	1996		FIRE ENGINE	75D31Rx2	95D31Rx2	105D31Rx2	75D31Rx2	
LAND CRUISER (J80)	D	4200	KC-HDJ81V	1HD-FE	1995			75D31R+L	95D31R+L	105D31Rx2	105D31R+L		
				1HZ	1995			55D23R+L	55D23R+L	75D23R+L	95D31R+L		
			S-HDJ81V	1HD-T	1989	1995		55D23R+L	55D23R+L	75D23R+L	95D31R+L		
				1HZ	1989	1992		55D23R+L	55D23R+L	75D23R+L	95D31R+L		
			U-HZJ81V		1992	1995		55D23R+L	55D23R+L	75D23R+L	95D31R+L		
			G	4000	E-FJ80G	3F-E	1989	1992		75D31R	95D31R	105D31R	75D31R
			4500	E-FZJ80G	1FZ-FE	1992			75D31L	95D31L	105D31L	75D31L	
LAND CRUISER (J90)	D	3000	KD-KZJ90W	1KZ-TE	1996		WITH INTER-COOLER TZ, WITH INTER-COOLER	105D31L	105D31L	105D31L	85D26R+L		
			KD-KZJ95W	1KZ-TE	1996		WITH INTER-COOLER WITH INTER-COOLER	85D26R+L	85D26R+L	85D26R+L	-		
			KD-KZJ95W	1KZ-TE	1996		WITH INTER-COOLER WITH INTER-COOLER	105D31L	105D31L	105D31L	-		
			KH-KZJ90W	1KZ-TE	1999		WITH INTER-COOLER WITH INTER-COOLER	105D31R	105D31R	105D31R	80D26R+L		
			KH-KZJ95W	1KZ-TE	1999		WITH INTER-COOLER WITH INTER-COOLER	105D31R	105D31R	105D31R	-		
	G	2700		E-RZJ90W	3RZ-FE	1997			55D23L	55D23L	75D23L 80D23L	80D26L	
				E-RZJ95W		1997			55D23L	55D23L	75D23L 80D23L	80D26L	
				GF-RZJ90W		1999			55D23L	55D23L	75D23L 80D23L	80D26L	
				GF-RZJ95W		1999			55D23L	55D23L	75D23L 80D23L	80D26L	
		3400			E-VZJ90W	5VZ-FE	1996			55D23L	55D23L	75D23L 80D23L	-
					E-VZJ95W		1996			55D23L	55D23L	75D23L 80D23L	-
					GF-VZJ90W		1999			55D23L	55D23L	75D23L 80D23L	80D26L

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
LAND CRUISER (J90)			GF-VZJ95W		1999			55D23L	55D23L	75D23L 80D23L	80D26L
LAND CRUISER PRADO	D	3000	KH-KDJ90W	1KD-FTV	2000		WITH INTER-COOLER	105D31R	105D31R	105D31R	-
LAND CRUISER PRADO	D	3000	KH-KDJ90W	1KD-FTV	2000		With electric winch	85D26R+L	85D26R+L	85D26R+L	-
			KH-KDJ95W		2000		TYPE TZ (8SEATS)	85D26R+L	85D26R+L	85D26R+L	-
					2000		WITH INTER-COOLER	105D31L	105D31L	105D31L	-
					2000		With electric winch	85D26R+L	85D26R+L	85D26R+L	-
			KN-KDJ120W		2002			105D31L	105D31L	105D31L	80D26R+L
			KN-KDJ121W		2002			105D31L	105D31L	105D31L	80D26R+L
			KN-KDJ125W		2002			105D31L	105D31L	105D31L	80D26R+L
	G	2700	CBA-TRJ120W	2TR-FE	2004			55D23L	55D23L	75D23L 80D23L	80D26L
			CBA-TRJ125W		204			55D23L	55D23L	75D23L 80D23L	80D26L
			GF-RZJ90W	3RZ-FE	2000			55D23L	55D23L	75D23L 80D23L	80D26L
			LA-RZJ120W		2002			55D23L	55D23L	75D23L 80D23L	80D26L
			LA-RZJ125W		2002			55D23L	55D23L	75D23L 80D23L	80D26L
		3400	GF-VZJ90W	5VZ-FE	2000			55D23L	55D23L	75D23L 80D23L	-
			TA-VZJ120W		2002			55D23L	55D23L	75D23L 80D23L	55D23L
			TA-VZJ121W		2002			55D23L	55D23L	75D23L 80D23L	55D23L
			TA-VZJ125W		2002			55D23L	55D23L	75D23L 80D23L	55D23L
REGIUS VAN	D	2500	KR-KDH200K	2KD-FTV	2004		A/T	85D26R	85D26R	85D26R	85D26Rx2
					2004		M/T	80D26R	80D26R	85D26R	85D26Rx2
			KR-KDH200V		2004		A/T	85D26R	85D26R	85D26R	85D26Rx2
					2004		M/T	80D26R	80D26R	85D26R	85D26Rx2
					2004		SUPER GL	85D26R	85D26R	85D26R	85D26Rx2
			KR-KDH205V		2004		4WD, SUPER GL	85D26R	85D26R	85D26R	85D26Rx2
					2004		A/T, 4WD	85D26R	85D26R	85D26R	85D26Rx2
					2004		M/T, 4WD	80D26R	80D26R	85D26R	85D26Rx2
	G	2000	CBF-TRH200K	1TR-FE	2004			55D23R	55D23R	75D23R 80D23R	55D23R
					2004		A/T, JASTROW	85D26R	85D26R	90D26R	85D26Rx2
					2004		M/T, JASTROW	80D26R	80D26R	85D26R 90D26R	85D26Rx2

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
bB	G	1500			2001		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			UA-NCP31		2002		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
bB			UA-NCP34		2002		OPEN DECK	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			UA-NCP35		2002		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
i · S · t ()	G	1300	CBA-NCP60	2NZ-FE	2004			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			UA-NCP60		2002		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
			CBA-NCP61	1NZ-FE	2004		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R	
		1500	CBA-NCP65		2004		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			UA-NCP61		2002			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			UA-NCP65		2002		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
MR2	G	2000	E-SW20	3S-GE	1990	1991		55D23L	55D23L	75D23L 80D23L	55D23L
					1991	1993		S55D23L	There is no correspondent item (in our company)	There is no correspondent item (in our company)	S55D23L
			1993			55D23L	55D23L	75D23L 80D23L	55D23L		
			1990	1991		55D23L	55D23L	75D23L 80D23L	55D23L		
			1991	1993		S55D23L	There is no correspondent item (in our company)	There is no correspondent item (in our company)	S55D23L		
			1993			55D23L	55D23L	75D23L 80D23L	55D23L		
MR-S	G	1800	GH-ZZW30	1ZZ-FE	1999	2000		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			TA-ZZW30			2000		34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
RAV4 (A10-16)	G	2000			1997	1998	Open deck	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			E-SXA10C	3S-FE	1994	1998		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			E-SXA10G								

TOYOTA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
RAV4 (A10-16)			E-SXA10W	3S-GE	1996	1998		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			E-SXA11G	3S-FE	1995	1998		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
RAV4 (A10-16)			E-SXA11W	3S-GE	1996	1998		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			E-SXA15G	3S-FE	1997	1998		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			E-SXA16G		1997	1998		34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			GF-SXA10C		1998		Open deck	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			GF-SXA10G		1998		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			GF-SXA10W		1998		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
				3S-GE	1998		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			GF-SXA11G	3S-FE	1998			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			GF-SXA11W		1998			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			GF-SXA15G	3S-FE	1998			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			GF-SXA16G		1998			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
RAV4 (A20) (J,L)	G	1800	TA-ZCA25W	1ZZ-FE	2000		2WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			TA-ZCA26W		2000		2WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
		2000	TA-ACA20W	1AZ-FSE	2000		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			TA-ACA21W		2000		4WD	34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
Will Vi	G	1300	GH-NCP19	2NZ-FE	2000			34B19R	38B19R	40B19R 42B19R 44B19R	46B24R
			TA-NZE127	1NZ-FE	2002			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			TA-ZZE128	2ZZ-FE	2001			34B19L	38B19L	40B19L 42B19L 44B19L	46B24L
			TA-ZZE129	1ZZ-FE	2001		4WD	34B19L	38B19L	40B19L 42B19L 44B19L	46B24L

HONDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
ACTY / ACTY STREET	G	660	M-HA3	E07A	1991	-		38B20R	40B19R	42B19R 44B20R	40B19R	
					1990	1991	AT	38B20R	40B19R	42B19R 44B20R	40B19R	
					1990	1991	MF	28B17R	34B17R	38B19R 40B19R	40B19R	
			1991		-		38B20R	40B19R	42B19R 44B20R	40B19R		
			1990		1991		28B17R	34B17R	38B19R 40B19R	40B19R		
			1990		-		38B20R	40B19R	42B19R 44B20R	40B19R		
		1990	-		38B20R	40B19R	42B19R 44B20R	40B19R				
		550	M-HA1/HA2	E05A	1988	1990		28B17R	34B17R	38B19R 40B19R	38B19R	
	M-HH1/HH2	1988	1990			28B17R	34B17R	38B19R 40B19R	38B19R			
ACTY (TRUCK)	G	660	UE-HA7	E07Z	2003	-	4WD MF	28B17L	28B17L	34B17L	-	
			UE-HA6		2003	-	AT	38B19L	38B19L	40B19L 44B19L	-	
			GD-HA7		2003	-	ATTACK-N MF 4WD	28B17L	28B17L	34B17L	-	
			UE-HA6		2003	-	MF	28B17L	28B17L	34B17L	-	
ACTY VAN	G	660	UE-HH6	E07Z	2003	-	4WD AT	38B19L	38B19L	40B19L 44B19L	-	
			GD-HH6		2003	-	4WD MF	28B17L	28B17L	34B17L	-	
			UE-HH6		2003	-	4WD MF	28B17L	28B17L	34B17L	-	
			GD-HH5		2003	-	AT	38B19L	38B19L	40B19L 44B19L	-	
			UE-HH5		2003	-	AT	38B19L	38B19L	40B19L 44B19L	-	
			GD-HH5		2003	-	MF	28B17L	28B17L	34B17L	-	
			UE-HH5		2003	-	MF	28B17L	28B17L	34B17L	-	
ACCORD (CL)	G	2000	UA-CL7	K20A	2002	-		55B24L	55B24L	60B24L	-	
			LA-CL8		2002	-	4WD	46B24L	46B24L	55B24L 60B24L	-	
					2002	-	4WD、WITH NAVIGATION	46B24L	46B24L	55B24L 60B24L	-	
			LA-CL7		2002	-	EURO-R	55B24L	55B24L	60B24L	-	
					2002	-	EURO-R、WITH NAVIGATION	46B24L	46B24L	55B24L 60B24L	-	
			2002		-	WITH NAVIGATION	55B24L	55B24L	60B24L	-		
ACCORD	G	2300	E-CF6/CF7	F23A	1997	-		55B24L	55B24L	60B24L	55B24L	
			2200	E-CD5	H22A	1993	1997	Si R	70D23L	75D23L	80D23L	75D23L
				E-CD6	F22B	1993	1997		70D23L	75D23L	80D23L	75D23L
		E-CE1			1994	-	US WAGON	70D23L	75D23L	80D23L	75D23L	
		E-CD7			1994	-	US CUPE	70D23L	75D23L	80D23L	75D23L	
		E-CD8	H22A	1994	-	US CUPE Si R	80D26L	80D26L	85D26L 90D26L	80D26L		
		E-CB7	F22A	1992	1994	US CUPE、SEDAN	70D23R	75D23R	80D23R	75D23R		
		E-CB9		1991	1994	US SEDAN	70D23R	75D23R	80D23R	75D23R		
		E-CF4/CF5	F20B	1997	-		55B24L	55B24L	60B24L	55B24L		
		E-CD4		1993	1997		70D23L	75D23L	80D23L	75D23L		
		E-CB4/CB3	F20A	1989	1993		70D23R	75D23R	80D23R	75D23R		
		E-CB6		1990	1992	US CUPE	70D23R	75D23R	80D23R	75D23R		
		E-CA6	A20A	1988	1990	US CUPE	70D23R	75D23R	80D23R	75D23R		
		1800	E-CF3	F18B	1997	-		55B24L	55B24L	60B24L	55B24L	
			E-CD3	F18A	1993	-		70D23L	75D23L	80D23L	75D23L	
E-CB1/CB2			1989	1993		70D23R	75D23R	80D23R	75D23R			
ACCORD WAGON	G	2400	UA-CM2	K24A	2002	-		55B24L	55B24L	60B24L	-	
					2002	-		55B24L	55B24L	60B24L	-	

HONDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
ACCORD WAGON			LA-CMB		2002	-	4WD	55B24L	55B24L	60B24L	-	
					2002	-	4WD、WITH NAVIGATION	55B24L	55B24L	60B24L	-	
			LA-CM2		2002	-	WITH NAVIGATION	55B24L	55B24L	60B24L	-	
					2002	-	WITH NAVIGATION	55B24L	55B24L	60B24L	-	
ASCOT	G	2500	E-CE5	G25A	1993	-		55B24L	55B24L	60B24L	-	
		2000	E-CE4	G20A	1993	-		70D23R	75D23R	80D23R	75D23R	
			E-CB3/CB4	F20A	1989	1993		70D23R	75D23R	80D23R	75D23R	
		1800	E-CB1/CB2	F18A	1989	1993		70D23R	75D23R	80D23R	75D23R	
ASCOT INNOVA	G	2300	E-CC4/CC5	H23A	1992	-		70D23R	75D23R	80D23R	75D23R	
		2000	E-CB3/CB4	F20A	1989	1993		70D23R	75D23R	80D23R	75D23R	
INSPIRE (UC)	G	3000	UA-UC1	J30A	2003	-	5AT	70D23L	70D23L	75D23L 80D23L	-	
INSPIRE	G	3200	E-UA3	C32A	1997	-		70D23R	75D23R	80D23R	75D23R	
			E-UA2	G25A	1997	-		70D23R	75D23R	80D23R	75D23R	
		2500				1992	1995	BATTERY IS AVAILABLE ONLY FLAT TYPE	70D23R	75D23R	80D23R	75D23R
			E-CC2									
		2000	E-UA1	G20A	1997	-		70D23R	75D23R	80D23R	75D23R	
			E-CC3			1992	1995	BATTERY IS AVAILABLE ONLY FLAT TYPE	70D23R	75D23R	80D23R	75D23R
	E-CB5			1989	1993	BATTERY IS AVAILABLE ONLY FLAT TYPE	70D23R	75D23R	80D23R	75D23R		
INTEGRA	G	1800	E-DC2	B18C	1993	-		55B24R	55B24R	60B24R	55B24R	
			E-DB8		1993	-		55B24R	55B24R	60B24R	55B24R	
			E-DB7	B18B	1993	-		55B24R	55B24R	60B24R	55B24R	
			E-DB1		1991	-		70D23R	75D23R	80D23R	75D23R	
		1600	E-DC1	ZC	1993	-		55B24R	55B24R	60B24R	55B24R	
			E-DB6/DB9		1993	-		55B24R	55B24R	60B24R	55B24R	
			E-DA5/DA7		1989	1993		70D23R	75D23R	80D23R	75D23R	
			E-DA6/DA8	B16A	1989	1993		70D23R	75D23R	80D23R	75D23R	
			E-AV/DA1	ZC	1987	1989		55B24R	55B24R	60B24R	55B24R	
			E-EK3	D15B	1997	-		55B24R	55B24R	60B24R	55B24R	
EDIX	G	2000	DBA-BE4	K20A	2004	-	4WD 2000 USED L TERMINAL	46B24L	46B24L	55B24L 60B24L	-	
			DBA-BE3		2004	-	FF 2000 USED L TERMINAL	46B24L	46B24L	55B24L 60B24L	-	
		1700	CBA-BE2	D17A	2004	-	4WD 1700 USED R TERMINAL	38B19R	38B19R	40B19R 44B19R	-	
					2004	-	4WD 1700 USED R TERMINAL WITH NAVIGATION	46B24R	46B24R	55B24R 60B24R	-	
			CBA-BE1		2004	-	FF 1700 USED R TERMINAL	38B19R	38B19R	40B19R 44B19R	-	
					2004	-	FF 1700 USED R TERMINAL WITH NAVIGATION	46B24R	46B24R	55B24R 60B24R	-	
ELYSION	G	3000	DBA-RR3	J30A	2004	-		70D23L	70D23L	75D23L 80D23L	-	
			DBA-RR4		2004	-	4WD	70D23L	70D23L	75D23L 80D23L	-	

HONDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
ELYSION		2400	DBA-RR2	K24A	2004	-	4WD WITHOUT NAVIGATION	46B24L	46B24L	55B24L 60B24L	-	
					2004	-	4WD WITH NAVIGATION	55B24L	55B24L	60B24L	-	
			DBA-RR1		2004	-	WITHOUT NAVIGATION	46B24L	46B24L	55B24L 60B24L	-	
					2004	-	WITH NAVIGATION	55B24L	55B24L	60B24L	-	
ELEMENT	G	2400	UA-YH2	K24A	2003	-	4WD	55B24L(S)	55B24L(S)	55B24L(S)	-	
ODYSSEY (RA6-9)	G	2300	LA-RA6	F23A	2002	-		55B24L	55B24L	60B24L	-	
			LA-RA7		2002	-		55B24L	55B24L	60B24L	-	
オデッセイ ODYSSEY	G	3000	E-RA5	J30A	1997	-		80D26R	80D26R	85D26R 90D26R	80D26R	
			E-RA3/RA4		F23A	1997	-		70D23L	75D23L	80D23L	75D23L
					F22B	1994	-		70D23L	75D23L	80D23L	75D23L
ORTHIA	G	2000	EL2/3	B20B	1996	-		55B24R	55B24R	60B24R	55B24R	
			EL1		B18B	1996	-		55B24R	55B24R	60B24R	55B24R
CAPA	G	1500	GF-GA4	D15B	1998	-		44B20R	44B20R	-	44B20R	
CONCERTO	G	1600	E-MA2/MA3	ZC	1988	1992		55B24R	55B24R	60B24R	55B24R	
			E-MA1		D15B	1988	1992		55B24R	55B24R	60B24R	55B24R
JAZZ	G	660	LA-JD1	E07Z	2002	-		28B17R	28B17R	34B17R	-	
			LA-JD2		2002	-		28B17R	28B17R	34B17R	-	
CITY	G	1300	E-GA2	D13C	1988	1994		55B24L	55B24L	60B24L	55B24L	
			E-GA1		D12A	1988	1994		55B24L	55B24L	60B24L	55B24L
CIVIC	G	1500	LA-EU1	D15B	2002	-			46B24R		-	
					2002	-			46B24R		-	
			LA-EU2		2002	-	4WD		46B24R		-	
					2001	-	GX		55B24R		-	
C	1700	UN-EN2	D17A	2003	-	GX		55B24R		-		
CIVIC Hybrid(ES)	G	1300	ZA-ES9	LDA-MF3	2002	-	SUB BATTERY(MAIN BATTERY IS SEPARATED)	38B19L	38B19L	40B19L 44B19L	-	
					2003	-	SUB BATTERY(MAIN BATTERY IS SEPARATED)	38B19L	38B19L	40B19L 44B19L	-	
CIVIC FERIO(ES)	G	1700	LA-ES3	D17A	2002	-		46B24R	46B24R	55B24R 60B24R	-	
					2003	-		44B20R	44B20R	44B20R	-	
			LA-ET2		2003	-	4WD	44B20R	44B20R	44B20R	-	
					2003	-	4WD WITH NAVIGATION	46B24R	46B24R	55B24R 60B24R	-	
			UA-ES3		2003	-	WITH NAVIGATION	46B24R	46B24R	55B24R 60B24R	-	
		1500	LA-ES1	D15B	2002	-		46B24R	46B24R	55B24R 60B24R	-	
					2002	-		46B24R	46B24R	55B24R 60B24R	-	
			LA-ES2		2002	-	4WD	46B24R	46B24R	55B24R 60B24R	-	
					2003	-		44B20R	44B20R	44B20R	-	
			UA-ES1		2003	-	4WD	44B20R	44B20R	44B20R	-	
LA-ES2	2003	-	4WD WITH NAVIGATION	46B24R	46B24R	55B24R 60B24R	-					
UA-ES1	2003	-	WITH NAVIGATION	46B24R	46B24R	55B24R 60B24R	-					
CIVIC/CIVIC FERIO	G	1600	E-EK9	B16B	1997	-	TYPE R	38B20R	40B19R	42B19R 44B20R	-	
					E-EK4	B16A	1995	-		55B24R	55B24R	60B24R
			E-EK5		D16A	1995	-		55B24R	55B24R	60B24R	55B24R
						E-EG5/EG6	B16A	1991	1995		55B24R	55B24R
			E-EG9			1991	1995		55B24R	55B24R	60B24R	55B24R
			E-EJ3EH1		ZC	1991	1995		55B24R	55B24R	60B24R	55B24R

HONDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
			E-EF9	D16A	1989	1991		55B24R	55B24R	60B24R	55B24R
			E-EF3/EF5	ZC	1987	-		55B24R	55B24R	60B24R	55B24R
			R-EY5		1992	-	PROFESSIONAL	55B24R	55B24R	60B24R	55B24R
		1500	E-EK3	D15B	1995	-		55B24R	55B24R	60B24R	55B24R
			E-EG4		1991	1995		55B24R	55B24R	60B24R	55B24R
			E-EG8		1991	1995		55B24R	55B24R	60B24R	55B24R
			E-EF2		1987	-		55B24R	55B24R	60B24R	55B24R
			E-EF4		1987	1991		55B24R	55B24R	60B24R	55B24R
			R-EY4		1992	-	PROFESSIONAL	55B24R	55B24R	60B24R	55B24R
		1300	E-EK2	D13B	1995	-		55B24R	55B24R	60B24R	55B24R
			E-EG3/EG7		1991	1995		55B24R	55B24R	60B24R	55B24R
			E-EF1		1991	1995		55B24R	55B24R	60B24R	55B24R
			L/R-EY2		1991	1995		34B19R	38B19R	40B19R 42B19R	55B24R
CIVIC CUPE	G	1600	E-EJ1/EJ7	D16A	1993	-	LEFT- HAND VEHICLE	(55B24L(S))	-	-	-
					1993	-	RIGHT- HAND VEHICLE	55B24R(S)	55B24R(S)	-	-
JAZZ	D	3100	KD-UCS69DWH	4JG2-T	1993	1996		115D31R	115D31R	-	80D26R × 2
STEP WAGON (RF3~8)	G	2000	LA-RF3	K20A	2002	-		46B24L	46B24L	55B24L 60B24L	-
			LA-RF4		2002	-		46B24L	46B24L	55B24L 60B24L	-
					2002	-	4WD	46B24L	46B24L	55B24L 60B24L	-
		2400	UA-RF7	K24A	2003	-		55B24L	55B24L	60B24L	-
			UA-RF8		2003	-	4WD	55B24L	55B24L	60B24L	-
			CBA-RF8		2004	-	THERE IS 4WD 55B24L INSTALLED CAR	55B24L	55B24L	60B24L	-
			CBA-RF7		2004	-	THERE IS 55B24L INSTALLED CAR	55B24L	55B24L	60B24L	-
		2000	UA-RF3	K20A	2003	-		46B24L	46B24L	55B24L 60B24L	-
			UA-RF5		2003	-		46B24L	46B24L	55B24L 60B24L	-
			UA-RF6		2003	-	4WD	46B24L	46B24L	55B24L 60B24L	-
			UA-RF4		2003	-	4WD	46B24L	46B24L	55B24L 60B24L	-
			CBA-RF4		2004	-	THERE IS 4WD 55B24L INSTALLED CAR	46B24L	46B24L	55B24L 60B24L	-
			CBA-RF6		2004	-	THERE IS 4WD 55B24L INSTALLED CAR	46B24L	46B24L	55B24L 60B24L	-
			CBA-RF5		2004	-	THERE IS 55B24L INSTALLED CAR	46B24L	46B24L	55B24L 60B24L	-
			CBA-RF3		2004	-	THERE IS 55B24L INSTALLED CAR	46B24L	46B24L	55B24L 60B24L	-
STEP WAGON	G	2000	E-RF1/RF2	B20B	1996	-		55B24L	55B24L	60B24L	55B24L
STREAM	G	2000	LA-RN4	K20A	2002	-	4WD 2000 USED L TERMINAL	46B24L	46B24L	55B24L 60B24L	-

HONDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
STREAM			LA- RN3		2002	-	FF 2000USED L TERMINAL	46B24L	46B24L	55B24L 60B24L	-	
			LA- RN4		2003	-	4WD 2000 USED L TERMINAL	46B24L	46B24L	55B24L 60B24L	-	
			UA- RN3		2003	-	FF 2000 USED L TERMINAL	46B24L	46B24L	55B24L 60B24L	-	
			UA- RN5		K20B	2003	-	Absolute	46B24L	46B24L	55B24L 60B24L	-
	1700			LA- RN2	D17A	2002	-	4WD 1700 USED R TERMINAL	46B24R	46B24R	55B24R 60B24R	-
				LA- RN1		2002	-	FF 1700 USED R TERMINAL	46B24R	46B24R	55B24R 60B24R	-
				LA- RN2		2003	-	4WD 1700 USED R TERMINAL	38B19R	38B19R	40B19R 44B19R	-
						2003	-	4WD 1700 USED R TERMINAL WITH NAVIGATION	46B24R	46B24R	55B24R 60B24R	-
				UA- RN1		2003	-	FF 1700 USED R TERMINAL	38B19R	38B19R	40B19R 44B19R	-
						2003	-	FF 1700 USED R TERMINAL WITH NAVIGATION	46B24R	46B24R	55B24R 60B24R	-
SABER	G	3200	E- UA3	C32A	1995	-		70D23R	75D23R	80D23R	75D23R	
		2500	E- UA2	G25A	1995	-		70D23R	75D23R	80D23R	75D23R	
		2000	E- UA1	G20A	1995	-		70D23R	75D23R	80D23R	75D23R	
TODAY	G	660	E- JA4/JA5	E07A	1990	-		38B20R	40B19R	42B19R 44B20R	40B19R	
			E- JA2/JA3		1990	-		38B20R	40B19R	42B19R 44B20R	40B19R	
			M/V- JW3		1990	-		38B20R	40B19R	42B19R 44B20R	40B19R	
			M/V- JW4		1990	-		38B20R	40B19R	42B19R 44B20R	40B19R	
DOMANI	G	1800	E- MA5	B18B	1992	1997		55B24R	55B24R	60B24R	55B24R	
		1600	E- MB4/MB5	D16A	1997	-		55B24R	55B24R	60B24R	55B24R	
			E- MA4/MA6	ZC	1992	1997		55B24R	55B24R	60B24R	55B24R	
		1500	E- MB3	D15B	1997	-		55B24R	55B24R	60B24R	55B24R	
			E- MA7		1992	1997		55B24R	55B24R	60B24R	55B24R	
PARTNER	G	1600	E- EY8	D16A	1996	-		55B24R	55B24R	60B24R	-	
			E- EY9		1996	-		55B24R	55B24R	60B24R	-	
			E- EY6		D15B	1996	-		55B24R	55B24R	60B24R	-
		E- EY7	1996	-			55B24R	55B24R	60B24R	-		
		VAMDS	G	660	LA- HMI	E07Z	2003	-	AT	38B19L	38B19L	40B19L 44B19L
LA- HM2	2003				-		AT 4WD	38B19L	38B19L	40B19L 44B19L	-	
LA- HMB	2003				-		Hobio AT	38B19L	38B19L	40B19L 44B19L	-	
LA- HMI	2003				-		Hobio AT 4WD	38B19L	38B19L	40B19L 44B19L	-	
LA- HMB	2003				-		Hobio MI	28B17L	28B17L	34B17L	-	
LA- HMI	2003				-		Hobio MI 4WD	28B17L	28B17L	34B17L	-	
UE- HJ2	2003				-		HobioPro AT 4 number	38B19L	38B19L	40B19L 44B19L	-	

HONDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
VAMS			UE-HJ1		2003	-	HobioPro MF 4 number	28B17L	28B17L	34B17L	-
			LA-HM1		2003	-	MF	28B17L	28B17L	34B17L	-
			LA-HM2		2003	-	MF 4WD	28B17L	28B17L	34B17L	-
FIT(GD)	G	1500	LA-GD3	L15A	2002	-		38B19L	38B19L	40B19L 44B19L	-
			LA-GD4		2002	-		38B19L	38B19L	40B19L 44B19L	-
			UA-GD3		2003	-		38B19L	38B19L	40B19L 44B19L	-
			UA-GD4		2003	-	4WD	38B19L	38B19L	40B19L 44B19L	-
			UA-GD4		2003	-	4WD WITH NAVIGATION	38B19L	38B19L	40B19L 44B19L	-
			UA-GD3		2003	-	WITH NAVIGATION	38B19L	38B19L	40B19L 44B19L	-
			CBA-GD3		2004	-		38B19L	38B19L	40B19L 44B19L	-
			CBA-GD4		2004	-	4WD	38B19L	38B19L	40B19L 44B19L	-
					2004	-	4WD WITH NAVIGATION	38B19L	38B19L	40B19L 44B19L	-
			CBA-GD3		2004	-	WITH NAVIGATION	38B19L	38B19L	40B19L 44B19L	-
		1300	L13A	LA-GD2	2002	-	4WD	34B17L	34B17L	38B19L 40B19L	-
				LA-GD2	2002	-	4WD WITH NAVIGATION	34B17L	34B17L	38B19L 40B19L	-
				LA-GD1	2002	-	FF	34B17L	34B17L	38B19L 40B19L	-
					2002	-	FF WITH NAVIGATION	34B17L	34B17L	38B19L 40B19L	-
				UA-GD1	2003	-		34B17L	34B17L	38B19L 40B19L	-
				UA-GD2	2003	-	4WD	34B17L	34B17L	38B19L 40B19L	-
					2003	-	4WD WITH NAVIGATION	34B17L	34B17L	38B19L 40B19L	-
				UA-GD1	2003	-	WITH NAVIGATION	34B17L	34B17L	38B19L 40B19L	-
				CBA-GD1	2004	-		34B17L	34B17L	38B19L 40B19L	-
				CBA-GD2	2004	-	4WD	34B17L	34B17L	38B19L 40B19L	-
					2004	-	4WD WITH NAVIGATION	34B17L	34B17L	38B19L 40B19L	-
	2004	-	WITH NAVIGATION	34B17L	34B17L	38B19L 40B19L	-				
FIT ARIA(GD)	G	1500	DBA-GD9	L15A	2004	-	4WD	38B19L	38B19L	40B19L 44B19L	-
			DBA-GD8		2004	-	FF	38B19L	38B19L	40B19L 44B19L	-
		1300	L13A	DBA-GD7	2004	-	4WD	38B19L	38B19L	40B19L 44B19L	-
				DBA-GD6	2004	-	FF	38B19L	38B19L	40B19L 44B19L	-
		1500	L15A	LA-GD9	2002	-	4WD	38B19L	38B19L	40B19L 44B19L	-
				LA-GD8	2002	-	FF	34B17L	34B17L	38B19L 40B19L	-
		1300	L13A	LA-GD7	2002	-	4WD	38B19L	38B19L	40B19L 44B19L	-
				LA-GD6	2002	-	FF	38B19L	38B19L	40B19L 44B19L	-
TORNEO	G	2000	E-CF4/CF5	F20B	1997	-		55B24L	55B24L	60B24L	55B24L
		1800	E-CF3	F18B	1997	-		55B24L	55B24L	60B24L	55B24L
BEAT	G	660	E-PP1	E07A	1991	-		28B17R	34B17R	38B19R 40B19R	-

HONDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
VIGOR	G	2500	E-CC2	G25A	1989	1995		70D23R	75D23R	80D23R	75D23R	
		2000	E-CC3	G20A	1989	1995		70D23R	75D23R	80D23R	75D23R	
			E-CB5		1989	1995		70D23R	75D23R	80D23R	75D23R	
PRELUDE/INX	G	2200	E-BB6/BB8	H22A	1997	-		80D26L	80D26L	85D26L 90D26L	80D26L	
			E-BB5/BB7	F22B	1997	-		70D23L	75D23L	80D23L	75D23L	
			E-BB1/BB4	H22A	1991	1997		80D26L	80D26L	85D26L 90D26L	80D26L	
			E-BA8/BA9	F22B	1991	1997		70D23L	75D23L	80D23L	75D23L	
		2100	E-BA7	B21A	1990	1991		80D26R	80D26R	85D26R 90D26R	80D26R	
		2000	E-BA4/BA5	B20A	1988	1991	Si	80D26R	80D26R	85D26R 90D26R	80D26R	
					1988	1991		70D23R	75D23R	80D23R	75D23R	
HORIZON	G	3500	GF-UBS26	6VEL	1998	-		65D23R	75D23R	80D23R	75D23R	
		3200	E-UBS25	6VD1	1993	1998	AT	75D26R	80D26R	-	90D26R	
					1993	1998	MF	65D23R	75D23R	-	90D26R	
	D	3100	KD-UBS69	4JG2-T	1994	1998		115D31R	115D31R	-	80D26R × 2	
					1998	-		115D31R	115D31R	-	80D26R × 2	
MBILIO	G	1500	LA-GB1	L15A	2002	-		38B19L	38B19L	40B19L 44B19L	-	
					2002	-	4WD	38B19L	38B19L	40B19L 44B19L	-	
					2004	-		38B19L	38B19L	40B19L 44B19L	-	
					2004	-	4WD	38B19L	38B19L	40B19L 44B19L	-	
					2004	-	VTEC	38B19L	38B19L	40B19L 44B19L	-	
LIFE(JB)	G	660	LA-JB1	E07Z	2002	-		28B17R	28B17R	34B17R	-	
					2002	-		28B17R	28B17R	34B17R	-	
			LA-JB2		2002	-	4WD	38B19R	38B19R	40B19R 44B19R	-	
					2002	-	4WD	38B19R	38B19R	40B19R 44B19R	-	
			LA-JB3		2003	-	Dank 4WD TURBO	38B19R	38B19R	40B19R 44B19R	-	
					2003	-	Dank 4WD TURBO	38B19R	38B19R	40B19R 44B19R	-	
			LA-JB4		2003	-	Dank TURBO	28B17R	28B17R	34B17R	-	
					2003	-	Dank TURBO	28B17R	28B17R	34B17R	-	
			UA-JB5		P07A	2003	-		28B17R	28B17R	34B17R	-
						2003	-	4WD	38B19R	38B19R	40B19R 44B19R	-
			UA-JB6		P07A	2003	-	4WD TURBO	38B19R	38B19R	40B19R 44B19R	-
						2003	-	smart card key equipped car	38B19R	38B19R	40B19R 44B19R	-
			UA-JB7		P07A	2003	-	TURBO	28B17R	28B17R	34B17R	-
						2003	-	smart card key equipped car	38B19R	38B19R	40B19R 44B19R	-
			GF-JB2	E07Z	2000	-		28B17R	38B19R	40B19R 42B19R 44B19R	-	
					2001	-		28B17R	38B19R	40B19R 42B19R 44B19R	-	
					2001	-	4WD	28B17R	38B19R	40B19R 42B19R 44B19R	-	
					2002	-		28B17R	38B19R	40B19R 42B19R 44B19R	-	

HONDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
LIFE(JB)			LA-JB1		2002	-	4WD	38B19R	38B19R	40B19R 42B19R 44B19R	-
LIFE	G	660	GF-JB1	E07Z	1998	-		28B17R	34B17R	44B20R	28B17R
			GF-JB2		1998	-	4WD	38B20R	-	-	38B20R
			E-JA4	E07A	1997	-		28B17R	34B17R	44B20R	44B20R
LAGREAT	G	3500	LA-RL1	J35A	2003	-		80D26L	80D26L	90D26L	-
RAFAGA	G	2500	E-CE5	G25A	1993	-		70D23R	75D23R	80D23R	75D23R
		2000	E-CE4	G20A	1993	-		70D23R	75D23R	80D23R	75D23R
LEGEND(KA·KB)	G	3500	LA-KA9	C35A	2003	-		80D26R	80D26R	90D26R	80D26R
			DBA-KB1	J35A	2004	-		80D26R	80D26R	90D26R	80D26R
LEGEND	G	3500	E-KA9	C35A	1996	-		80D26R	80D26R	85D26R 90D26R	80D26R
			3200	E-KA7/KA8	C32A	1990	1996		80D26R	80D26R	85D26R 90D26R
		2700	E-KA6	C27A	1988	1990		80D26L	80D26L	85D26L 90D26L	80D26L
			E-KA3/KA4		1987	1990		80D26L	80D26L	85D26L 90D26L	80D26L
		2000	E-KA5	C20A	1988	1990		70D23L	75D23L	80D23L	75D23L
LOGO	G	1300	E-GA3	D13B	1996	-		44B20R	44B20R	-	44B20R
CR-X	G	1600	E-EG2	B16A	1992	-	CRX	55B24R	55B24R	60B24R	55B24R
			E-EJ4	D16A	1996	-	CRX	55B24R	55B24R	60B24R	55B24R
			E-EF8	B16A	1989	1992		55B24R	55B24R	60B24R	55B24R
			E-EF7	ZC	1987	1992		55B24R	55B24R	60B24R	55B24R
		1500	E-EG1	D15B	1992	1997	CRX	55B24R	55B24R	60B24R	55B24R
			E-EF6		1987	1992		55B24R	55B24R	60B24R	55B24R
CR-V	G	2000	E-RD1	B20B	1995	-		55B24R	55B24R	60B24R	55B24R
HR-V(GH)	G	1600	LA-GH3	D16A	2003	-		55B24L	55B24L	60B24L	-
			LA-GH4		2003	-	4WD	55B24L	55B24L	60B24L	-
HR-V	G	1600	GF-GH2	D16A	1998	-		55B24L	55B24L	60B24L	-
MDX	G	3500	CBA-YD1	J35A	2004	-		80D26L	80D26L	85D26L 90D26L	-
			UA-YD1		2002	-		80D26L	80D26L	90D26L	-
NSX(NA)	G	3200	LA-NA2	C32B	2003	-	6MT	70D23L	70D23L	75D23L 80D23L	-
					2003	-	6MT TypeR (THERE IS 38B19L INSTALLED CAR)	55B24L(S)	55B24L(S)	55B24L(S)	-
					2003	-	6MT TypeS	70D23L	70D23L	75D23L 80D23L	-
			LA-NA1	C30A	2003	-	4AT	80D26L	80D26L	85D26L 90D26L	-
					2003	-	4AT TypeT	80D26L	80D26L	85D26L 90D26L	-
NSX	G	3200	E-NA2	C32B	1997	-		80D26L	80D26L	85D26L 90D26L	80D26L
			E-NA1	CA30	1990	-	AT	80D26L	80D26L	85D26L 90D26L	80D26L
					1990	-	MT	70D23L	75D23L	80D23L	75D23L
					1990	-	TYPE R	(55B24L(S))	-	-	-
S-MK	G	2000	E-RH1/RH2	B20B	1996	-		55B24R	55B24R	60B24R	55B24R
Z	G	660	GF-PA1	E07Z	1998	-		38B20L	40B19L	42B19L 44B20L	-

MAZDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
AXELA	G	2300	UA-BK3P	L3-VE	2003	-		55D23L	55D23L	75D23L 80D23L	-
					2003	-	Sport	55D23L	55D23L	75D23L 80D23L	-
		2000	UA-BKEP	LF-DE	2003	-		55D23L	55D23L	75D23L 80D23L	-
					2003	-	Sport	55D23L	55D23L	75D23L 80D23L	-
		1500	UA-BK5P	ZY-VE	2003	-		50D20L	50D20L	75D23L 80D23L	-
					2003	-	Sport	50D20L	50D20L	75D23L 80D23L	-
ATENZA (SPORTS)	G	2300	LA-GG3S	L3-VE	2002	-		55D23L	55D23L	75D23L 80D23L	-
		2000	LA-GGES	LF-DE	2002	-		55D23L	55D23L	75D23L 80D23L	-
ATENZA SPORTS WAGON	G	2300	LA-GY3W	L3-VE	2002	-	WAGON	55D23L	55D23L	75D23L 80D23L	-
							WAGON	55D23L	55D23L	75D23L 80D23L	-
ATENZA (SEDAN)	G	2300	LA-GG3P	L3-VE	2002	-		55D23L	55D23L	75D23L 80D23L	-
		2000	LA-GGEP	LF-DE	2002	-		55D23L	55D23L	75D23L 80D23L	-
E FINI R X-7	G	R. E.	E-FD3C	13B	1992	-		75D26L	80D26L	85D26L 90D26L	80D26L
			E-FD3S		1991	-	AT	55D23L	55D23L	75D23L 80D23L	80D26L
					1991	-	MF	55D23L	55D23L	75D23L 80D23L	75D23L
IXION	G	1800	GF-CP8WF	FP-DE	1999	-		75D23L	75D23L	80D23L	-
ETUDE	G	1600	E-BFMP	B6	1987	1991		34B19L	38B19L	40B19L 42B19L	46B24L
		1500	E-BFSP	B5	1988	1991		28B19L	38B19L	40B19L 42B19L	46B24L
AZ-1	G	660	E-PG6SA	F6A	1992	-		38B20L	40B19L	42B19L 44B20L	-
AZ-3	G	1800	E-ECPSA	K8-ZE	1993	-		50D20L	50D20L	-	75D23L
		1500	E-EC5SA	B5	1991	-		50D20L	50D20L	-	50D20L
CUSTOM CAB	L	2000	E-HBEY	FE	1989	-		55D26L	65D26L	75D26L 80D26L	55D26L
CAPELLA (CF)	G	2000	GF-GFEP	FS-ZE	1997	-		55D23L	55D23L	75D23L 80D23L	75D23L
			GF-GFER	FS-DE	1997	-		55D23L	55D23L	75D23L 80D23L	75D23L
		1800	GF-GF8P	FP-DE	1997	-		55D23L	55D23L	75D23L 80D23L	75D23L
CAPELLA (CG)	G	2000	E-CG2SP	FS-DE	1994	-		55D23L	55D23L	75D23L 80D23L	80D26L
			E-CG2SR		1994	-		55D23L	55D23L	75D23L 80D23L	80D26L
			E-EVGR	FE	1992	-		34B19L	38B19L	40B19L 42B19L	75D23L
		1800	E-CG2PP	FP-DE	1994	-		55D23L	55D23L	75D23L 80D23L	80D26L
CAPELLA (GW)	G	2500	GF-GW5R	KL-ZE	1998	-		55D23L	55D23L	75D23L 80D23L	75D23L
			GF-GWER	FS-DE	1998	-		55D23L	55D23L	75D23L 80D23L	75D23L
				FS-ZE	1998	-		55D23L	55D23L	75D23L 80D23L	75D23L
			KD-GWFW	RF	1998	-		95D31L	95D31L	105D31L 115D31L	115D31L
		1800	GF-GW8W	FP-DE	1998	-		55D23L	55D23L	75D23L 80D23L	75D23L
CAPELLA (GD)	G	2000	E-GVER	FE	1992	-		34B19L	38B19L	40B19L 42B19L	75D23L

MAZDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA				
CAPELLA (GD)			E-GDEA/GDEB		1987	1991		34B19L	38B19L	40B19L 42B19L	55D23L				
			E-GDEP/GDER		1987	1991		34B19L	38B19L	40B19L 42B19L	55D23L				
			E-GDES		1987	1991		34B19L	38B19L	40B19L 42B19L	55D23L				
		1800	F8	E-GD8A/GD8B	1988	1991		34B19L	38B19L	40B19L 42B19L	55D23L				
				E-GD8J	1987	-	INSTRUCTION CAR	34B19L	38B19L	40B19L 42B19L	55D23L				
				E-GD8P	1989	1991	DOHC	34B19L	38B19L	40B19L 42B19L	55D23L				
					1989	1991	CARBURETOR CAR	34B19L	38B19L	40B19L 42B19L	46B24L				
				E-GD8R	1989	1991		34B19L	38B19L	40B19L 42B19L	55D23L				
				E-GD8S	1987	1991		34B19L	38B19L	40B19L 42B19L	55D23L				
				E-GV8W	1992	-		34B19L	38B19L	40B19L 42B19L	55D23L				
		1988		1992		34B19L	38B19L	40B19L 42B19L	46B24L						
	1600	B6	T-GV6V	1988	-		34B19L	38B19L	40B19L 42B19L	46B24L					
			E-GD6P	1987	1992		34B19L	38B19L	40B19L 42B19L	46B24L					
	D	2000	RF	Y-GVFR	1992	-		50D20R+L	50D20R+L	-	75D23R+L				
				Y-GVFW	1992	-	AT	50D20R+L	50D20R+L	-	75D23R+L				
					1992	-	MT	80D26L	80D26L	85D26L 90D26L	65D23R+L				
				S-GVfV	1992	-		80D26L	80D26L	85D26L 90D26L	50D20R+L				
						1988	-	AT	50D20R+L	50D20R+L	-	75D23R+L			
						1988	-	MT	80D26L	80D26L	85D26L 90D26L	75D23R+L			
1989						-	AT	50D20R+L	50D20R+L	-	75D23R+L				
1989						-	MT	80D26L	80D26L	85D26L 90D26L	75D23R+L				
1987						1991	AT	50D20R+L	50D20R+L	-	75D23R+L				
1987						1991	MT	80D26L	80D26L	85D26L 90D26L	75D23R+L				
1987						-	INSTRUCTION CAR	80D26L	80D26L	85D26L 90D26L	50D20R+L				
1987						1989		50D20R+L	50D20R+L	-	75D23R+L				
L						1800	F8	E-GD8J	1987	-	INSTRUCTION CAR	55D26L	65D26L	75D26L 80D26L	-
								E-GD8Y	1987	-	TAXI	55D26L	80D26L	85D26L 90D26L	-
CAROL (HB23)	G	660	LA-HB23S	K6A	2002	-		28B17L	34B17L	38B19L 40B19L	38B19L				
			UA-HB23V		K6A VVT	2002	-	4AT	28B17L	34B17L	38B19L 40B19L	38B19L			
			LA-HB23S		K6A	2002	-	4WD	28B17L	34B17L	38B19L 40B19L	38B19L			
			TA-HB23S		K6A	2002	-	LEAN BURN ENGINE	38B20L	38B19L	40B19L 44B19L	38B19L			
CAROL (HB)	G	660	DBA-HB24S	K6A	2004	-		38B20L	38B19L	40B19L 44B19L	-				
			CBA-HB24S		K6A	2004	-		38B20L	38B19L	40B19L 44B19L	-			
CAROL	G	660	GF-HB12S	F6A	1998	-		28B17L	34B17L	38B19L 40B19L	-				
			GF-HB22S	K6A	1998	-		28B17L	34B17L	38B19L 40B19L	-				
			E-AC6P	F6A	1995	-		28B17L	34B17L	38B19L 40B19L	40B19L				
			E-AC6R	F6A	1995	-	4WD	28B17L	34B17L	38B19L 40B19L	40B19L				

MAZDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
CAROL				K6A	1995	-	TURBO VEHICLE	44B20L	44B20L	-	44B20L		
				E-AA6PA/AA6RA	F6A	1990	1995		28B19L	38B19L	40B19L 42B19L	40B19L	
				550	E-AA5PA	F5B	1989	1990		26A19LT	34A19LT	-	40B19L
					E-AA5RA		1989	1990		26A19LT	34A19LT	-	40B19L
CLEF	G	2500	E-GE5PA	KL-ZE	1992	-		55D23L	55D23L	75D23L 80D23L	80D26L		
			2000	E-GEEPA	KF-ZE	1992	-		55D23L	55D23L	75D23L 80D23L	80D26L	
				E-GESRA	FS-DE	1992	-		55D23L	55D23L	75D23L 80D23L	80D26L	
CRONOS	G	2500	E-GE5P	KL-ZE	1992	-		55D23L	55D23L	75D23L 80D23L	80D26L		
		2000	E-GEEP	KF-ZE	1991	-		55D23L	55D23L	75D23L 80D23L	80D26L		
				KF	1991	-		55D23L	55D23L	75D23L 80D23L	80D26L		
			E-GESR	FS	1991	-		55D23L	55D23L	75D23L 80D23L	80D26L		
		1800	E-GE8	K8-ZE	1991	-		55D23L	55D23L	75D23L 80D23L	75D23L		
			E-GE8P	K8	1991	-		55D23L	55D23L	75D23L 80D23L	75D23L		
		D	2000	X-GEFP	RF	1992	-		95D31L	-	-	115D31L	
				Y-GEEP		1992	-		95D31L	-	-	115D31L	
SAVANNA RX-7	G	R. E.	E-FC3C	13B	1992	-		75D26L	80D26L	85D26L 90D26L	80D26L		
					1989	1991		50D20L	50D20L	-	75D23L		
			E-FC3S/3D		1989	1991		50D20L	50D20L	-	75D23L		
					1988	1989		46B24L	46B24L	55B24L 60B24L	46B24L		
SCRUM	G	660	GD-DG52T/DH52V GD-DG52V/DH52V M-DG51T/DH51T M-DG51B/DG51V M-DH51V	F6A	1999	-	TRUCK	38B20L	40B19L	42B19L 44B20L	38B20L		
					1999	-	VAN	38B20L	40B19L	42B19L 44B20L	38B20L		
					1990	1999	TRUCK	36B20R	40B19R	42B19R 44B20R	40B19R		
					1990	1999	VAN	36B20R	40B19R	42B19R 44B20R	40B19R		
					1990	1999	VAN	36B20R	40B19R	42B19R 44B20R	40B19R		
SPIANO	G	660	LA-HF21S UA-HF21S TA-HF21S	K6A	2002	-		28B17L	34B17L	38B19L 40B19L	38B19L		
					2002	-		28B17L	34B17L	38B19L 40B19L	38B19L		
					2002	-	TURBO	38B20L	38B19L	40B19L 44B19L	-		
SENTIA	G	3000	E-HEEA E-HEEP	JE-E	1995	-		55D23L	55D23L	75D23L 80D23L	80D26L		
				JE-ZE	1995	-		55D23L	55D23L	75D23L 80D23L	80D26L		
				JE-E	1995	-		55D23L	55D23L	75D23L 80D23L	80D26L		
SENTIA/ MS-9	G	3000	E-HDEP E-HDES	JE	1994	-		55D23L	55D23L	75D23L 80D23L	80D26L		
					1991	-		55D23L	55D23L	75D23L 80D23L	80D26L		
		2500	E-HD5P E-HD5S	J5-DE	1994	-		55D23L	55D23L	75D23L 80D23L	80D26L		
				J5	1991	-		55D23L	55D23L	75D23L 80D23L	80D26L		
TITAN	D	4600	U-WGM系	TM	1992	-		55D23R × 2	55D23R × 2	65D23R × 2 75D23R × 2	95D31R × 2		

MAZDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
TITAN		4100	N-WE1系	ZB	1989	-		75D31R × 2	75D31R × 2	95D31R × 2 105D31R × 2	95D31R × 2		
		4000	U-WGT系	TE	1992	-		55D23R × 2	55D23R × 2	65D23R × 2 75D23R × 2	95D31R × 2		
				TF	1989	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
		3500	U-WGL	SL		1989	-	AT	55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2	
						1989	-	MF	55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	75D26R × 2	
						1989	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2	
		3000	N-WGF	HA		1989	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	75D26R × 2	
						1984	1989		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2	
		2500	N-WG5	XA		1989	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	55D26R × 2	
						1984	1989	12V	115F51	115F51	130F51 150F51	95D31R × 2	
						1984	1989	24V	55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2	
		DEMO (Y3・5)	G	1500	LA-DY5W	ZY-VE	2002	-		46B24L	46B24L	55B24L 60B24L	-
							2003	-		46B24L	46B24L	55B24L 60B24L	-
2003	-						e-4WD	46B24L	46B24L	55B24L 60B24L	-		
1300	LA-DY3W			ZJ-VE	2002	-		46B24L	46B24L	55B24L 60B24L	-		
					2003	-		46B24L	46B24L	55B24L 60B24L	-		
					2003	-	e-4WD	46B24L	46B24L	55B24L 60B24L	-		
DEMO	G	1500	E-DW5W	B5-ME	1996	-		55D23L	55D23L	75D23L 80D23L	55D23L		
		1300	E-DW3W	B3-ME	1996	-		50D20L	50D20L	-	50D20L		
		1500	LA-DY5W	ZY-VE	2002	-		46B24L	55B24L	60B24L	-		
		1300	LA-DY3W	ZJ-VE	2002	-		46B24L	55B24L	60B24L	-		
TELSTAR (GV)	G	2000	E-GVERF	FE	1992	-		34B19L	38B19L	40B19L 42B19L	75D23L		
			E-GESRF	FS	1991	1992		34B19L	38B19L	40B19L 42B19L	80D26L		
		1800	E-GV8WF	F8	1992	1995		34B19L	38B19L	40B19L 42B19L	55D23L		
	D	2000	Y-GVFRF	RF	1992	1995		50D20R+L	50D20R+L	-	75D23R+L		
			Y-GVFWF		1992	1995	AT	50D20R+L	50D20R+L	-	75D23R+L		
					1992	1995	MF	80D26L	80D26L	85D26L 90D26L	75D23R+L		

MAZDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TELSTAR (GD)	G	2500	E-GE5PF	KL-ZE	1992	-		55D23L	55D23L	75D23L 80D23L	80D26L
			E-GESRF	FS	1991	-		55D23L	55D23L	75D23L 80D23L	80D26L
		E-GEEPF	KF-ZE	1991	-		55D23L	55D23L	75D23L 80D23L	80D26L	
		E-GDEAF/ GDEPF	FE	1987	1991		34B19L	38B19L	40B19L 42B19L	75D23L	
		E-GDERF		1987	1991		34B19L	38B19L	40B19L 42B19L	75D23L	
		1800	E-GE8PF	K8-ZE	1991	-		55D23L	55D23L	75D23L 80D23L	75D23L
			E-GD8AF	F8	1988	1991		34B19L	38B19L	40B19L 42B19L	55D23L
			E-GD8PF		1989	1991	DOHC	34B19L	38B19L	40B19L 42B19L	55D23L
					1989	1991	CARBURETOR CAR	34B19L	38B19L	40B19L 42B19L	46B24L
		E-GD8RF	1989		1991		34B19L	38B19L	40B19L 42B19L	55D23L	
	D	2000	Y-GEFPP Q-GDFPP	RF	1992	-		95D31L	95D31L	105D31L 115D31L	115D31L
					1987	1991	AT	50D20R+L	50D20R+L	-	75D23R+L
			1987		1991	MF	80D26L	80D26L	85D26L 90D26L	75D23R+L	
			N-GDFPP		1987	1989	AT	50D20R+L	50D20R+L	-	75D23R+L
					1987	1989	MF	80D26L	80D26L	85D26L 90D26L	75D23R+L
	TELSTAR II	G	2000	E-CG2SPF	FS-DE	1994	-		55D23L	55D23L	75D23L 80D23L
E-CG2SRF				1994		-		55D23L	55D23L	75D23L 80D23L	80D26L
1800			E-CG2PPF	FP-DE	1994	-		55D23L	55D23L	75D23L 80D23L	80D26L
TRIBUTE			G	3000	LA-EFPW	AJ	2003	-	4WD	80D26L	80D26L
	2300	TA-EP3W			L3	2003	-	2WD (FF)	80D26L	80D26L	85D26L 90D26L
				2003		-	4WD	80D26L	80D26L	85D26L 90D26L	-
PARKWAY	D	3500	P-WL4B	SL	1984	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2
FAMILIA (BH)	G	1800	E-BHA8P	B8-ZE	1994	-		50D20L	50D20L	-	55D23L
			E-BHA8S		1994	-		50D20L	50D20L	-	55D23L
		1500	E-BHALP	Z5-DE	1994	-		50D20L	50D20L	-	55D23L
			E-BHALS		1994	-		50D20L	50D20L	-	55D23L
		E-BHA5P	B5-ZE	1994	-	AT	55D23L	55D23L	75D23L 80D23L	55D23L	
				1994	-	MF	50D20L	50D20L	-	55D23L	
E-BHA5S		1994	-	AT	55D23L	55D23L	75D23L 80D23L	55D23L			
		1994	-	MF	50D20L	50D20L	-	55D23L			
FAMILIA (BG)	G	1800	E-BG8P/8S	BP	1991	1994		50D20L	50D20L	-	50D20L
					1991	1994		46B24L	46B24L	55B24L 60B24L	46B24L
			E-BG8R	BP-ZET	1991	1994		55D23L	55D23L	75D23L 80D23L	55D23L
					1991	1994		55D23L	55D23L	75D23L 80D23L	55D23L
		1600	E-BG6Z	B6	1991	1994		55D23L	55D23L	75D23L 80D23L	55D23L
					1991	1994		55D23L	55D23L	75D23L 80D23L	55D23L
			E-BG6R		1989	1991		46B24L	46B24L	55B24L 60B24L	46B24L

MAZDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
FAMILIA (BG)			E-BG6S/BG6P		1989	1991		34B19L	38B19L	40B19L 42B19L	46B24L
		1500	E-BG5P/BG5S	B5	1991	1994		50D20L	50D20L	-	50D20L
		1300	E-BG3P/BG3S	B3	1989	1991		34B19L	38B19L	40B19L 42B19L	46B24L
					1991	1994		50D20L	50D20L	-	50D20L
	D	1700	Q-BG7P	PN	1989	1991	AT	55D23L	55D23L	75D23L 80D23L	50D20L × 2
					1989	1991	MF	50D20L	50D20L	-	50D20L × 2
					1991	1994		50D20L	50D20L	-	50D20L × 2
FAMILIA (BJ)	G	1800	GF-BJ8W	FP-DE	1998	-	4 WD, WAGON	50D20L	50D20L	-	75D23L
		1500	GF-BJ5P	ZL-DE	1998	-	4 WD, SEDAN	46B24L	46B24L	55B24L 60B24L	46B24L
					1998	-	SEDAN	34B19L	38B19L	40B19L 42B19L	46B24L
				1998	-	SEDAN	34B19L	38B19L	40B19L 42B19L	46B24L	
		GF-BJ5W	ZL-DE	1998	-	4 WD, WAGON	46B24L	46B24L	55B24L 60B24L	46B24L	
				1998	-	WAGON	34B19L	38B19L	40B19L 42B19L	46B24L	
	ZL-VE	1998	-	WAGON	34B19L	38B19L	40B19L 42B19L	46B24L			
	1300	GF-BJ3P	B3-ME	1998	-	SEDAN	34B19L	38B19L	40B19L 42B19L	46B24L	
	D	2000	KE-BJEP	RF	1998	-	SEDAN	95D31L	95D31L	105D31L 115D31L	115D31L
	FAMILIA S WAGON (BJ)	G	2000	TA-BJFW	FS-ZE	2002	-	SPORT20	75D23L	75D23L	80D23L
GH-BJFW			2002	-		SPORT20 4WD	75D23L	75D23L	80D23L	-	
		1500	GH-BJ5W	ZL-VE	2002	-		46B24L	46B24L	55B24L 60B24L	-
			LA-BJ5W	ZL-DE	2002	-		46B24L	46B24L	55B24L 60B24L	-
			GH-BJ5W		2002	-	4WD	46B24L	46B24L	55B24L 60B24L	-
FAMILIA, VAN (BV)	G	1500	BU-BVfy11	QG15DE	2002	-	M/T	34B19L	38B19L	40B19L 44B19L	55D23L
			BU-BVfy11		2002	-	M/T	34B19L	38B19L	40B19L 44B19L	55D23L
		1300	BU-BVY11	QG13DE	2002	-	A/T	34B19L	38B19L	40B19L 44B19L	80D23L
		1800	BU-BVHNY11	QG18DE	2002	-	A/T	34B19L	38B19L	40B19L 44B19L	80D23L
		1500	BU-BVfy11	QG15DE	2002	-	A/T	34B19L	38B19L	40B19L 44B19L	80D23L
		1800	BU-BVHNY11	QG18DE	2002	-	M/T	34B19L	38B19L	40B19L 44B19L	55D23L
FESTIVA (DB)	G	1500	E-D25PF	B5-ME	1993	1996		50D20L	50D20L	-	50D20L
		1300	E-D23PF	B3-MI	1993	1996		46B24L	46B24L	55B24L 60B24L	46B24L
FESTIVA	G	1300	E-DA3PF	B3	1986	1993		28B19L	38B19L	40B19L 42B19L	46B24L
			E-DA3VF		1986	1993		28B19L	38B19L	40B19L 42B19L	46B24L
		L-DAJPF	BJ	1986	1993		28B19L	38B19L	40B19L 42B19L	46B24L	
		E-DA1PF		1986	1993		28B19L	38B19L	40B19L 42B19L	46B24L	
FESTIVA MINI WAGON	G	1500	E-DW5WF	B5-ME	1996	-		55D23L	55D23L	75D23L 80D23L	55D23L

MAZDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
PREMACY	G	1800	GF-CP8WF	FP-DE	1999	-	OPTION VEHICLE	55D23L	55D23L	75D23L 80D23L	75D23L
					1999	-	STANDARD VEHICLE	50D20L	50D20L	-	75D23L
PROCEED	G	2600	GA-UF66M	G6	1997	-		80D26L	80D26L	85D26L 90D26L	95D31L
			T-UF66M		1989	-		80D26L	80D26L	85D26L 90D26L	80D26L
	2500	E-TJ61W	H25A	1996	-		55D23L	55D23L	75D23L 80D23L	-	
		GF-TJ62W		1998	-		55D23L	55D23L	75D23L 80D23L	-	
	2000	GF-TF52W	J20A	1997	-		55D23L	55D23L	75D23L 80D23L	-	
		GT-TJ52W		1998	-		55D23L	55D23L	75D23L 80D23L	-	
		E-TF11W	H20A	1995	-		55D23L	55D23L	75D23L 80D23L	55D23L	
	D	2000	E-TJ11W		1995	-		55D23L	55D23L	75D23L 80D23L	55D23L
			KD-TF31W	RF	1995	-		115D31L	115D31L	-	115D31L
			KD-TJ31W		1995	-		115D31L	115D31L	-	115D31L
VERISA	G	1500	DBA-DC5W	ZY-VE	2004	-		46B24L	46B24L	55B24L 60B24L	-
			DBA-DC5R		2004	-	e-4WD	46B24L	46B24L	55B24L 60B24L	-
PERSONA	G	2000	E-MAEP	FE	1988	1992		34B19L	38B19L	40B19L 44B19L	75D23L
		1800	E-MA8P	F8	1988	1992		34B19L	38B19L	40B19L 44B19L	46B24L
BONGO FRIENDEE/ FRIDA (SG)	G	2500	E-SG5W(F)	J5-DE	1995	-		75D26L	80D26L	85D26L 90D26L	80D26L
		2000	E-SGEW(F)	FE-E	1995	-		55D23L	55D23L	75D23L 80D23L	80D26L
	D	2500	KD-SGL3(F)	WL-T	1995	-		95D31L	95D31L	105D31L 115D31L	80D26L × 2
			KD-SGL5(F)		1995	-		95D31L	95D31L	105D31L 115D31L	80D26L × 2
			KD-SGLR(F)		1995	-		80D26L × 2	80D26L × 2	85D26L × 2	80D26L × 2
KD-SGLW(F)	1995	-		95D31L	95D31L	105D31L 115D31L	80D26L × 2				
BONGO BROWNY	G	2000	E-SRE9W	FE	1983	1995		36B20L	40B19L	42B19L 44B20L	55D23L
			M-SREAV		1983	1995		36B20L	40B19L	42B19L 44B20L	55D23L
			M-SDEAT		1983	1995		36B20L	40B19L	42B19L 44B20L	55D23L
			E-SSE8R		1986	1995		36B20L	40B19L	42B19L 44B20L	46B24L
			E-SSE8W		1986	1995		36B20L	40B19L	42B19L 44B20L	46B24L
			T-SE88M		F8	1990	-		36B20L	40B19L	42B19L 44B20L
		T-SS88M	1990	-			36B20L	40B19L	42B19L 44B20L	46B24L	
		E-SS88R	1984	1995			36B20L	40B19L	42B19L 44B20L	55D23L	
		E-SS88W	1983	1995			36B20L	40B19L	42B19L 44B20L	55D23L	
		L-SS88M	1984	-			36B20L	40B19L	42B19L 44B20L	55D23L	
		L-SD89T	1984	-			36B20L	40B19L	42B19L 44B20L	55D23L	
		L-SR89V	1983	-		36B20L	40B19L	42B19L 44B20L	55D23L		

MAZDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
BONGO BROWNY		1500	T-SS58V	D5	1990	-		36B20L	40B19L	42B19L 44B20L	46B24L
			T-SE58T		1990	-		36B20L	40B19L	42B19L 44B20L	46B24L
		1400	L-SS48V	UC	1983	-		36B20L	40B19L	42B19L 44B20L	46B24L
			L-SE48T		1984	-		36B20L	40B19L	42B19L 44B20L	46B24L
	D	3000	U-SRS9V	VS	1992	-		55D23L × 2	55D23L × 2	75D23L × 2 80D23L × 2	80D26L × 2
					U-SRSAV	1992	-		55D23L × 2	55D23L × 2	75D23L × 2 80D23L × 2
		2200	S-SD29T	R2	1989	-		80D26L	80D26L	85D26L 90D26L	55D23L × 2
			U-SD29M		1989	-		80D26L	80D26L	85D26L 90D26L	55D23L × 2
			U-SD29T		1989	-		80D26L	80D26L	85D26L 90D26L	55D23L × 2
			U-SD2AT		1989	-		80D26L	80D26L	85D26L 90D26L	55D23L × 2
			U-SR29V		1989	-		80D26L	80D26L	85D26L 90D26L	55D23L × 2
			U-SR2AM		1989	-		80D26L	80D26L	85D26L 90D26L	55D23L × 2
			U-SR2AV		1989	-		80D26L	80D26L	85D26L 90D26L	55D23L × 2
			S-SS28M		1989	-		80D26L	80D26L	85D26L 90D26L	55D23L × 2
			U-SE28M		1989	-		80D26L	80D26L	85D26L 90D26L	55D23L × 2
					2000	Q-SSF8R	RF	1989	-		80D26L
	Q-SSF8W	1989		-				80D26L	80D26L	85D26L 90D26L	55D23L × 2
	S-SSF8V	1989		-				80D26L	80D26L	85D26L 90D26L	55D23L × 2
	U-SSF8V	1989		-				80D26L	80D26L	85D26L 90D26L	55D23L × 2
	Q-SSF8W	1987		-				80D26L	80D26L	85D26L 90D26L	55D23L × 2
Q-SRF9W	1987	-				80D26L		80D26L	85D26L 90D26L	80D26L	
N/S-SEF8T	1984	-				80D26L		80D26L	85D26L 90D26L	55D23L × 2	
MILENIA/ EUNOS 800	G	2500	E-TA5	KL-ZE	1993	-		75D26L	80D26L	85D26L 90D26L	80D26L
		2000	E-TA3	KJ-ZEM	1993	-		75D26L	80D26L	85D26L 90D26L	80D26L
EUNOS CARGO	G	1500	T-SE58TE	D5	1990	1993		36B20L	40B19L	42B19L 44B20L	46B24L
			T-SS58VE		1990	1993		36B20L	40B19L	42B19L 44B20L	46B24L
	D	2200	S-SS28ME	R2	1989	1993		80D26L	80D26L	85D26L	55D23L × 2
			U-SE28ME		1989	1993		80D26L	80D26L	85D26L	55D23L × 2
		2000	S-SEF8TE	RF	1989	1993		80D26L	80D26L	85D26L	55D23L × 2
S-SSF8VE	1989		1993			80D26L	80D26L	85D26L	55D23L × 2		
EUNOS COSMO	G	R. E.	E-JC3SE	13B	1990	-		55D23L	55D23L	75D23L 80D23L	55D23L
			E-JCESE	20B	1990	-		95D31L	95D31L	105D31L 115D31L	95D31L

MAZDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
EUNOS PRESSO	G	1800	E-EC8SE	K8	1991	-		50D20L	-	-	75D23L
		1500	E-EC5S	B5-ZE	1993	-		50D20L	-	-	50D20L
EUNOS ROADSTER	G	1800	GF-NB8C	BP-ZE	1997	-		S46A24L(S)	FT-A24L(S)	-	FT-A24L(S)
			E-NA8C		1993	1997		S46A24L(S)	FT-A24L(S)	-	FT-A24L(S)
		1600	GF-NB6C	B6-ZE	1997	-		S46A24L(S)	FT-A24L(S)	-	FT-A24L(S)
			E-NA6CE		1989	1993		S46A24L(S)	FT-A24L(S)	-	FT-A24L(S)
EUNOS 100	G	1800	E-BG8PE	BP	1989	-		34B19L	38B19L	40B19L 42B19L	46B24L
		1500	E-BG5PE	B5	1989	-		34B19L	38B19L	40B19L 42B19L	46B24L
EUNOS 300	G	2000	E-MAEPE	FE	1989	1991		34B19L	38B19L	40B19L 42B19L	75D23L
		1800	E-M8PE	F8	1989	1991		34B19L	38B19L	40B19L 42B19L	55D23L
EUNOS 500	G	2000	E-CAEP	KF-DE	1994	-		58R	AM(X) 58R	-	AM(X) 58R
			E-CAEPE		1992	1994		58R	AM(X) 58R	-	AM(X) 58R
		1800	E-CA8P	FP-DE	1994	-		58R	AM(X) 58R	-	AM(X) 58R
			E-CAPP		1994	-		58R	AM(X) 58R	-	AM(X) 58R
			E-CA8PE		1992	1994		58R	AM(X) 58R	-	AM(X) 58R
LAPUTA (HP)	G	660	GF-HP21S	K6A	1999	-		28B17L	34B17L	38B19L 40B19L	38B19L
			GF-HP11S	F6A	1999	-		28B17L	34B17L	38B19L 40B19L	38B19L
					1999	-		28B17L	34B17L	38B19L 40B19L	38B19L
		LA-HP22S	K6A	2001	-		38B20L	38B19L	40B19L 44B19L	38B19L	
		TA-HP22S		2001	-	FF · 4WD	38B20L	38B19L	40B19L 44B19L	38B19L	
		TA-HP12S	F6A	2001	-	FF · 4WD	38B20L	38B19L	40B19L 44B19L	38B19L	
LANTIS	G	2000	E-CBAEP	KF-ZE	1993	1997		55D23L	55D23L	75D23L 80D23L	80D26L
		1800	E-CBA8P	BP-ZE	1993	1997		55D23L	55D23L	75D23L 80D23L	55D23L
LUCE	G	3000	E-HCSS	JE	1987	-		50D20L	50D20L	-	80D26L
		2000	E-HCEP	FE	1988	1993		46B24L	46B24L	55B24L 60B24L	55D23L
LASER (BH)	G	1800	E-HC3S	13B	1988	1991		50D20L	50D20L	-	55D23L
			E-BHA8PF		1994	-		50D20L	50D20L	-	55D23L
			E-BHA8SF		1994	-		50D20L	50D20L	-	55D23L
		1500	E-BHA5PF	B5-ZE	1994	-	AT	55D23L	55D23L	75D23L 80D23L	55D23L
					1994	-	MF	50D20L	50D20L	-	55D23L
			E-BHA5SF	Z5-DE	1994	-	AT	55D23L	55D23L	75D23L 80D23L	55D23L
					1994	-	MF	50D20L	50D20L	-	55D23L
E-BHALPF		1994	-		50D20L	50D20L	-	55D23L			
E-BHALSF		1994	-		50D20L	50D20L	-	55D23L			
LASER (BG)	G	1800	E-BG8PF	BP	1991	1994		50D20L	50D20L	-	50D20L
					1991	1994		55D23L	55D23L	75D23L 80D23L	55D23L
			1989		1991		46B24L	46B24L	55B24L 60B24L	46B24L	
		1600	E-BG6RF	1991	1994		55D23L	55D23L	75D23L 80D23L	55D23L	
				1989	1991		46B24L	46B24L	55B24L 60B24L	46B24L	
		B6	1989	1991							

MAZDA / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
LASER (BG)		1500	E-BG6PF		1989	1991		34B19L	38B19L	40B19L 42B19L	46B24L	
			E-BG5PF	B5	1991	-		50D20L	50D20L	-	50D20L	
			E-BG3PF	B3	1989	1991		34B19L	38B19L	40B19L 42B19L	46B24L	
					1991	-		50D20L	50D20L	-	50D20L	
		1989	1991		28B19L	38B19L	40B19L 42B19L	46B24L				
LASER-LI IDEA	G	1800	GF-BJ8WF	FP-DE	1998	-	WAGON, 4 W D	50D20L	50D20L	-	75D23L	
			GF-BJ5PF	ZL-DE	1998	-		34B19L	38B19L	40B19L 42B19L	46B24L	
		1998			-	4 W D	46B24L	46B24L	55B24L 60B24L	46B24L		
		ZL-VE		1998	-		34B19L	38B19L	40B19L 42B19L	46B24L		
		GF-BJ5WF	ZL-DE	1998	-	4 W D	46B24L	46B24L	55B24L 60B24L	46B24L		
				1998	-	WAGON	34B19L	38B19L	40B19L 42B19L	46B24L		
				1998	-	WAGON, 4 W D	46B24L	46B24L	55B24L 60B24L	46B24L		
			ZL-VE	1998	-	WAGON	34B19L	38B19L	40B19L 42B19L	46B24L		
		1300	GF-BJ3PF	B3-ME	1998	-		34B19L	38B19L	40B19L 42B19L	46B24L	
		D	2000	KE-BJEPF	RF	1998	-		95D31L	95D31L	105D31L 115D31L	115D31L
REVUE	G	1500	E-DB5PA	B5	1990	-		46B24L	46B24L	55B24L 60B24L	46B24L	
		1300	E-DB3P(F)A	B3	1990	-		46B24L	46B24L	55B24L 60B24L	46B24L	
ROADSTER (NB)	G	1800	GH-NB8C	BP-VE(RS)	2003	-	Coupe	S46A24L(S)	S46A24L(S)	S46A24L(S)	-	
				B6-ZET	2003	-	Turbo	S46A24L(S)	S46A24L(S)	S46A24L(S)	-	
		1600	GF-NB6C	B6-ZE(RS)	2002	-	NR-A	S46A24L(S)	S46A24L(S)	S46A24L(S)	-	
					2003	-	Coupe	S46A24L(S)	S46A24L(S)	S46A24L(S)	-	
AZ-OFF ROAD	G	660	GF-JM23W	K6A	1998	-		38B20L	40B19L	42B19L 44B20L	-	
			TA-JM23W		2002	-		55B24R	55B24R	60B24R	-	
AZ-WAGON (M • M)	G	660	UA-MC22S	K6A	2002	-		28B17L	34B17L	38B19L 40B19L	38B19L	
					2002	-	4WD	28B17L	34B17L	38B19L 40B19L	38B19L	
					2002	-	RR	28B17L	34B17L	38B19L 40B19L	38B19L	
					2002	-	TURBO	28B17L	34B17L	38B19L 40B19L	38B19L	
			2003		-		38B20L	38B19L	40B19L 44B19L	-		
			2003		-		38B20L	38B19L	40B19L 44B19L	-		
MPV	G	3000	TA-LWFW	AJ	2002	-		80D26L	80D26L	85D26L 90D26L	-	
					2002	-		80D26L	80D26L	85D26L 90D26L	-	
		2300	TA-LW3W		L3	2002	-		80D26L	80D26L	85D26L 90D26L	-
						2002	-	4WD	80D26L	80D26L	85D26L 90D26L	-
						2003	-		80D26L	80D26L	85D26L 90D26L	-
2003	-	4WD	80D26L	80D26L	85D26L 90D26L	-						
RX-8	G	1308	LA-SE3P	13B-MSP	2003	-	ALL GRADE IN COMMON	75D26L	80D26L	85D26L 90D26L	-	

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
ASPIRE	G	2000	GH-EA47A	4G94	2002	-		44B20L	44B19L	44B19L	80D26L
			GH-EC47A		2002	-	4WD	44B20L	44B19L	44B19L	80D26L
AIR TREK	G	2400	UA-CU5W	4G69	2004	-		44B20L	44B19L	44B19L	75D23L
					2004	-	4WD	44B20L	44B19L	44B19L	75D23L
			TA-CU2W LA-CU2W	4G63	2002	-	4WD TURBO	44B20L	44B19L	44B19L	75D23L
					2004	-		44B20L	44B19L	44B19L	75D23L
			LA-CU4W TA-CU2W	4G64	2003	-	4WD TURBO R	44B20L	44B19L	44B19L	75D23L
					2003	-	SPORT GEAR 2 WD	44B20L	44B19L	-	75D23L
2003	-	SPORT GEAR 4 WD	44B20L	44B19L	-	75D23L					
EMERAUDE	G	2000	E- E54A/E64A	6A12	1992	-		46B24R	46B24R	55B24R 60B24R	75D23R
			E- E84A		1992	-		46B24R	46B24R	55B24R 60B24R	75D23R
		1800	E- E53A	6A11	1992	-	V6	46B24R	46B24R	55B24R 60B24R	75D23R
			E- E52A/E72A	4G93	1992	-	1800cc EXCLUDE V6	34B19R	38B19R	40B19R 42B19R	75D23R
CARISMA	G	1800	E- DA2A	4G93	1996	-	DIN TYPE 55530, 55559	55D23L	55D23L	65D23L 75D23L	-
GALANT	G	2000	GH-EC7A	4G94	2002	-	4WD	44B20L	44B20L	44B19L	80D26L
GALANT/ ETERNA	G	2500	E- EC5A	4G94	1997	-		44B20L	44B20L	44B19L	80D26L
			2000	E- E54A/E64A	6A12	1992	-		46B24R	46B24R	55B24R 60B24R
		1992				-		46B24R	46B24R	55B24R 60B24R	75D23R
		4G63		E- E33A	1988	1992		46B24R	46B24R	55B24R 60B24R	75D23R
				E- E38A	1988	1992		65D23R	75D23R	80D23R	75D23R
				E- E39A	1990	1992	VR4- RS	65D23R	75D23R	80D23R	75D23R
					1990	1992		46B24R	46B24R	55B24R 60B24R	75D23R
		1988	1990		46B24R	46B24R	55B24R 60B24R	75D23R			
		1800	E- EA1A	4G93	1997	-		34B19L	38B19L	40B19L 42B19L	80D26L
			E- EC1A		1997	-		34B19L	38B19L	40B19L 42B19L	80D26L
			E- EC1W	1997	-	WAGON	34B19L	38B19L	40B19L 42B19L	80D26L	
			E- E53A	6A11	1992	-	V6	46B24R	46B24R	55B24R 60B24R	75D23R
1600	E- E52A/E72A	4G93	1992	-	1800cc EXCLUDE V6	34B19R	38B19R	40B19R 42B19R	75D23R		
			1989	1992		34B19R	38B19R	40B19R 42B19R	75D23R		
			1989	1992		46B24R	46B24R	55B24R 60B24R	75D23R		
			1988	1992		34B19R	38B19R	40B19R 42B19R	75D23R		
			1988	-	INSTRUC- TION CAR	34B19R	38B19R	40B19R 42B19R	75D23R		
			1989	-	TAXI	55D26R	80D26R	85D26R 90D26R	75D23R		
1988	1992		34B19R	38B19R	40B19R 42B19R	75D23R					

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
GALANT / ETERNA			E- E11A	G32B	1984	1993		36B20R	40B19R	42B19R 44B20R	80D26R
	D	2000	X- E57A	4D68	1992	-		95D31R	95D31R	105D31R 115D31R	95D31R
			Y- E77A		1992	-		95D31R	95D31R	105D31R 115D31R	95D31R
		1800	X/Q- E34A	4D65	1988	1993		75D31R	95D31R	105D31R 115D31R	95D31R
			X/Q- E34AR		1988	1991	INSTRUC- TION CAR	75D31R	95D31R	105D31R 115D31R	95D31R
	L	1800	E- E12A	G37B	1993	-	TAXI	55D26R	65D26R	80D26R 85D26R	75D23R
					1990	1993	TAXI	55D26R	65D26R	80D26R 85D26R	75D26R
					1984	1990	TAXI	46B24R	46B24R	55B24R 60B24R	75D26R
		E- E19A	4G93	1996	-		55D26R	65D26R	80D26R 85D26R	75D23R	
	GRANDIS	G	2400	CBA- NA4W	4G69	2003	-		55B24L	55B24L	60B24L
2003						-	4 WD	55B24L	55B24L	60B24L	75D23L
UA- NA4W				2003		-		55B24L	55B24L	60B24L	75D23L
2003				-		4 WD	55B24L	55B24L	60B24L	75D23L	
COLT (Z25-28)	G	1500	UA- Z27A	4G15	2002	-		34B19L	38B19L	40B19L 42B19L 44B19L	75D23L
			UA- Z28A		2003	-	4 WD	34B19L	38B19L	38B19L 40B19L 42B19L	75D23L
			DBA- Z23A	4A91	2004	-		34B19L	38B19L	38B19L 40B19L 42B19L	75D23L
			CBA- Z27A	4G15	2004	-		34B19L	38B19L	38B19L 40B19L 42B19L	75D23L
			CBA- Z24A	4A91	2004	-	4 WD	34B19L	38B19L	38B19L 40B19L 42B19L	75D23L
		1300	CBA- Z28A	4G15	2004	-	4 WD	34B19L	38B19L	38B19L 40B19L 42B19L	75D23L
			UA- Z25A	4G19	2002	-	4 WD	34B19L	38B19L	40B19L 42B19L 44B19L	75D23L
			UA- Z26A	4G19	2003	-	4 WD	34B19L	38B19L	40B19L 42B19L 44B19L	75D23L
			CBA- Z25A	4G19	2004	-		34B19L	38B19L	38B19L 40B19L 42B19L	75D23L
		DBA- Z21A	4A90	2004	-		34B19L	38B19L	38B19L 40B19L 42B19L	75D23L	
		CBA- Z22A	4A90	2004	-	4 WD	34B19L	38B19L	38B19L 40B19L 42B19L	75D23L	
		CBA- Z26A	4G19	2004	-	4 WD	34B19L	38B19L	38B19L 40B19L 42B19L	75D23L	
		COLT PLUS	G	1500	DBA- Z23W	4A91	2004	-		34B19L	38B19L
CBA- Z27W	4G15				2004	-		34B19L	38B19L	38B19L 40B19L 42B19L	75D23L
CBA- Z24W	4A91				2004	-	4 WD	34B19L	38B19L	38B19L 40B19L 42B19L	75D23L
CHARIOT	G	2400	E- N34W	4G64	1993	1997		46B24R	46B24R	55B24R 60B24R	80D26R

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
CHARI OT		2000	E-N44W	4G63	1993	1997		46B24R	46B24R	55B24R 60B24R	80D26R	
			E-N33W		1996	-		46B24R	46B24R	55B24R 60B24R	80D26R	
					1991	1996		46B24R	46B24R	55B24R 60B24R	75D23R	
			E-N38W		1993	-		46B24R	46B24R	55B24R 60B24R	80D26R	
			E-N43W		1993	-		46B24R	46B24R	55B24R 60B24R	80D26R	
			E-D08W	G63B	1987	1991	LOS ANDES	65D26R	80D26R	85D26R 90D26R	80D26R	
					1987	1991		34B19R	38B19R	40B19R 42B19R	80D26R	
		1800	E-D05W	G37B	1987	1991		34B19R	38B19R	40B19R 42B19R	80D26R	
		1600	E-D02W	G32B	1983	1991		34B19R	38B19R	40B19R 42B19R	80D26R	
CHARI OT GRANDIS	G	2400	GF-N84W	4G64	1997	-		44B20L	44B20L	-	80D26L	
			GF-N94W		1997	-		44B20L	44B20L	-	80D26L	
STARION	G	2600	E-A187A	G54B	1988	1990		46B24R	46B24R	55B24R 60B24R	75D23R	
STRADA	D	2500	KC-K74T	4D56	1997	-		65D31R	75D31R	95D31R 105D31R	80D26R × 2	
								80D26R × 2	80D26R × 2	85D26R × 2 90D26R × 2	80D26R × 2	
			KB-K34T		1993	1997						
			S-K34T		1991	1993		65D31R	75D31R	95D31R 105D31R	80D26R	
TOW BOX	G	660	TA-U61W	3G83	2002	-		34B19L	38B19L	38B19L 40B19L 42B19L	42B19L	
							4WD	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L	
			TA-U62W		2002	-						
			CBA-U61W		2002	-		34B19L	38B19L	38B19L 40B19L 42B19L	42B19L	
			ABA-U61W		2002	-		34B19L	38B19L	38B19L 40B19L 42B19L	42B19L	
			CBA-U62W		2002	-	4WD	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L	
			ABA-U62W		2002	-	4WD	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L	
CBA-U61W	2002	-	Welfare vehicles	42B19L	44B19L	44B19L	-					
CHALLENGER (F3, 4)	G	3500	E-K99WG	6G74	1997	-	XR	75D26R	80D26R	85D26R 90D26R	95D31R	
		3000	E-K96W	6G72	1996	-		75D26R	80D26R	85D26R 90D26R	-	
	D	2800		4M10				XR	80D26R × 2	80D26R × 2	85D26R × 2 90D26R × 2	80D26R × 2
					1996	-						
					1996	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2	
2500		4D56	KD-K94W	1996	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2		
			KD-K94WG	1996	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2		
DIAMANTE (F3, 4)	G	2500	LA-F34A	6A13	2002	-		55D23R	55D23R	65D23R 75D23R 80D23R	80D26R	

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
DIAMANTE (F3, 4)		3000	E-F36A	6G72	1995	-		55D23R	55D23R	75D23R 80D23R	75D23R	
			E-F46A		1995	-		55D23R	55D23R	75D23R 80D23R	75D23R	
			E-F47A		1995	-		55D23R	55D23R	75D23R 80D23R	75D23R	
			E-F36W	6G7	1995	-	WAGON	55D23R	55D23R	75D23R 80D23R	-	
		2500	E-F31A/F41A	6G73		1996	-		44B20R	44B20R	-	75D23R
						1995	1996	DOHC	44B20R	44B20R	-	75D23R
						1995	1996	SOHC	44B20R	44B20R	-	75D23R
DIAMANTE SIGMA	G	2500	ABA-F34A	6A13	2004	-		55D23R	55D23R	65D23R 75D23R 80D23R	80D26R	
		3000	E-F17A/F27A	6G72		1992	1995		55D23R	55D23R	75D23R 80D23R	80D26R
						1990	1992		55D23R	55D23R	75D23R 80D23R	75D23R
		2500	E-F13A/F15A	6G73		1990	1995		46B24R	46B24R	55B24R 60B24R	75D23R
						1990	1995		46B24R	46B24R	55B24R 60B24R	75D23R
		2000	E-F11A	6G71		1990	1995		46B24R	46B24R	55B24R 60B24R	75D23R
						1992	1995		46B24R	46B24R	55B24R 60B24R	75D23R
E-F12A	6A12			1992	1995		46B24R	46B24R	55B24R 60B24R	75D23R		
DION	G	2000	TA-CR6W	4G94		2002	-		44B20L	44B19L	44B19L	75D23L
						2002	-	4WD	44B20L	44B19L	44B19L	75D23L
		TA-CR5W	4G93		2002	-	4WD TURBO	44B20L	44B19L	44B19L	75D23L	
					2002	-	TURBO	44B20L	44B19L	44B19L	75D23L	
DEBONAIR	G	3500	E-S27A	6G74		1992	-	Executive III	80D26R	80D26R	85D26R 90D26R	80D26R
						1992	-		55D23R	55D23R	75D23R 80D23R	80D26R
		3000	E-S22A	6G72		1992	-		55D23R	55D23R	75D23R 80D23R	80D26R
						1991	1992	SUPER SALOON EXTRA	55D23R	55D23R	75D23R 80D23R	80D26R
			E-S11A			1991	1992		55D23R	55D23R	75D23R 80D23R	75D23R
						1989	1992	TOURING	55D26R	80D26R	85D26R 90D26R	80D26R
			1989	1992		55D23R	55D23R	75D23R 80D23R	80D26R			
		2000	E-S11A	6G71	1989	1991		55D23R	55D23R	75D23R 80D23R	80D26R	
L	3000	E-S22A	6G72	1992	-		80D26R	80D26R	85D26R	80D26R		
			E-S11A			1991	1992		65D23R	65D23R	75D23R 80D23R	80D26R
						1989	1991		65D26R	65D26R	75D26R 80D26R	80D26R
DELICA	G	3000	E-PB6W	6G72		1994	-		80D26R	80D26R	85D26R 90D26R	80D26R
						1994	-		80D26R	80D26R	85D26R 90D26R	80D26R
						1994	-		80D26R	80D26R	85D26R 90D26R	80D26R
		2400	E-PA4W	4G64		1996	-	WAGON	46B24R	46B24R	55B24R 60B24R	75D23R
						1994	1996		34B19R	38B19R	40B19R 42B19R	75D23R
						1994	-		34B19R	38B19R	40B19R 42B19R	75D23R

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
DELICA			E-P24W		1993	-		65D23R	75D23R	80D23R	-		
					1989	1993		34B19R	38B19R	40B19R 42B19R	75D23R		
				2000	E-P04W								
		1989	1993			34B19R	38B19R	40B19R 42B19R	75D23R				
				4G63	GA-PV3V	1994	-	VAN	34B19R	38B19R	40B19R 42B19R	75D23R	
					GA-P02T/P13T	1994	-		34B19R	38B19R	40B19R 42B19R	75D23R	
					GA-P07V/P17T	1994	-		34B19R	38B19R	40B19R 42B19R	55D23R	
					GA-P27V	1994	-		34B19R	38B19R	40B19R 42B19R	55D23R	
					GA-P13T	1996	-		34B19R	38B19R	40B19R 42B19R	75D23R	
					G63B	E-P03W	1993	-		34B19R	38B19R	40B19R 42B19R	55D23R
						1986	1993		34B19R	38B19R	40B19R 42B19R	75D23R	
				E-P23W		1988	1990		34B19R	38B19R	40B19R 42B19R	55D23R	
				T-P03V/P13V		1993	-		34B19R	38B19R	40B19R 42B19R	55D23R	
				T-P23V		1990	1993		34B19R	38B19R	40B19R 42B19R	55D23R	
				L-P23V		1987	1990		34B19R	38B19R	40B19R 42B19R	75D23R	
				1600	GA-P02T	1996	-		34B19R	38B19R	40B19R 42B19R	75D23R	
					GA-P06V	1994	-		34B19R	38B19R	40B19R 42B19R	55D23R	
					T-P02V	1990	-		34B19R	38B19R	40B19R 42B19R	55D23R	
				1400	T-P12V	1990	1993		34B19R	38B19R	40B19R 42B19R	55D23R	
		L-P02V/P12V	1988		1990		34B19R	38B19R	40B19R 42B19R	75D23R			
		T-L063P	1990		-		34B19R	38B19R	40B19R 42B19R	55D23R			
		L-L063P	1988		1990		34B19R	38B19R	40B19R 42B19R	55D23R			
		G33B	T-P01V		1990	1993		28B19R	38B19R	40B19R 42B19R	-		
			L-P01V		1986	1990		34B19R	38B19R	40B19R 42B19R	75D23R		
			T-L036P		1990	-		34B19R	38B19R	40B19R 42B19R	55D23R		
			L-L036P		1986	1990		34B19R	38B19R	40B19R 42B19R	55D23R		
	D	2800	KD-PD8W/PE8W	4M0	1994	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2		
1996					-		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
				1994	-	EXCEED II	95D31R	95D31R	105D31R 115D31R	80D26R × 2			
							80D26R × 2	80D26R × 2	85D26R × 2 90D26R × 2	80D26R × 2			
				1994	-								
		2500	KD-PA5W/PB5W	4D56	1996	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2		
					4M0	1994	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2	

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
DELICA			KB-PA5V	4D56	1996	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2
				4M40	1994	1996		95D31R	95D31R	105D31R 115D31R	80D26R × 2
			KC-PB5V	4D56	1996	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2
				4M40	1994	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2
			KC-PD5V		1994	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2
			KB-P05T	4D56	1996	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2
			KB-P05V		1994	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2
			KB-P15V/P25V		1994	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2
			KC-P05T/P15T		1994	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2
			KC-P15V/P25T		1994	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2
			KC-P45V		1994	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2
			S-P15V		1992	1993	AT (GL)	80D26R × 2	80D26R × 2	85D26R × 2 90D26R × 2	80D26R × 2
	1992	1993		AT	95D31R	95D31R	105D31R 115D31R	80D26R × 2			
		1989	1992		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
		1989	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
S-P05V/P25V		1993	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
Y-P05W/P15W		1993	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
Y-P25W/P35W		1993	-	EXCEED	80D26R × 2	80D26R × 2	85D26R × 2 90D26R × 2	80D26R × 2			
		1993	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
U-P15V		1993	-	HLRJ3	80D26R × 2	80D26R × 2	85D26R × 2 90D26R × 2	80D26R × 2			
		1993	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
		1989	1993		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
U-P45V		1990	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
Q-P35W		1990	1993	SUPER EXCEED	80D26R × 2	80D26R × 2	85D26R × 2 90D26R × 2	80D26R × 2			
		1990	1993		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
		1989	1990		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
Q-P05W/P25W		1988	1993		95D31R	95D31R	105D31R 115D31R	80D26R × 2			

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
DELICA			Q-P15W	4D56	1986	1993		95D31R	95D31R	105D31R 115D31R	80D26R × 2	
			S-L039G		1993	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2	
			S-L039P/069P		1990	1993		95D31R	95D31R	105D31R 115D31R	55B24R × 2	
			S-L039P/L069P		1993	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2	
					1989	1993		95D31R	95D31R	105D31R 115D31R	55B24R × 2	
DELICA SPACE GEAR	G	3000	GH-PD6W	6G72	2002	-		80D26L	80D26L	90D26L	-	
					2004	-		80D26L	80D26L	90D26L	-	
	D	2800	KH-PE8W	4M40	2002	-		80D26L × 2	80D26L × 2	90D26L × 2	-	
PAJERO	G	3500	TA-V65W	6G74	2002	-	SHORT	75D23L	75D23L	80D23L	80D26L	
			TA-V75W		2002	-	LONG	75D23L	75D23L	80D23L	80D26L	
	D	3200		KH-V68W	4M41	2002	-	SHORT	95D31L	95D31L	105D31L 115D31L	80D26L × 2
				KH-V78W		2002	-	LONG	95D31L	95D31L	105D31L 115D31L	80D26L × 2
	G	3500		E-V45WG	6G74	1997	-		80D26R	80D26R	85D26R 90D26R	95D31R
				E-V25C		1994	-		75D26R	80D26R	85D26R 90D26R	80D26R
				E-V25W		1997	-		80D26R	80D26R	85D26R 90D26R	80D26R
						1994	1997		95D31R	95D31R	105D31R 115D31R	95D31R
						1993	1994		75D26R	80D26R	85D26R 90D26R	80D26R
				E-V45W		1993	-		75D26R	80D26R	85D26R 90D26R	80D26R
				3000				E-V23C	6G72	1997	-	
		1991	1997					55D23R		55D23R	75D23R 80D23R	80D26R
	E-V23W/V43W	1991	-					75D26R		80D26R	85D26R 90D26R	80D26R
	T-L141G	1989	1991					75D26R		80D26R	85D26R 90D26R	80D26R
	E-L141GW	1988	1991					75D26R		80D26R	85D26R 90D26R	80D26R
E-L146GW	1988	1991		75D26R	80D26R	85D26R 90D26R	80D26R					
D	2400	E-V21W	4G64	1996	-		75D26R	80D26R	85D26R 90D26R	80D26R		
D	2800		KC-V46V	4M40	1998	-	VAN	95D31R	95D31R	105D31R 115D31R	80D26R × 2	
			KD-V26C		1997	-	WITH INTER-COLLER	95D31R	95D31R	105D31R 115D31R	80D26R × 2	
			KD-V26WG		1996	-	STATION WAGON	80D26R × 2	80D26R × 2	85D26R × 2 90D26R × 2	80D26R × 2	
					1996	-	VAN	95D31R	95D31R	105D31R 115D31R	80D26R × 2	
			KD-V46W		1996	-	STATION WAGON	95D31R	95D31R	105D31R 115D31R	80D26R × 2	

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
PAJERO			KD-V46WG		1996	-	STATION WAGON	80D26R × 2	80D26R × 2	85D26R × 2 90D26R × 2	80D26R × 2			
					1996	-	WITH INTER-COLLER	95D31R	95D31R	105D31R 115D31R	80D26R × 2			
					1993	1994		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
					1993	1994		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
					1994	-	WIDE FENDER	80D26R × 2	80D26R × 2	85D26R × 2 90D26R × 2	80D26R × 2			
					1994	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
					1993	1994		80D26R × 2	80D26R × 2	85D26R × 2 90D26R × 2	80D26R × 2			
					1994	-	WIDE FENDER	80D26R × 2	80D26R × 2	85D26R × 2 90D26R × 2	80D26R × 2			
					1994	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
					1993	1994		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
			Y-V46W		1994	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
					1994	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
					1993	1994		95D31R	95D31R	105D31R 115D31R	80D26R × 2			
					2500	KD-V24C	4D56	1996	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2
								1996	-	STATION WAGON	95D31R	95D31R	105D31R 115D31R	80D26R × 2
								1996	-	STATION WAGON	95D31R	95D31R	105D31R 115D31R	80D26R × 2
								1993	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2
								1993	-		95D31R	95D31R	105D31R 115D31R	80D26R × 2
								1991	1993		95D31R	95D31R	105D31R 115D31R	80D26R × 2
								1991	1993		80D26R × 2	80D26R × 2	85D26R × 2 90D26R × 2	80D26R × 2
	1991	1993		95D31R	95D31R			105D31R 115D31R	80D26R × 2					
	1991	1993		95D31R	95D31R			105D31R 115D31R	80D26R × 2					
	1991	1993		95D31R	95D31R			105D31R 115D31R	80D26R × 2					
	1989	1991		95D31R	95D31R	105D31R 115D31R	80D26R × 2							
	1989	1991		95D31R	95D31R	105D31R 115D31R	80D26R × 2							
	1989	1991		95D31R	95D31R	105D31R 115D31R	80D26R × 2							
			Q-L149GWG	1989	1991		80D26R × 2	80D26R × 2	85D26R × 2 90D26R × 2	80D26R × 2				
			Q-L144GW(G)	1988	1991		95D31R	95D31R	105D31R 115D31R	80D26R × 2				
			Q-L149GW	1988	1991		95D31R	95D31R	105D31R 115D31R	80D26R × 2				

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
PAJERO					1988	1991	EXCEED	80D26R × 2	80D26R × 2	85D26R × 2 90D26R × 2	80D26R × 2
					1988	1991		95D31R	95D31R	105D31R 115D31R	80D26R × 2
PAJERO IO	G	2000	TA-H77W	4G94	2002	-	4WD	44B20L	44B19L	44B19L	75D23L
			TA-H76W	4G93	2002	-	4WD	44B20L	44B19L	44B19L	75D23L
		GF-H66W		1998	-		42B19L	43B19L	-	75D23L	
		GF-H76W		1998	-		42B19L	43B19L	-	75D23L	
PAJERO JUNIOR	G	1100	E-H57A	4A31	1995	-		28B17R	34B17R	38B19R 40B19R	55B24R
PAJERO MINI	G	660	TA-H53A	4A30			2WD	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
			TA-H58A		2002	-	4WD	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
			TA-H53A					34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
			GF-H53A		1998	-		26B17L	28B17L	34B17L	42B19L
			GF-H58A		1998	-		26B17L	28B17L	34B17L	42B19L
			E-H51A		1996	1998	AT	28B17R	34B17R	38B19R 40B19R	46B24R
					1996	1998	MT	28B17R	34B17R	38B19R 40B19R	40B19R
			E-H56A		1994	-	AT	28B17R	34B17R	38B19R 40B19R	46B24R
					1994	-	MT	28B17R	34B17R	38B19R 40B19R	40B19R
			MINICA		G	660	TA-H42A	3G83			
GD-H42V	2002	-					34B19L		38B19L	38B19L 40B19L 42B19L	42B19L
LE-H42V	2003	-					34B19L		38B19L	38B19L 40B19L 42B19L	42B19L
TA-H47A	2003	-		4WD			34B19L		38B19L	38B19L 40B19L 42B19L	42B19L
			GD-H47V		2003	-	4WD	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
			UA-H42A		2003	-	3D00R	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
					2003	-	3D00R 4WD	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
			UE-H47V		2003	-	3D00R VAN	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
					2003	-	3D00R VAN 4WD	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
			UA-H42A		2003	-	5D00R 4AT	42B19L	44B19L	44B19L	42B19L
					2003	-	5D00R 4WD 4AT	42B19L	44B19L	44B19L	42B19L
					2003	-	5D00R 4WD 5MT	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
					2003	-	5D00R 5MT	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
					1998	-		26B17L	28B17L	34B17L	42B19L

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR		SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
					FROM	TO					
MNICA			GD-H42V		1998	-		26B17L	28B17L	34B17L	42B19L
			GD-H47A		1998	-		26B17L	28B17L	34B17L	42B19L
			GD-H47V		1998	-		26B17L	28B17L	34B17L	42B19L
MNICA / TOPPO	G	660	GF-H41A	4A30	1998	-		26B17L	28B17L	34B17L	42B19L
			GF-H42A	3G83	1998	-		26B17L	28B17L	34B17L	42B19L
			GF-H46A	4A30	1998	-		26B17L	28B17L	34B17L	42B19L
			GF-H47A	3G83	1998	-		26B17L	28B17L	34B17L	42B19L
			E-H31A/H36A	4A30	1993	-	AT	28B17R	34B17R	38B19R 40B19R	46B24R
					1993	-	M	28B17R	34B17R	38B19R 40B19R	40B19R
			E-H32A/H32V	3G83	1993	-		28B17R	34B17R	38B19R 40B19R	40B19R
					E-H37V	1993	-		28B17R	34B17R	38B19R 40B19R
TOPPO BJ	G	660	GD-H42V	3G83	2002	-		34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
			TA-H42A		2002	-		34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
			TA-H47A		2002	-	4WD	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
			GD-H47V		2002	-	4WD	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
MNICA ECON	G	660	E-H22A/H27A	3G83	1990	1993	PS/ABS	38B20R	40B19R	42B19R 44B20R	40B19R
					1990	1993		26A19R	28A19R	30A19R 34A19R	40B19R
					1991	1993	PS/ABS	38B20R	40B19R	42B19R 44B20R	40B19R
					1991	1993		26A19R	28A19R	30A19R 34A19R	40B19R
			M-H22VW		1990	1991		26A19R	28A19R	30A19R 34A19R	40B19R
			V-H22VW		1991	1993	PS/ABS	38B20R	40B19R	42B19R 44B20R	40B19R
					1991	1993		26A19R	28A19R	30A19R 34A19R	40B19R
			M/V-H27V		1991	1993	PS/ABS	38B20R	40B19R	42B19R 44B20R	40B19R
		550	E-H21A	3G81	1990	1993		26A19R	28A19R	30A19R 34A19R	34A19R
					1989	1990	WITH PS	38B20R	40B19R	42B19R 44B20R	40B19R
					1989	1990	WITHOUT PS AT	26A19R	28A19R	30A19R 34A19R	40B19R
					1989	1990	WITHOUT PS M	26A19R	28A19R	30A19R 34A19R	34A19R
					1990	1993		26A19R	28A19R	30A19R 34A19R	34A19R
					1989	1990	WITH PS	38B20R	40B19R	42B19R 44B20R	40B19R
E-H26A			1989	1990	WITHOUT PS AT	26A19R	28A19R	30A19R 34A19R	40B19R		
			1989	1990	WITHOUT PS M	26A19R	28A19R	30A19R 34A19R	34A19R		
			1990	1993		26A19R	28A19R	30A19R 34A19R	34A19R		
			1989	1990	WITH PS	38B20R	40B19R	42B19R 44B20R	40B19R		
M-H21V			1989	1990	WITHOUT PS AT	26A19R	28A19R	30A19R 34A19R	40B19R		
			1989	1990	WITHOUT PS M	26A19R	28A19R	30A19R 34A19R	34A19R		
			1989	1990	WITH PS	38B20R	40B19R	42B19R 44B20R	40B19R		

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
MINICA ECON					1989	1990	WITHOUT PS AT	26A19R	28A19R	30A19R 34A19R	40B19R
					1989	1990	WITHOUT PS MT	26A19R	28A19R	30A19R 34A19R	34A19R
					1989	1990	WITH PS	38B20R	40B19R	42B19R 44B20R	40B19R
			N-H26V		1989	1990	WITHOUT PS AT	26A19R	28A19R	30A19R 34A19R	40B19R
					1989	1990	WITHOUT PS MT	26A19R	28A19R	30A19R 34A19R	34A19R
MINICAB	G	660	GBD-U62T	3G83	2004	-	4WD JA SUPER CUSTOM	42B19L	44B19L	44B19L	-
					2004	-	4WD TRUCK	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
					2004	-	TRUCK	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
					2004	-	PANEL VAN	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
					2004	-	PANEL VAN	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
					2004	-	VAN	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
					2004	-	VAN	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
					2004	-	Wel fare vehicles	42B19L	44B19L	44B19L	-
					2004	-	Wel fare vehicles	42B19L	44B19L	44B19L	-
					2004	-	postal service / post office car	42B19L	44B19L	44B19L	-
					2004	-		42B19L	44B19L	44B19L	-
					1999	-	DUMP	26B17L	28B17L	34B17L	42B19L
					1999	-	TRUCK	26B17L	28B17L	34B17L	42B19L
					1999	-		26B17L	28B17L	34B17L	42B19L
					1999	-	VAN	26B17L	28B17L	34B17L	42B19L
					1999	-		42B19L	28B17L	34B17L	42B19L
					1999	-	JA Truck	42B19L	28B17L	34B17L	42B19L
					1999	-	DUMP	26B17L	28B17L	34B17L	42B19L
					1999	-	TRUCK	26B17L	28B17L	34B17L	42B19L
					1999	-		26B17L	28B17L	34B17L	42B19L
					1999	-		26B17L	28B17L	34B17L	42B19L
								V-U43T/U44V	4A30	1994	-
1994	-		28B17R	38B19R						40B19R 42B19R	40B19R
			V-U41V/U42V	3G83	1991	1994	WITH SUPER AIR ROOF	38B20R	40B19R	42B19R 44B20R	40B19R
					1991	1994		26A19R	28A19R	30A19R 34A19R	40B19R
					1991	-		26A19R	28A19R	30A19R 34A19R	40B19R
					1991	-		26A19R	28A19R	30A19R 34A19R	40B19R
					1990	-		26A19R	28A19R	30A19R 34A19R	40B19R
					1990	-		26A19R	28A19R	30A19R 34A19R	40B19R

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
MINICAB		550	M-U19T/U19V	3G81	1990	-		26A19R	28A19R	30A19R 34A19R	40B19R		
			M-U14T(G)		1987	1991		26A19R	28A19R	30A19R 34A19R	40B19R		
			M-U14V(G)		1987	1991		26A19R	28A19R	30A19R 34A19R	40B19R		
			M-U15Y(G)		1987	1991		26A19R	28A19R	30A19R 34A19R	40B19R		
			M-U15VG		1987	1991		26A19R	28A19R	30A19R 34A19R	40B19R		
			M-U14TP		1987	1990		26A19R	28A19R	30A19R 34A19R	40B19R		
MIRAGE / DINGO	G	1500	GF-CQ2A	4G15	1998	-		44B20L	44B20L	-	65D23L		
MIRAGE / LANCER	G	2000	GF-CP9A	4G63	1998	-	EVOLUTION	44B20L	-	-	55B24L		
			E-CN9A		1996	-	EVOLUTION IV	44B20L	44B20L	-	55B24L		
			E-CE9A		1995	-	EVOLUTION II · III	34B19R	38B19R	40B19R 42B19R	55B24R(S)		
			E-CD9A		1992	1995	EVOLUTION	34B19R	38B19R	40B19R 42B19R	55D23R		
		1800	E-CK6A	6A11	1995	-		44B20L	44B20L	-	55B24L		
			E-CM5A	4G93	1995	-		44B20L	44B20L	-	55B24L		
			E-CD5A		1991	1995		34B19R	38B19R	40B19R 42B19R	55D23R		
			E-CB5AR		1992	-	INSTRUCTION CAR	34B19R	38B19R	40B19R 42B19R	55D23R		
		1600	E-CJ4A/CK4A	4G92						34B19L	38B19L	40B19L 42B19L	55D23L
										34B19R	38B19R	40B19R 42B19R	55D23R
										34B19R	38B19R	40B19R 42B19R	55D23R
				1500	E-CA4A		1991	1995		34B19R	38B19R	40B19R 42B19R	55D23R
E-CB4A/CC4A					1992	1995		34B19R	38B19R	40B19R 42B19R	55D23R		
E-CB6A	6A10				1991	1995		34B19R	38B19R	40B19R 42B19R	55D23R		
E-C83A	4G61				1989	1991		34B19R	38B19R	40B19R 42B19R	80D26R		
E-C73A/C63A					1988	1991		34B19R	38B19R	40B19R 42B19R	80D26R		
E-C53A					1987	1991		34B19R	38B19R	40B19R 42B19R	80D26R		
1500	E-CJ2A/CK2A			4G15	1995	-		34B19L	38B19L	40B19L 42B19L	55D23L		
	E-CL2A/CM2A				1995	-		34B19L	38B19L	40B19L 42B19L	55D23L		
	E-CB3A			4G91	1994	1995	MX SALOON	34B19R	38B19R	40B19R 42B19R	55D23R		
					1994	1995		28B19R	38B19R	40B19R 42B19R	55D23R		
					1991	1994		34B19R	38B19R	40B19R 42B19R	55D23R		
	E-CA2A			4G15	1991	1995		34B17R	34B17R	38B19R 40B19R	55D23R		
E-CA3A	4G91	1991	1995		34B19R	38B19R	40B19R 42B19R	55D23R					

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
MIRAGE / LANCER			E- CB2A	4G15	1992	1995		34B17R	34B17R	38B19R 40B19R	55D23R		
					1991	1992		34B19R	38B19R	40B19R 42B19R	55D23R		
			E- CC3A/CD3A	4G91	1991	1995			34B19R	38B19R	40B19R 42B19R	55D23R	
			E- C12W/C12A	G15B	1983	1991			34B19R	38B19R	40B19R 42B19R	80D26R	
			E- C52A	4G15	1987	1991			34B19R	38B19R	40B19R 42B19R	80D26R	
			E- C62A/C72A		1988	1991			34B19R	38B19R	40B19R 42B19R	80D26R	
			E- C82A		1989	1991			34B19R	38B19R	40B19R 42B19R	80D26R	
			R/L- C12V	G15B	1988	1992			34B19R	38B19R	40B19R 42B19R	80D26R	
			R/LC32V		1986	1992			34B19R	38B19R	40B19R 42B19R	80D26R	
				1300	E- CJ1A/CK1A	4G13	1995	-		28B19L	38B19L	40B19L 42B19L	55D23L
			E- CA1A/CB1A		1991	1995		28B19R	38B19R	40B19R 42B19R	55D23R		
			E- C51A		1987	1991		28B19R	38B19R	40B19R 42B19R	80D26R		
			E- C61A		1988	1991		28B19R	38B19R	40B19R 42B19R	80D26R		
			R/L- C11V		G13B	1988	1991		28B19R	38B19R	40B19R 42B19R	80D26R	
		D	2000		KD- CK8A/CMBA	4D68	1995	-		95D31L	95D31L	105D31L 115D31L	95D31L
					X- CB8A		1992	1995		95D31R	95D31R	105D31R 115D31R	95D31R
					X- CB8AR		1992	1994	INSTRUC- TION CAR	95D31R	95D31R	105D31R 115D31R	95D31R
					X- CD8A		1994	1995		95D31R	95D31R	105D31R 115D31R	95D31R
					X- CD8AR		1994	1995	INSTRUC- TION CAR	95D31R	95D31R	105D31R 115D31R	95D31R
		1800			X- CB7A/CD7A	4D65	1991	1992		95D31R	95D31R	105D31R 115D31R	95D31R
					X/Q- C34W		1988	1992		95D31R	95D31R	105D31R 115D31R	95D31R
					X/Q- C14W		1988	1992		95D31R	95D31R	105D31R 115D31R	95D31R
					S- C14V/C34V		1988	1991		95D31R	95D31R	105D31R 115D31R	95D31R
					Q- C64A/74A		1988	1991		95D31R	95D31R	105D31R 115D31R	95D31R
					N- C34V		1988	1991		95D31R	95D31R	105D31R 115D31R	95D31R
		LANCER	G	1800	LA- CS5A	4G93GDI	2003	-		44B20L	44B19L	44B19L	75D23L
GH- CS5AR	4G93MPI				2003	-	INSTRUC- TION CAR	44B20L	44B19L	44B19L	75D23L		
1500	UA- CS2A			4G15	2003	-		44B20L	44B19L	44B19L	75D23L		
	UA- CS2A				2003	-	4 WD	44B20L	44B19L	44B19L	75D23L		
	UA- CS2A				2003	-	4 WD BUSINESS PACKAGE	44B20L	44B19L	44B19L	75D23L		
	CBA- CS2A				2003	-	BUSINESS PACKAGE	44B20L	44B19L	44B19L	75D23L		

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
LANCER EVOLUTION VII	G	2000	GF-CT9A	4G63	2001	-	TURBO	44B20L	44B19L	-	-	
			GF-CT9A-SYGFZ		2002	-	TURBO 5 A T G T-A	55B24L	55B24L	60B24L	75D23L	
			GH-CT9A		2003	-	TURBO	44B20L	44B19L	44B19L	55B24L	
					2004	-		44B20L	44B19L	44B19L	55B24L	
LANCER CARGO	G	1500	UB-CS2V	4G15	2002	-		44B20L	44B19L	44B19L	75D23L	
					2002	-	4WD	44B20L	44B19L	44B19L	75D23L	
			CBE-CS2V		2004	-		44B20L	44B19L	44B19L	75D23L	
LANCER WAGON	G	1800	TA-CS5W	4G93GDI	2003	-		44B20L	44B19L	44B19L	75D23L	
			LA-CS5W		2003	-		44B20L	44B19L	44B19L	75D23L	
					2003	-	4WD	44B20L	44B19L	44B19L	75D23L	
LIBERO	G	1800	E-CB5W	4G93	1992	-		34B19R	38B19R	40B19R 42B19R	75D23R	
			E-CD5W		1992	-		34B19R	38B19R	40B19R 42B19R	75D23R	
		1500	E-CB2W	4G15	1994	-		34B19R	38B19R	40B19R 42B19R	55D23R	
			R-CB2V		1992	-		34B19R	38B19R	40B19R 42B19R	55D23R	
			R-CD2V		1992	-		34B19R	38B19R	40B19R 42B19R	55D23R	
		1300	R-CH1V	4G13	1992	-		28B19R	38B19R	40B19R 42B19R	55D23R	
	D	2000	KD-CB8W/CD8W	4D68		1997	-		95D31R	95D31R	105D31R 115D31R	95D31R
						1994	-		95D31R	95D31R	105D31R 115D31R	95D31R
						1994	-		95D31R	95D31R	105D31R 115D31R	95D31R
						1992	1994		95D31R	95D31R	105D31R 115D31R	95D31R
						1992	-		95D31R	95D31R	105D31R 115D31R	95D31R
						1994	-		95D31R	95D31R	105D31R 115D31R	95D31R
LEGNUM	G	2500	GF-EC5A	6A13	1998	-		44B20L	44B20L	-	65D23R	
			E-EC5A		1996	-		44B20L	44B20L	-	65D23R	
			E-EC5W		1996	-		44B20L	44B20L	-	80D26L	
			E-EA5W		1996	-		44B20L	44B20L	-	80D26L	
		2400	GF-EA3A	4G64	1998	-		44B20L	44B20L	-	65D23L	
			GF-EC3A		1998	-		44B20L	44B20L	-	65D23L	
			E-EA3W		1998	-		44B20L	44B20L	-	65D23L	
			E-EC3W		1998	-		44B20L	44B20L	-	65D23L	
		2000	E-EA4W	6A12	1996	1998		44B20L	44B20L	-	65D23L	
			E-EC4W		1996	1998		44B20L	44B20L	-	65D23L	
		1800	GF-EA1A	4G93	1998	-		44B20L	44B20L	-	65D23L	
			GF-EC1A		1998	-		44B20L	44B20L	-	65D23L	
			E-EC1W		1998	-		44B20L	44B20L	-	65D23L	
			E-EA1A		1996	1998		34B19L	38B19L	40B19L 42B19L	65D23L	
							1996	1998		34B19L	38B19L	40B19L 42B19L
ekACTIVE	G	660	CBA-H81W	3G83	2004	-		34B19L	38B19L	38B19L 40B19L 42B19L	42B19L	
						2004	-	4WD	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L
ekCLASSY	G	660	UA-H81W	3G83	2003	-		42B19L	44B19L	44B19L	-	
						2003	-	4WD	42B19L	44B19L	44B19L	-

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
ekCLASSY			CBA-H81W		2004	-		34B19L	38B19L	38B19L 40B19L 42B19L	42B19L	
					2004	-	4WD	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L	
ekSPORT	G	660	LA-H81W	3G83	2002	-	4WD TURBO	42B19L	44B19L	44B19L	-	
					2002	-	TURBO	34B19L	38B19L		42B19L	
			2003		-	4WD TURBO	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L		
						TURBO	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L		
			2004		-	4WD TURBO	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L		
						TURBO	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L		
ekWAGON	G	660	UA-H81W	3G83	2003	-	3AT	34B19L	44B19L	38B19L 40B19L 42B19L	42B19L	
					2003	-	4AT	42B19L	44B19L	44B19L	42B19L	
			CBA-H81W		2003	-	4WD	42B19L	44B19L	44B19L	42B19L	
					2004	-		34B19L	38B19L	38B19L 40B19L 42B19L	42B19L	
			LA-H81W		2004	-	4WD	34B19L	38B19L	38B19L 40B19L 42B19L	42B19L	
					2001	-		26B17L	38B19L	40B19L 42B19L 44B19L	42B19L	
FTO	G	2000	E-DE3A	6A12	1994	-		46B24R	46B24R	55B24R 60B24R	75D23R	
		1800	E-DE2A	4G93	1994	-		34B19R	38B19R	40B19R 42B19R	75D23R	
GTO	G	3000	GF-Z15A	6G72	1998	-		55D23R	55D23R	75D23R 80D23R	65D23R	
			GF-Z16A		1998	-		55D23R	55D23R	75D23R 80D23R	65D23R	
			E-Z15A		1990	-		55D23R	55D23R	75D23R 80D23R	75D23R	
			E-Z16A		1990	-		55D23R	55D23R	75D23R 80D23R	75D23R	
RVR	G	2000	E-N13W	4G63	1996	-		34B19R	38B19R	40B19R 42B19R	80D26R	
					1992	1996		34B19R	38B19R	40B19R 42B19R	80D26R	
					1991	1992		34B19R	38B19R	40B19R 42B19R	75D23R	
			E-23W		1992	-		34B19R	38B19R	40B19R 42B19R	80D26R	
					1991	-		34B19R	38B19R	40B19R 42B19R	75D23R	
			E-23WG		1996	-	4WD R	34B19R	38B19R	40B19R 42B19R	80D26R	
					1996	-	4WD Z	34B19R	38B19R	40B19R 42B19R	80D26R	
			1800		GF-N61W	4G93	1997	-		34B19R	38B19R	40B19R 42B19R
		1997					-		34B19R	38B19R	40B19R 42B19R	80D26R
					GF-N71W		1997	-		34B19R	38B19R	40B19R 42B19R

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
RVR			E-N21WG		1996	-	4WD	34B19R	38B19R	40B19R 42B19R	75D23R
			E-N21W		1991	-		34B19R	38B19R	40B19R 42B19R	75D23R
			E-N11W		1991	-		34B19R	38B19R	40B19R 42B19R	75D23R
	D	2000	Y-N28W	4D68	1992	-		95D31R	95D31R	105D31R 115D31R	95D31R
			Y-N28WG		1992	-		95D31R	95D31R	105D31R 115D31R	95D31R
CANTER	G	2000	GB-FA500A	4G63	1997	-		34B19L	38B19L	40B19L 42B19L	-
			GB-FA500B		1997	-		34B19L	38B19L	40B19L 42B19L	-
			GB-FA510A		1997	-		34B19L	38B19L	40B19L 42B19L	-
			GB-FA510B		1997	-		34B19L	38B19L	40B19L 42B19L	-
			GB-FA580B		1997	-		34B19L	38B19L	40B19L 42B19L	-
			GB-FA590B		1997	-		34B19L	38B19L	40B19L 42B19L	-
	D	5200	KC-FE512	4M51	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE532		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE542		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE562		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE632		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE642		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE652		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE662		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE521		1997	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-
		4500	KC-FE508	4D35	1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE518		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
CANTER			KC- FE528		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			KC- FE538		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			KC- FE548		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			KC- FE568		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			KC- FE638		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			KC- FE648		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			KC- FE658		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			KC- FE668		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			KC- FE658		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			KC- FG508		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			KC- FG538		1997	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			KC- FG638		1997	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			4300 KC- FE642		4M51	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			4200 KC- FE507		4D33	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC- FE517		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			KC- FE527		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			KC- FE537		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
CANTER			KC- FE567		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
			KC- FE637		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
			KC- FE662	4M51	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
			KC- FE667	4D33	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
			KC- FG507		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
			KC- FG507		1997	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
			P- FE317		1988	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	130F51 × 2		
			P- FE437		1987	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	130F51 × 2		
			P- FE447		1987	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	95D31R × 2		
			KC- FE567		4D34	1998	-	NATURAL GAS VEHICLE	95D31R × 2	95D31R × 2	105D31R × 2 115D31R × 2	-	
		3900			KC- FE639	4D34T4	1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
					KC- FE649		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
					KC- FE659	1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
				KC- FE667	4D34	1998	-	NATURAL GAS VEHICLE	95D31R × 2	95D31R × 2	105D31R × 2 115D31R × 2	-	
				KC- FE669	4D34T4	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
				3600			KC- FE516BC	4D36	1998	-		55D26R × 2	65D26R × 2
		KC- FE516BD	1998				-			55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
CANTER			KC- FE516		1996	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-			
			KC- FE536		1996	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-			
			KC- FE566	4D35	1998	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-			
			KC- FE636	4D36	1996	-		75D26R × 2	75D26R × 2	80D26R × 2	-			
				4D32	1998	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-			
			P- FE325		1987	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2			
			P- FE425		1986	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2			
			P- FE305		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2			
			P- FE335		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2			
			P- FE315		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2			
			P- FE425		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2			
			P- FG325		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2			
			P- FG335		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2			
			P- FG435		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2			
			P- FE305		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2			
					3300	N- FE321	4D30	1987	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2
			N- FE301			1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
CANTER			N-FE311		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2	
			N-FE331		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2	
			P-FE334		4D31	1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2
			P-FE434			1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2
		2800	KC-FB501	4M40	1985	-		115E41R	120E41R	130E41R	-	
		KC-FB511	1985		-		115E41R	120E41R	130E41R	-		
		KC-FD501	1985		-		115E41R	120E41R	130E41R	-		
		2700	N-FB300	4DR5	1985	-	12V	115E41R	120E41R	130E41R	95D31R × 2	
					1985	-	24V	50D20R × 2	50D20R × 2	-	95D31R × 2	
					1985	-	12V	115E41R	120E41R	130E41R	95D31R × 2	
					1985	-	24V	50D20R × 2	50D20R × 2	-	95D31R × 2	
		L	2400	GB-FA523B	GB-FA523B	1996	-		75D26R	75D26R	80D26R 85D26R	-
				GB-FA523	GB-FA523A	1998	-		75D31R	95D31R	105D31R 115D31R	-
				GB-FC563B	GB-FC563B	1996	-		75D26R	75D26R	80D26R 85D26R	-
				KC-FC536B	KC-FC536B	1998	-		75D31R	95D31R	105D31R 115D31R	-
FIGHTER	D	8200	KC-FH228	6D17-II	1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FK628	6D17(-II)	1997	-	Refrigeration van	95E41R × 2	100E41R × 2	110E41R × 2 120E41R × 2	-	
			KC-FK629	6D17(-I)	1997	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FK678	6D17-II	1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FK728		1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FL628		1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FL638	6D17-I	1996	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FL639		1996	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FM629		1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			7600	KC-FH227	6D16	1997	-		65D23R × 2	65D23R × 2	75D23R × 2	-
				KC-FK622	6D16(T5, T6)	1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-
				KC-FK627	6D16	1997	-	Refrigeration van	95E41R × 2	100E41R × 2	110E41R × 2 120E41R × 2	-
						1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-
				KC-FK672	6D16(T5)	1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-
KC-FK727	6D16	1998		-		65D23R × 2	65D23R × 2	75D23R × 2	-			

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
FIGHTER		6900	KC-FM622	6D16(T5)	1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-
			KC-FN612		1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-
			P-FK337	6D16	1988	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2
			P-FK467		1988	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2
			P-FK417		1987	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2
			P-FL417		1987	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2
			P-FM517		1987	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2
		P-FM516	6D15	1988	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2	
		P-FK416		1984	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2	
		6600	P-FK335	6D14	1988	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2
			P-FK415		1984	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2
			P-FM515		1983	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2
			P-FK515		1983	-		65D23R × 2	65D23R × 2	75D23R × 2	115E41R × 2
		5000	P-FK330	6D31	1988	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2
		3900	KC-FK603	4D34(T)	1997	-		65D23R × 2	65D23R × 2	75D23R × 2	-
ROSA	D	5200	KC-BE632	4M51	1997	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-
		4900	KC-BE636	4D36	1997	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-
			KC-BE644	4M50T	1997	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-
		3600	P-BE435	4D32	1986	-		65D31R × 2	75D31R × 2	95D31R × 2 105D31R × 2	95D31R × 2
		3300	P-BE434	4D31	1986	-		65D31R × 2	75D31R × 2	95D31R × 2 105D31R × 2	95D31R × 2
			P-BE211	4D30	1983	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	80D26R × 2
			P-BH214	4D31(T)	1983	-		65D31R × 2	75D31R × 2	95D31R × 2 105D31R × 2	95D31R × 2
TRUCK	D	22000	W-FV414	10DC11	1993	-	TRUCK	115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
		21200	KC-FW522	8M21	1997	-		165G51 × 2	180G51 × 2	195G51 × 2	-
		20000	U-FP411	8M20	1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TRUCK			U-FU441		1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			U-FV411		1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
	17700		KC-FR529	8DC11	1997	-		165G51 × 2	180G51 × 2	195G51 × 2	-
			P-FV419		1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			P-FW429		1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
	16000		U-FP415	8DC9	1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			U-FT415		1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			P-FS415		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			P-FT418		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			P-FU415		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			P-FV415		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			P-FR415		1984	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
	14900		P-FP413	8DC8	1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			P-FT413		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			P-FT418		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			P-FU413		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			P-FV413		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			P-FV413		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
TRUCK		12000	U-FP410	6D40	1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
			U-FT410		1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
			U-FU410		1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
		11200	U-FN428	6D22	1993	-		145F51 × 2	150F51 × 2	170F51 × 2	180G51 × 2		
			U-FS418		1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
			U-FT418		1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
			U-FU478		1993	-	Container (exclusive right)	115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
		11000	P-FN428	6D22	1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
					P-FP418		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
					P-FS418		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
P-FT418	1983				-			115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
P-FU418	1983				-			115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
P-FU478	1983				-			115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
TRUCK / SUPER GREAT	D				25100		KC-FP514	10M20	1998	-		145F51 × 2	150F51 × 2
		KC-FP544	1998	-			145F51 × 2		150F51 × 2	170F51 × 2	-		
		KC-FV514	1998	-			145F51 × 2		150F51 × 2	170F51 × 2	-		
		21200	KC-FP512	8M21	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-		
			KC-FP542		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-		

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
TRUCK / SUPER GREAT			KC-FS512		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FV502		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FV512		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		21000	KC-FU512	8M21		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
					KC-FV502	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
		20100	KC-FP501	8M20		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
					KC-FP511	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FP541		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FS511		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FV501		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FU511		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		20000	KC-FV501	8M20		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
					KC-FV501	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
		19000	KC-FP543	8M22 (T1)		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
					KC-FV513	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
		18000	KC-FR529JX	8DC11		1998	-	Snow-removal vehicle	165G51 × 2	165G51 × 2	180G51 × 2 195G51 × 2	-

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
TRUCK / SUPER GREAT			KC-FU519		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FU549		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FV509		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FW529NY		1998	-	Snow-removal vehicle	165G51 × 2	165G51 × 2	180G51 × 2 195G51 × 2	-	
			KC-FW529NZ		1998	-	Snow-removal vehicle	165G51 × 2	165G51 × 2	180G51 × 2 195G51 × 2	-	
		17700	8DC11	KC-FP519	1998	-			115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
				KC-FP549	1998	-			115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
				KC-FS519	1998	-			115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
				KC-FV509	1998	-			115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
				KC-FY519	1998	-			115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
				KC-KS509S	1998	-	CRANE VEHICLE	145F51 × 2	150F51 × 2	170F51 × 2	-	
				16000	8DC9(T2)	KC-FP515	1998	-			115F51 × 2	115F51 × 2
		KC-FP545	1998			-			115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
		KC-FS515	8DC9(T2)		1998	-			115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
		KC-FT515	8DC9		1998	-			115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
		KC-FU515			1998	-			115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
		KC-FV505			1998	-			115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TRUCK / SUPER GREAT		12000	KC-FV515	8DC9(T2)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FY515	8DC9	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-KS305R		1998	-	CRANE VEHICLE	145F51 × 2	150F51 × 2	170F51 × 2	-
		KC-FP510	6D40(T1, T3)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		KC-FP540		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		KC-FS510	6D40(T1)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		KC-FS540		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		KC-FS570		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		KC-FT510	6D40(T1, T3)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		KC-FT520		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		KC-FU510TY	6D40(T1)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		KC-FU510		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
KC-FU540	6D24(T3)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-			
KC-FV500	6D40(T1, T3)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-			
KC-FV540		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-			
KC-FY510	6D40(T1)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-			
		11900	KC-FS517	6D24(T2)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA				
TRUCK / SUPER GREAT			KC-FT517	6D24(T1)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-				
			KC-FT527	6D24(T2)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-				
			KC-FU517TY		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-				
			KC-FU517	6D24(T1, T2)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-				
			KC-FU577		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-				
			KC-FV507	6D24(T1, T2)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-				
			KC-FY517		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-				
			KC-KV207M	6D24	1998	-	CRANE VEHICLE	115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-				
			11700	KC-FV509	8DC11	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-			
				KC-FY519		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-			
			BUS	D	21200	KC-MS822	8M21	1997	-		190H52 × 2	210H52 × 2	225H52 × 2 245H52 × 2	-	
						17700	KC-MS829	8DC11	1997	-		190H52 × 2	210H52 × 2	225H52 × 2 245H52 × 2	-
						16000	KC-M815	8DC9	1997	-		190H52 × 2	210H52 × 2	225H52 × 2 245H52 × 2	-
P-MS715	1982	-							180G51 × 2	180G51 × 2	195G51 × 2	195G51 × 2			
P-MS725	1982	-							180G51 × 2	180G51 × 2	195G51 × 2	195G51 × 2			
14900	P-MS713	8DC8				1982	-		180G51 × 2	180G51 × 2	195G51 × 2	195G51 × 2			
7500	KC-MB12	6D16				1997	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-			
7000	P-MK116	6D15	1984	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2						

MITSUBISHI / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
BUS			P-MK126		1984	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	80D26R × 2	
			P-MK516		1984	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			P-MM16		1984	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
		6600		P-MK115	6D14(T)	1984	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
				P-MK515		1984	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
				PMM515		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2

MITSUBISHI FUSO / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
CANTER	G	2000	GB-FA500A	4G63	1997	-		34B19L	38B19L	40B19L 42B19L	-		
			GB-FA500B		1997	-		34B19L	38B19L	40B19L 42B19L	-		
			GB-FA510A		1997	-		34B19L	38B19L	40B19L 42B19L	-		
			GB-FA510B		1997	-		34B19L	38B19L	40B19L 42B19L	-		
			GB-FA580B		1997	-		34B19L	38B19L	40B19L 42B19L	-		
			GB-FA590B		1997	-		34B19L	38B19L	40B19L 42B19L	-		
	D	5200	4M51	KC-FE512	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
				KC-FE532	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
				KC-FE542	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
				KC-FE562	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
				KC-FE632	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
				KC-FE642	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
				KC-FE652	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
				KC-FE662	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
				KC-FE521	1997	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-		
				4500	4D35	KC-FE508	1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
						KC-FE518	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
						KC-FE528	1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
						KC-FE538	1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
						KC-FE548	1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-

MITSUBISHI FUSO / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
CANTER			KC-FE568		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE638		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE648		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE658		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE668		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FG508		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FG538		1997	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FG638		1997	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
		4300	KC-FE642	4M1	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
		4200	KC-FE507	4D33	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE517		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE527		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE537		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE567		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE637		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-
			KC-FE662		4M1	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2
		KC-FE667	4D33	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	

MITSUBISHI FUSO / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
CANTER			KC-FG507		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			KC-FG507		1997	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			P-FE317		1988	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	130F51 × 2	
			P-FE437		1987	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	130F51 × 2	
			P-FE447		1987	-	4D33	75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	95D31R × 2	
CANTER	D	3900	KC-FE567	4D34	1998	-	NATURAL GAS VEHICLE	95D31R × 2	95D31R × 2	105D31R × 2 115D31R × 2	-	
			KC-FE639	4D34T4	1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			KC-FE649		1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-	
			KC-FE659	1996	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
		KC-FE667	4D34	1998	-	NATURAL GAS VEHICLE	95D31R × 2	95D31R × 2	105D31R × 2 115D31R × 2	-		
		KC-FE669	4D34T4	1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
		KC-FE659		1998	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	-		
		3600	KC-FE516BC	4D36	1998	-		55D26R × 2	65D26R × 2	75D26R × 2B 80D26R × 2	-	
			KC-FE516BD		1998	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-	
			KC-FE516		1996	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-	
			KC-FE536		1996	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-	
			KC-FE566		4D35	1998	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-
			KC-FE636		4D36	1996	-		75D26R × 2	75D26R × 2	80D26R × 2	-

MITSUBISHI FUSO / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
CANTER			KC-FE636	4D32	1998	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-		
			P-FE325		1987	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
			P-FE425		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
			P-FE305		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
			P-FE335		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
			P-FE315		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
			P-FG325		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
			P-FG335		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
			P-FG435		1985	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
					3300	4D30	N-FE321	1987	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2
		N-FE301	1985	-				55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
		N-FE311	1985	-				55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
		N-FE331	1985	-				55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
		P-FE334	1985	4D31						55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2
		P-FE434								55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2
			2800	4M40	KC-FB501	1985	-		115E41R	120E41R	130E41R	-	
		KC-FB511			1985	-		115E41R	120E41R	130E41R	-		
		KC-FD501			1985	-		115E41R	120E41R	130E41R	-		
			2700	4DR5	N-FB300	1985	-	12V	115E41R	120E41R	130E41R	95D31R × 2	
					1985	-	24V	50D20R × 2	50D20R × 2	-	95D31R × 2		
		N-FE300			1985	-	12V	115E41R	120E41R	130E41R	95D31R × 2		

MITSUBISHI FUSO / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
CANTER					1985	-	24V	50D20R × 2	50D20R × 2	-	95D31R × 2	
	L	2400	GB-FA523B	GB-FA523B	1996	-		75D26R	75D26R	80D26R 85D26R	-	
			GB-FA523	GB-FA523	1998	-		75D31R	95D31R	105D31R 115D31R	-	
			GB-FC563B	GB-FC563B	1996	-		75D26R	75D26R	80D26R 85D26R	-	
			KC-FC536B	KC-FC536B	1998	-		75D31R	95D31R	105D31R 115D31R	-	
FIGHTER	D	8200	KC-FH228	6D17- II	1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FK628		1997	-	Refrigeratio n van	95E41R × 2	100E41R × 2	110E41R × 2 120E41R × 2	-	
			KC-FK629	6D17- I	1997	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
FIGHTER	D	8200	KC-FK678	6D17- II	1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FK728		1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FL628		1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FL638	1996	-		65D23R × 2	65D23R × 2	75D23R × 2	-		
			KC-FL639	6D17- I	1996	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FM629		1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
		7600	KC-FH227	6D16	1997	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FK622	6D16(T5, T6)	1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FK627	6D16	1997	-	Refrigeratio n van	95E41R × 2	100E41R × 2	110E41R × 2 120E41R × 2	-	
					1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FK672	6D16(T5)	1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FK727	6D16	1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FM622	6D16(T5)	1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			KC-FN612		1998	-		65D23R × 2	65D23R × 2	75D23R × 2	-	
			P-FK337	6D16	1988	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2	
			P-FK467		1988	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2	
			P-FK417		1987	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2	
			P-FL417		1987	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2	
			P-FM617	1987	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2		
			6900	P-FM616	6D15	1988	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2
				P-FK416		1984	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2
6600	P-FK335	6D14	1988	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2			
	P-FK415		1984	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2			
	P-FM615	1983	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2				

MITSUBISHI FUSO / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
FIGHTER			P-FK515		1983	-		65D23R × 2	65D23R × 2	75D23R × 2	115E41R × 2
		5000	P-FK330	6D31	1988	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2
		3900	KC-FK603	4D34(T)	1997	-		65D23R × 2	65D23R × 2	75D23R × 2	-
ROSA	D	5200	KC-BE632	4M51	1997	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-
		4900	KC-BE636	4D36	1997	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-
			KC-BE644	4M50T	1997	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	-
		3600	P-BE435	4D32	1986	-		65D31R × 2	75D31R × 2	95D31R × 2 105D31R × 2	95D31R × 2
		3300	P-BE434	4D31	1986	-		65D31R × 2	75D31R × 2	95D31R × 2 105D31R × 2	95D31R × 2
			P-BE211	4D30	1983	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	80D26R × 2
			P-BH214	4D31(T)	1983	-		65D31R × 2	75D31R × 2	95D31R × 2 105D31R × 2	95D31R × 2
TRUCK	D	22000	W-FV414	10DC11	1993	-	TRUCK	115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
		21200	KC-FW522	8M21	1997	-		165G51 × 2	180G51 × 2	195G51 × 2	-
		20000	U-FP411	8M20	1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			U-FU441		1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			U-FV411		1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
		17700	KC-FR529	8DC11	1997	-		165G51 × 2	180G51 × 2	195G51 × 2	-
			P-FV419		1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			P-FW429		1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
TRUCK	D	16000	U-FP415	8DC9	1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2

MITSUBISHI FUSO / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TRUCK			U-FT415		1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			P-FS415		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			P-FT418		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			P-FU415		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
			P-FV415		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
		14900	8DC8	P-FR415	1984	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
				P-FP413	1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
				P-FT413	1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
				P-FT418	1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
				P-FU413	1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
				P-FV413	1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
		12000	6D40	U-FP410	1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
				U-FT410	1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
				U-FU410	1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
		11200	6D22	U-FN428	1993	-		145F51 × 2	150F51 × 2	170F51 × 2	180G51 × 2
				U-FS418	1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
				U-FT418	1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2

MITSUBISHI FUSO / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
TRUCK		11000	U-FU478		1993	-	Container (exclusive right)	115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			P-FN428		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			P-FP418		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			P-FS418		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			P-FT418		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			P-FU418		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			P-FU478		1983	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			TRUCK / SUPER GREAT		D	25100	KC-FP514	10M20	1998	-		145F51 × 2
KC-FP544	1998	-					145F51 × 2		150F51 × 2	170F51 × 2	-	
KC-FV514	1998	-					145F51 × 2		150F51 × 2	170F51 × 2	-	
21200	8M21	KC-FP512		1998		-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		KC-FP542		1998		-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		KC-FS512		1998		-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		KC-FV502		1998		-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		KC-FV512		1998		-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		KC-FV512		1998		-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
21000	8M20	KC-FU512		1998		-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		KC-FV502		1998		-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
20100		KC-FP501		8M20		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-

MITSUBISHI FUSO / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TRUCK / SUPER GREAT			KC-FP511	8M20	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FP541		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FS511		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
		20100	KC-FV501		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
		20000	KC-FU511		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FV501		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
TRUCK / SUPER GREAT	D	19000	KC-FP543	8M22 (T1)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FV513		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
		18000	KC-FR529JX	8DC11	1998	-	Snow-removal vehicle	165G51 × 2	165G51 × 2	180G51 × 2 195G51 × 2	-
			KC-FU519		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FU549		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FV509		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FW529NY		1998	-	Snow-removal vehicle	165G51 × 2	165G51 × 2	180G51 × 2 195G51 × 2	-
			KC-FW529NZ		1998	-	Snow-removal vehicle	165G51 × 2	165G51 × 2	180G51 × 2 195G51 × 2	-
		17700	KC-FP519	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FP549	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FS519	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	

MITSUBISHI FUSO / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
TRUCK / SUPER GREAT			KC-FV509		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-		
			KC-FY519		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-		
			KC-KS509S		1998	-	CRANE VEHICLE	145F51 × 2	150F51 × 2	170F51 × 2	-		
		16000	KC-FP515	8DC9(T2)		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FP545			1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FS515			1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FT515	8DC9		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FU515			1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FV505			1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FV515	8DC9(T2)		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			KC-FY515			8DC9	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-KS305R				1998	-	CRANE VEHICLE	145F51 × 2	150F51 × 2	170F51 × 2	-
				12000	KC-FP510	6D40(T1, T3)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
					KC-FP540		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
					KC-FS510		6D40(T1)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2
KC-FS540	1998				-				115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
KC-FS570	1998				-				115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
KC-FT510	6D40(T1, T3)						1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
							1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
							1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-

MITSUBISHI FUSO / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TRUCK / SUPER GREAT			KC-FT520		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FU510TY	6D40(T1)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FU510		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FU540	6D24(T3)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FV500	6D40(T1, T3)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FV540		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FY510	6D40(T1)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
		11900	KC-FS517	6D24(T2)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FT517	6D24(T1)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FT527	6D24(T2)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FU517TY	6D24(T2)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FU517	6D24(T1, T2)	1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FU577		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			TRUCK / SUPER GREAT	D	11900	KC-FV507	6D24(T1, T2)	1998	-		115F51 × 2
KC-FY517		1998				-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
KC-KV207M	6D24	1998				-	CRANE VEHICLE	115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
11700	KC-FV509	8DC11			1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-

MITSUBISHI FUSO / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TRUCK / SUPER GREAT			KC-FY519		1998	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
BUS	D	21200	KC-MS822	8M21	1997	-		190H52 × 2	210H52 × 2	225H52 × 2 245H52 × 2	-
		17700	KC-MS829	8DC11	1997	-		190H52 × 2	210H52 × 2	225H52 × 2 245H52 × 2	-
		16000	KC-MC815	8DC9	1997	-		190H52 × 2	210H52 × 2	225H52 × 2 245H52 × 2	-
	P-MS715		1982		-		180G51 × 2	180G51 × 2	195G51 × 2	195G51 × 2	
	P-MS725		1982		-		180G51 × 2	180G51 × 2	195G51 × 2	195G51 × 2	
		14900	P-MS713	8DC8	1982	-		180G51 × 2	180G51 × 2	195G51 × 2	195G51 × 2
		7500	KC-MB12	6D16	1997	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
		7000	P-MK116	6D15	1984	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
	P-MK126		1984		-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	80D26R × 2	
	P-MK516		1984		-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
	P-MM116		1984		-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
		6600	P-MK115	6D14(T)	1984	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
	P-MK515		1984		-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
	PM515		1983		-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
ATLAS / CONDOR (R71, 66)	D	4800	KC-BPR70	4HE1-T	1995	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	80D26R × 2
			KC-R70		1995	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	80D26R × 2
		4600	KC-BKR71	4HG1	1995	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	80D26R × 2
			KC-BPR71		1995	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	80D26R × 2
			KC-BKS71		1995	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	80D26R × 2
			KC-BPS71		1995	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	80D26R × 2
		4400	KC-BKR66	4HF1	1995	-	AT	80D26R × 2	80D26R × 2	85D26R × 2	120E41R × 2
					1995	-	MT	75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	80D26R × 2
			KC-BPR66	1995	-		75D26R × 2	75D26R × 2	80D26R × 2 85D26R × 2	80D26R × 2	
		ATLAS / CONDOR (H42)	D	4400	KC-AKS66	4HF1	1995	-		75D26R × 2	75D26R × 2
3100	KC-AHR69K				4JG2		1998	-	AT	75D23R × 2	75D23R × 2
				1998		-	MT	115E41R	120E41R × 2	130E41R × 2	80D26R × 2
KC-AKR66K	4HF1	1998	-		75D23R × 2	75D23R × 2	80D23R × 2	80D26R × 2			
ATLAS / CONDOR (H41)	D	4600	U-RH4YH41	FD46	1992	1995		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2
					1992	1995		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2
			U-UH4YH41		1992	1995		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2
					1992	1995		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2
		4200	U-VH5YH41	FD42	1991	1995		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	65D26R × 2
					1992	1995		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2
U-DG7Y	FD42	1992	1995								

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
ATLAS / CONDOR (H41)			U-LG2YH41		1991	1995		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	65D26R × 2		
					1991	1995	AMBULANCE CAR	95E41R × 2	100E41R × 2	110E41R × 2 120E41R × 2	95E41R × 2		
						U-LG4YH41	1991	1995		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	65D26R × 2
							U-LG7Y/8Y	1992	1995		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2
						U-RG2YH41	1992	1995		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2
						U-SG2H41	1991	1995		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	55D26R × 2
		4200	U-UG4YH41		1992	1995		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
			U-VG2YH41		1992	1995		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
			U-VG4YH41		1992	1995		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
			U-ZG4YH41		1992	1995		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
		3500	U-TE2H41		ED35	1991	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2	
		3000	U-DW2H41		BD30	1991	-		95D31R	95D31R	105D31R	95D31R × 2	
			U-LW4YH41			1991	-		95D31R	95D31R	105D31R	95D31R × 2	
			U-SW2H41			1991	-		95D31R	95D31R	105D31R	95D31R × 2	
ATLAS / CONDOR (H40)	G	2000	T-WH40		1990	-		34B19R	38B19R	40B19R 42B19R	75D26R		
			M-PH40				Z20S	1981	1990		34B19R	38B19R	40B19R 42B19R
	D	3500	U-SGH40/SQH40	FD35 (T)	1990	-		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
							U-CSH40/DSH40	FD35	1990	-		55D26R × 2	65D26R × 2
			U-SH40		1990	-						55D26R × 2	65D26R × 2
		3300	N-M(G)H40	ED33	1982	1992		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
ATLAS / CONDOR (H40)			N-DMH40/TMH40		1982	1992		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2
			N-JMH40		1982	1992		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2
		3000	U-JH40	BD30	1989	-		95D31R	95D31R	105D31R	95D31R × 2
			U-JGH40		1989	-		95D31R	95D31R	105D31R	95D31R × 2
			U-DJH40		1989	-		95D31R	95D31R	105D31R	95D31R × 2
		2700	N-AH40	TD27	1986	1989		95D31R	95D31R	105D31R	95D31R × 2
	ATLAS / CONDOR (F23)	G	2000	GB/T-SK2F23	NA20(S)	1992	-		34B19R	38B19R	40B19R 42B19R
G		2000	GB/T-SK4F23	NA20(S)	1992	-		34B19R	38B19R	40B19R 42B19R	55D23R
G		1600	T-SJ2F23	NA16S	1992	-		34B19R	38B19R	40B19R 42B19R	55D23R
D		2700	KC/U-SP2F23	TD27	1992	-		95D31R	95D31R	105D31R	95D31R × 2
			KC/U-SP4F23		1992	-		95D31R	95D31R	105D31R	95D31R × 2
			KC/U-SP8F23		1992	-		95D31R	95D31R	105D31R	95D31R × 2
2500		KG-SR4F23	QD32	1997	-		95D31R	95D31R	105D31R	95D31R × 2	
		KG-SR8F23		1997	-		95D31R	95D31R	105D31R	95D31R × 2	
		SR2F23		1997	-		95D31R	95D31R	105D31R	95D31R × 2	
		SR4F23		1997	-		95D31R	95D31R	105D31R	95D31R × 2	
		KC/U-SN2F23	TD25	1992	-		95D31R	95D31R	105D31R	95D31R × 2	
		KC/U-SN4F23		1992	-		95D31R	95D31R	105D31R	95D31R × 2	
2300		KC/U-SN6F23		1992	-		95D31R	95D31R	105D31R	95D31R × 2	
		U-SM2F23	TD23	1992	-		95D31R	95D31R	105D31R	95D31R × 2	
		U-SM4F23		1992	-		95D31R	95D31R	105D31R	95D31R × 2	
	U-SM6F23		1992	-		95D31R	95D31R	105D31R	95D31R × 2		
ATLAS / CONDOR (F22)	G	2000	T-W(G) F22	NA20	1990	1992		34B19R	38B19R	40B19R 42B19R	75D26R
			M-P(G) F22	Z20	1982	1990		34B19R	38B19R	40B19R 42B19R	75D26R
	1600	T-U(G) F22	NA16	1990	1992		34B19R	38B19R	40B19R 42B19R	75D26R	
		L-B(G) F22	Z16	1982	1990		34B19R	38B19R	40B19R 42B19R	75D26R	
	D	2700	U/N-VAGF22	TD27	1987	1992		95D31R	95D31R	105D31R	95D31R × 2
			U/N-AF22		1986	1992		95D31R	95D31R	105D31R	95D31R × 2
			U/N-AGF22		1986	1992		95D31R	95D31R	105D31R	95D31R × 2
			U/N-AMF22		1986	1992		95D31R	95D31R	105D31R	95D31R × 2
	2300	N/U-TF22	TD23	1988	1992		95D31R	95D31R	105D31R	95D31R × 2	
N/U-TGF22			1988	1992		95D31R	95D31R	105D31R	95D31R × 2		
AVENIR (W1)	G	2000	GF-PNW1	SR20DE	1998	-		46B24L	46B24L	55B24L 60B24L	80D26L
				SR20DET	1998	-		46B24L	46B24L	55B24L 60B24L	80D26L
		GF-PW1	SR20DE	1998	-		46B24L	46B24L	55B24L 60B24L	80D26L	
	1800	GF-W1	QG18DE	1998	-	AT	34B19L	38B19L	40B19L 42B19L	65D23L	
				1998	-	MT	34B19L	38B19L	40B19L 42B19L	55D23L	
	D	2000	KH-SW1	CD20ET	1998	-		95D31L	95D31L	105D31L	95D31L
AVENIR	G	2000	E-PNW10	SR20DET	1995	1998		55D23L	55D23L	75D23L 80D23L	80D26L
				SR20DE	1993	1997	AT	46B24L	46B24L	55B24L 60B24L	80D26L
				1993	1997	MT	34B19L	38B19L	40B19L 42B19L	80D26L	
			E-PW10	1990	1997	AT	46B24L	46B24L	55B24L 60B24L	80D26L	
			1990	1997	MT	34B19L	38B19L	40B19L 42B19L	80D26L		

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
AVENIR		1800	E-W10	SR18DE/ Di	1990	1998	AT	46B24L	46B24L	55B24L 60B24L	80D26L
					1990	1998	MT	34B19L	38B19L	40B19L 42B19L	80D26L
		1600	R/T-VEW10	GA16DS	1990	1998	AT	34B19L	38B19L	40B19L 42B19L	80D26L
					1990	1998	MT	34B19L	38B19L	40B19L 42B19L	55D23L
		T-VENW10		1993	1998		34B19L	38B19L	40B19L 42B19L	55D23L	
	D	2000	KB/S-VSW10	CD20	1990	1994	AT	95D31L	95D31L	105D31L 115D31L	115D31L
					1990	1994	MT	95D31L	95D31L	105D31L 115D31L	95D31L
			KD/Y-SW10	CD20T	1993	1995		95D31L	95D31L	105D31L 115D31L	115D31L
INFINITI	G	4500	E-(H)G50	VH45DE	1993	-		95D31R	95D31R	105D31R 115D31R	95D31R
				VH45	1989	1993		95D31R	95D31R	105D31R 115D31R	95D31R
WINGROAD (Y11)	G	2000	TA-WRY11	QR20DE	2003	-		46B24L	46B24L	55B24L 60B24L	80D23L
					2003	-	4WD	34B19L	38B19L	40B19L 44B19L	80D23L
		1500	UA-WFY11	QG15DE	2003	-	AT	34B19L	38B19L	40B19L 44B19L	80D23L
					2003	-	MT	34B19L	38B19L	40B19L 44B19L	55D23L
WINGROAD	G	1800	E-WHY10	SR18DE	1996	-		46B24L	46B24L	55B24L 60B24L	80D26L
					1996	-	4WD	55D23L	55D23L	75D23L 80D23L	80D26L
		1500	R-VF(G)Y10	GA15DE	1997	-	AT	28B19L	38B19L	40B19L 42B19L	80D26L
					1997	-	MT	28B19L	38B19L	40B19L 42B19L	55D23L
			R-VFNY10	1997	-	4WD	28B19L	38B19L	40B19L 42B19L	55D23L	
			E-WF(N)Y10	1996	1997	AT	28B19L	38B19L	40B19L 42B19L	80D26L	
		1996		1997	MT	28B19L	38B19L	40B19L 42B19L	55D23L		
		1300	R-VY10	GA13DE	1997	-	AT	28B19L	38B19L	40B19L 42B19L	80D26L
					1997	-	MT	28B19L	38B19L	40B19L 42B19L	55D23L
			D	2000	KD-WEY10	CD20	1996	-		75D31L	95D31L
X-TRAIL	G	2000	UA-T30	QR20DE	2003	-		46B24L	46B24L	55B24L 60B24L	80D23L
			UA-NT30		2003	-	4WD	46B24L	46B24L	55B24L 60B24L	80D23L
			GH-PNT30	SR20VET	2003	-	GT	55D23L	55D23L	75D23L 80D23L	80D23L
EXA	G	1600	E-KEN13	CA16DE	1986	1990		34B19L	38B19L	40B19L 42B19L	55D23L
S-CARGO	G	1500	R-G20	E15S	1989	1990		28B19L	38B19L	40B19L 42B19L	46B24L
ELGRAND (E51)	G	3500	UA-E51	VQ35DE	2003	-		55D23R	55D23R	75D23R 80D23R	80D23R
UA-NE51			2003		-	4WD	80D23R	80D23R	80D23R	80D23R	
CBA-E51			2004		-		80D23R	80D23R	80D23R	-	
			CBA-NE51		2004	-	4WD	80D23R	80D23R	80D23R	-
ELGRAND	G	3300	E-AL(W)E50	VG33E	1997	-		55D23R	55D23R	75D23R 80D23R	80D26R
	D	3200	KD-AV(W)E50	QD32ETi	1997	-		115D31R	115D31R	-	80D26R+L
CARAVAN (E25)	D	3000	KG-CWGE25	ZD30DDTi	2003	-		115D31R	115D31R	115D31R	110D26L × 2

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
CARAVAN (E25)				ZD30DD	2003	-		115D31R	115D31R	115D31R	110D26L × 2		
			KG-VVE25	ZD30DDTi	2003	-		115D31R	115D31R	115D31R	110D26L × 2		
				ZD30DD	2003	-		115D31R	115D31R	115D31R	110D26L × 2		
			KG-VVME25		2003	-	4WD	115D31R	115D31R	115D31R	110D26L × 2		
			KG-CWME25		2003	-	4WD	115D31R	115D31R	115D31R	110D26L × 2		
			KG-DWGE25		2003	-	MICROBUS	115D31R	115D31R	115D31R	110D26L × 2		
				ZD30DDTi	2003	-	MICROBUS	115D31R	115D31R	115D31R	110D26L × 2		
			KG-DWME25	ZD30DD	2003	-	MICROBUS · 4WD	115D31R	115D31R	115D31R	110D26L × 2		
CARAVAN/HOMY (E50)	G	3300	E-ALE50	VG33E	1997	-		55D23R	55D23R	75D23R 80D23R	80D26R		
			E-ALWE50		1997	-		55D23R	55D23R	75D23R 80D23R	80D26R		
	D	3200	KD-AVE50	QD32ETi	1997	-		115D31R	115D31R	-	80D26R+L		
			KD-AVWE50		1997	-		115D31R	115D31R	-	80D26R+L		
CARAVAN/HOMY (E24)	G	3000	E-AEGE24	VG30E	1997	-		55B24L	55B24L	60B24L	130E41L		
					1995	1997		55B24L	55B24L	60B24L	80D26L		
			1990		1993		46B24L	46B24L	55B24L 60B24L	80D26L			
			E-KEE24		1995	-		55B24L	55B24L	60B24L	80D26L		
					1989	1993		46B24L	46B24L	55B24L 60B24L	80D26L		
			E-FEGE24		1993	-	AMBULANCE CAR	115F51	115F51	130F51 150F51	115F51		
			E-EEGE24		1995	-	AMBULANCE CAR	115F51	115F51	130F51 150F51	115F51		
			2000		E-CTGE24	NA20S	1996	-		34B19L	38B19L	40B19L 42B19L	80D26L
					E-KHE24	Z20(S)	1988	1993		34B19L	38B19L	40B19L 42B19L	55D23L
					E-KHGE24	Z20	1988	1990		34B19L	38B19L	40B19L 42B19L	55D23L
					E-VT(G)E24	NA20S	1996	-		34B19L	38B19L	40B19L 42B19L	80D26L
					GB/GA-CTGE24		1995	-		34B19L	38B19L	40B19L 42B19L	80D26L
					GB/GA-VTE24		1995	-		34B19L	38B19L	40B19L 42B19L	80D26L
					GB/GA-VTGE24		1995	-		34B19L	38B19L	40B19L 42B19L	80D26L
Z-CTGE24	1993	1995		34B19L	38B19L	40B19L 42B19L	55D26L						
	Z-VT(G)E24	1993	1995		34B19L	38B19L	40B19L 42B19L	55D26L					
	T-FTGE24	NA20	1990	1993	AMBULANCE CAR	115F51	115F51	130F51 150F51	115F51				
			T-VT(G)E24	1990	1993		34B19L	38B19L	40B19L 42B19L	55D26L			
	T-CTGE24	1990	1993		34B19L	38B19L	40B19L 42B19L	55D26L					
	T-DTGE24	1990	1993	MICROBUS	34B19L	38B19L	40B19L 42B19L	55D26L					
	M-VH(G)E24	Z20S	1988	1990		34B19L	38B19L	40B19L 42B19L	55D23L				
	L-DHGE24	Z20	1988	1990	MICROBUS	34B19L	38B19L	40B19L 42B19L	55D23L				
D	3200	KC-CWME24	QD32	1996	-		95D31L	95D31L	105D31L 115D31L	130E41L			

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
CARAVAN/HO MY (E24)			KC-VW(G)E24		1996	-		95D31L	95D31L	105D31L 115D31L	130E41L			
			KC-VWME24		1996	-		95D31L	95D31L	105D31L 115D31L	130E41L			
			KG-CW(M)GE24		1997	-	AT	95D31L	95D31L	105D31L 115D31L	130E41L			
					1997	-	MT	75D31L	95D31L	105D31L 115D31L	130E41L			
			KG-DWGE24		1997	-		75D31L	95D31L	105D31L 115D31L	130E41L			
			KG-VW(M)GE24		1997	-	AT	95D31L	95D31L	105D31L 115D31L	130E41L			
					1997	-	MT	75D31L	95D31L	105D31L 115D31L	130E41L			
			KG-VVE24		1997	-	AT	95D31L	95D31L	105D31L 115D31L	130E41L			
					1997	-	MT	75D31L	95D31L	105D31L 115D31L	130E41L			
			2700		KD-AR(G)E24	TD27ETi		1995	-		95D31L	95D31L	105D31L 115D31L	130E41L
								1995	-		95D31L	95D31L	105D31L 115D31L	130E41L
					Y/Q-ARE24	TD27Ti		1990	1995		95D31L	95D31L	105D31L 115D31L	130E41L
					Y/Q-ARM(G)E24			1990	1995		95D31L	95D31L	105D31L 115D31L	130E41L
	KC-VR(M)GE24	TD27			1995	-	AT	95D31L	95D31L	105D31L 115D31L	130E41L			
				1995	-	MT	75D31L	95D31L	105D31L 115D31L	130E41L				
	KC-CR(M)GE24		1995	-	AT	95D31L	95D31L	105D31L 115D31L	130E41L					
					1995	-	MT	75D31L	95D31L	105D31L 115D31L	130E41L			
				KC-DRGE24		1995	-		75D31L	95D31L	105D31L 115D31L	130E41L		
				KC-VRE24		1995	-	AT	95D31L	95D31L	105D31L 115D31L	130E41L		
					1995	-	MT	75D31L	95D31L	105D31L 115D31L	130E41L			
			KD-KR(G)E24		1995	-	AT	95D31L	95D31L	105D31L 115D31L	130E41L			
					1995	-	MT	75D31L	95D31L	105D31L 115D31L	130E41L			
			KD-KRM(G)E24		1995	-		75D31L	95D31L	105D31L 115D31L	130E41L			
			KD-KRE24		1995	-	AT	95D31L	95D31L	105D31L 115D31L	130E41L			
					1995	-	MT	75D31L	95D31L	105D31L 115D31L	130E41L			
			U/Q/N-CRGE24		1988	1995	AT	95D31L	95D31L	105D31L 115D31L	130E41L			
					1988	1995	MT	75D31L	95D31L	105D31L 115D31L	130E41L			
			Q-CRMGE24		1990	1993	AT	95D31L	95D31L	105D31L 115D31L	130E41L			
					1990	1993	MT	75D31L	95D31L	105D31L 115D31L	130E41L			
			U/N-VRGE24		1988	1995	AT	95D31L	95D31L	105D31L 115D31L	130E41L			
					1988	1995	MT	75D31L	95D31L	105D31L 115D31L	130E41L			
			U/N-VRMGE24		1988	1995	AT	95D31L	95D31L	105D31L 115D31L	130E41L			
					1988	1995	MT	75D31L	95D31L	105D31L 115D31L	130E41L			
			U/Q-VRE24		1990	1993	AT	95D31L	95D31L	105D31L 115D31L	130E41L			

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
CARAVAN/HO MY (E24)			Y/Q-ARGE24		1990	1993	MT	75D31L	95D31L	105D31L 115D31L	130E41L	
					1990	1995		75D31L	95D31L	105D31L 115D31L	130E41L	
					1987	1990	AT	95D31L	95D31L	105D31L 115D31L	130E41L	
					1987	1990	MT	75D31L	95D31L	105D31L 115D31L	130E41L	
					1987	1993	AT	95D31L	95D31L	105D31L 115D31L	130E41L	
					1987	1993	MT	75D31L	95D31L	105D31L 115D31L	130E41L	
			U/N-DRGE24		1987	1993	AT	95D31L	95D31L	105D31L 115D31L	130E41L	
					1987	1993	MT	75D31L	95D31L	105D31L 115D31L	130E41L	
					1993	1995	AT	95D31L	95D31L	105D31L 115D31L	130E41L	
					1993	1995	MT	75D31L	95D31L	105D31L 115D31L	130E41L	
					1993	1995	AT	95D31L	95D31L	105D31L 115D31L	130E41L	
					1993	1995	MT	75D31L	95D31L	105D31L 115D31L	130E41L	
			Y-KRM(G)E24		1993	1995	MT	75D31L	95D31L	105D31L 115D31L	130E41L	
					1993	1995	AT	95D31L	95D31L	105D31L 115D31L	130E41L	
					1993	1995	MT	75D31L	95D31L	105D31L 115D31L	130E41L	
					1990	1993	AT	95D31L	95D31L	105D31L 115D31L	130E41L	
					1990	1993	MT	75D31L	95D31L	105D31L 115D31L	130E41L	
					TD27T	1989	1990		95D31L	95D31L	105D31L 115D31L	130E41L
					1990	1993	AT	95D31L	95D31L	105D31L 115D31L	130E41L	
					1990	1993	MT	75D31L	95D31L	105D31L 115D31L	130E41L	
					TD27T	1989	1990		95D31L	95D31L	105D31L 115D31L	130E41L
					1990	1993	AT	95D31L	95D31L	105D31L 115D31L	130E41L	
					1990	1993	MT	75D31L	95D31L	105D31L 115D31L	130E41L	
					TD27T	1989	1990		95D31L	95D31L	105D31L 115D31L	130E41L
					1990	1993	AT	95D31L	95D31L	105D31L 115D31L	130E41L	
					1990	1993	MT	75D31L	95D31L	105D31L 115D31L	130E41L	
					1988	1990	AT	95D31L	95D31L	105D31L 115D31L	130E41L	
1988	1990	MT	75D31L	95D31L	105D31L 115D31L	130E41L						
		2300	N-VYE24	TD23	1987	1993	AT	95D31L	95D31L	105D31L 115D31L	130E41L	
					1987	1993	MT	75D31L	95D31L	105D31L 115D31L	130E41L	
					1988	1993	AT	95D31L	95D31L	105D31L 115D31L	130E41L	
					1988	1993	MT	75D31L	95D31L	105D31L 115D31L	130E41L	
					1986	1989		95D31L	95D31L	105D31L 115D31L	130E41L	
					1986	1989		95D31L	95D31L	105D31L 115D31L	130E41L	
		2000	Q-KS(G)E24	LD20T	1988	1993	AT	95D31L	95D31L	105D31L 115D31L	130E41L	
					1988	1993	MT	75D31L	95D31L	105D31L 115D31L	130E41L	
					1986	1989		95D31L	95D31L	105D31L 115D31L	130E41L	
			N-KSE24		1986	1989		95D31L	95D31L	105D31L 115D31L	130E41L	
CUBE	G	1300	GF-Z10	CG13DE	1997	-		28B19L	38B19L	40B19L 42B19L	46B24L	
CUBE (Z11)	G	1400	UA-BZ11	CR14DE	2002	-	AVAILABLE ONLY STANDARD 2WD CAR. EXCEPT CVT CAR AND CW CAR	34B19L	38B19L	40B19L 44B19L	55B24L	
					2002	-	4WD	46B24L	46B24L	55B24L 60B24L	55B24L	

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
CUBE (Z11)			UA-BZ11		2002	-	C V T · CAR RWINGS INSTALLED CAR	46B24L	46B24L	55B24L 60B24L	55B24L
CUBE CUBE3 (Z11)	G	1400	UA-BGZ11	CR14DE	2003	-	4AT	34B19L	38B19L	40B19L 44B19L	55B24L
					2003	-	4AT · CAR RWINGS INSTALLED CAR	46B24L	46B24L	55B24L 60B24L	55B24L
					2003	-	CVT	46B24L	46B24L	55B24L 60B24L	55B24L
					2003	-					
CREW	G	2800	E-THK30	RB20E	1996	1998		55D26R	75D26R	80D26R 85D26R	-
					1996	1998		55D26R	75D26R	80D26R 85D26R	-
					1998	-	SALOON	55D23R	55D23R	75D23R 80D23R	80D26R
		1996	1998		TAXI	55D26R	75D26R	80D26R 85D26R	80D26R		
		1994	1996		TAXI	55D23R	55D23R	75D23R 80D23R	80D26R		
		1998	-		AMBULANCE CAR	55D23R	55D23R	75D23R 80D23R	-		
	1994	1996	AMBULANCE CAR	55D23R	55D23R	75D23R 80D23R	80D26R				
	D	2800	KD-(T)SK30	RD28	1995	-		75D31R	75D31R	95D31R 105D31R	115D31R
					1993	1995	TAXI	75D31R	75D31R	95D31R 105D31R	115D31R
					1994	1995		80D26R	80D26R	85D26R	115D31R
			Y-SK30		1994	1995	AMBULANCE CAR	75D31R	75D31R	95D31R 105D31R	115D31R
	L	2000	E-QK30	NA20P	1993	-	TAXI	55D23R	55D23R	65D23R 75D23R	80D26R
SUNNY/ LUCINO (B15, N15)	G	1800	GF-QB15	QG18DD	1998	-		46B24L	46B24L	55B24L 60B24L	80D26L
			GF-JB15	SR16VE	1998	-		34B19L	38B19L	40B19L 42B19L	65D26L
		1500	GF-FB15	QG15DE	1998	-		28B19L	38B19L	40B19L 42B19L	55D23L
			GF-FNB15		1998	-		28B19L	38B19L	40B19L 42B19L	55D23L
		1300	GF-B15	QG13DE	1998	-		46B24L	46B24L	55B24L 60B24L	65D26L
SUNNY/ LUCINO (B14, N15)	G	1800	E-HNN15	SR18DE	1996	-		80D26L	80D26L	85D26L 90D26L	80D26L
			E-HN15		1995	-	AT	55B24L	55B24L	60B24L	80D26L
		1600	E-HB14	SR16VE	1995	-	MT	34B19L	38B19L	40B19L 42B19L	80D26L
					1994	-		34B19L	38B19L	40B19L 42B19L	80D26L
			E-JN15		1997	-		34B19L	38B19L	40B19L 42B19L	80D26L
					1997	-		34B19L	38B19L	40B19L 42B19L	80D26L
			E-EN15		1995	-	AT	34B19L	38B19L	40B19L 42B19L	80D26L
					1995	-	MT	34B19L	38B19L	40B19L 42B19L	55D23L
			E-EB14		1994	-		28B19L	38B19L	40B19L 42B19L	80D26L
					1994	-		28B19L	38B19L	40B19L 42B19L	80D26L

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
SUNNY / LUCINO (B14, N15)		1500	E-FB14	GA15DE	1997	-	AT, NAVIGATION SECTION	65D26L	65D26L	75D26L 80D26L	65D26L			
					1997	-	MT, NAVIGATION SECTION	55D23L	65D26L	75D26L 80D26L	55D23L			
			E-FN(N) 15		1995	-	AT	34B19L	38B19L	40B19L 42B19L	80D26L			
			E-FB14		1995	-	MT	34B19L	38B19L	40B19L 42B19L	55D23L			
					1994	-	AT(CX)	46B24L	46B24L	55B24L 60B24L	80D26L			
			E-FB14		1994	-	MT(CX)	46B24L	46B24L	55B24L 60B24L	55D23L			
					1994	-	AT	28B19L	38B19L	40B19L 42B19L	80D26L			
			E-FNB14		1994	-	MT	28B19L	38B19L	40B19L 42B19L	55D23L			
					1994	1995	AT	28B19L	38B19L	40B19L 42B19L	80D26L			
			E-FNB14		1994	1995	MT	28B19L	38B19L	40B19L 42B19L	55D23L			
		1300			E-B14	GA13DE	1994	-	AT	28B19L	38B19L	40B19L 42B19L	80D26L	
		1994	-	MT			28B19L	38B19L	40B19L 42B19L	55D23L				
		2000		KD-S(N) B14	CD20	1995	-		95D31L	95D31L	105D31L 115D31L	95D31L		
						1994	1995		95D31L	95D31L	105D31L 115D31L	95D31L		
X/Y-S(N) B14				1994	1995		95D31L	95D31L	105D31L 115D31L	95D31L				
SUNNY / NX CUPE (B13)	G	1800	E-HNB13	SR18DE	1992	1994		55B24L	55B24L	60B24L	80D26L			
			E-HB13		1990	1992	AT	46B24L	46B24L	55B24L 60B24L	80D26L			
					1990	1992	MT	34B19L	38B19L	40B19L 42B19L	80D26L			
					1992	1994		46B24L	46B24L	55B24L 60B24L	80D26L			
					1990	1992	AT(CUPE)	46B24L	46B24L	55B24L 60B24L	80D26L			
					1990	1992		34B19L	38B19L	40B19L 42B19L	80D26L			
					1600	E-EB13	GA16DE	1992	1994	SEDAN	34B19L	38B19L	40B19L 42B19L	80D26L
					1990			1992	SEDAN AT	28B19L	38B19L	40B19L 42B19L	80D26L	
					1990			1992	SEDAN MT	28B19L	38B19L	40B19L 42B19L	55D23L	
					1992			1995	CUPE AT	28B19L	38B19L	40B19L 42B19L	80D26L	
					1992			1995	CUPE MT	28B19L	38B19L	40B19L 42B19L	55D23L	
1990	1992	CUPE AT	34B19L	38B19L	40B19L 42B19L			80D26L						
1990	1992	CUPE MT	34B19L	38B19L	40B19L 42B19L			55D23L						
1500		E-FB13	GA15DS	1990	1995	AT	34B19L	38B19L	40B19L 42B19L	80D26L				
				1990	1995	MT	34B19L	38B19L	40B19L 42B19L	55D23L				
		E-FNB13		1990	1992	AT	28B19L	38B19L	40B19L 42B19L	80D26L				
		E-FNB13		1990	1992	MT	28B19L	38B19L	40B19L 42B19L	55D23L				
1300		E-B13	GA13DS	1990	1994	AT	28B19L	38B19L	40B19L 42B19L	80D26L				

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
SUNNY / NX CUPE (B13)					1990	1994	MT	28B19L	38B19L	40B19L 42B19L	55D23L
	D	1700	CD17	X-S(N) B13	1992	1994		75D31L	95D31L	105D31L 115D31L	115D31L
				Q-S(N) B13	1990	1992		75D31L	95D31L	105D31L 115D31L	95D31L
SUNNY / RZ 1 / LAUREL SPIRIT (B12)	G	1600	E-EB12	CA16DE	1987	1990		34B19L	38B19L	40B19L 42B19L	55D23L
		1500	E-F(N) B12	GA15E/S	1987	1990	AT	28B19L	38B19L	40B19L 42B19L	80D26L
					1987	1990	MT	28B19L	38B19L	40B19L 42B19L	55D23L
			E-WF(N) B12		1987	1990	AT	28B19L	38B19L	40B19L 42B19L	80D26L
					1987	1990	MT	28B19L	38B19L	40B19L 42B19L	55D23L
		1300	E-B12	E13S	1985	1990	AT	28B19L	38B19L	40B19L 42B19L	80D26L
					1985	1990	MT	28B19L	38B19L	40B19L 42B19L	55D23L
	D	1700	N/Q-SB12	CD17	1985	1990		75D31L	95D31L	105D31L 115D31L	95D31L
			N/Q-WSB12		1985	1990		75D31L	95D31L	105D31L 115D31L	95D31L
SUNNY TRUCK (B122)	G	1200	R-(G) B122	A12	1989	-		28B19R	38B19R	40B19R 42B19R	55D23R
SAFARI (Y61)	G	4500	E-WGY61	TB45E	1997	-		80D26L	80D26L	85D26L 90D26L	95D31L
	D	4200	KD-WRGY61	TD42T	1997	-		80D26L	80D26L	85D26L 90D26L	95D31L × 2
		2800	KD-WY61	RD28ETi	1997	-		95D31L	95D31L	105D31L 115D31L	105D31L
SAFARI	G	4200	E-WGY60	TB42E	1995	-		95D31L	95D31L	105D31L 115D31L	95D31L
					1991	1995		80D26L	80D26L	85D26L 90D26L	80D26L
			Z/T-FGY60	TB42S	1991	-	FIRE ENGINE	95E41L	100E41L	120E41L 130E41L	100E41L
	D	4200	KD-WR(G) Y60	TD42T	1995	-		95D31L × 2	95D31L × 2	105D31L × 2 115D31L × 2	115D31L × 2
			KD-VRGY60	TD42	1995	-		95D31L × 2	95D31L × 2	105D31L × 2 115D31L × 2	115D31L × 2
			Q-WR(G) Y60		1991	1995		55D26L × 2	75D26L × 2	80D26L × 2 85D26L × 2	95D31L × 2
			S-VR(G) Y60		1989	1995		55D26L × 2	75D26L × 2	80D26L × 2 85D26L × 2	95D31L × 2
			U-VRGY60		1989	1995		55D26L × 2	75D26L × 2	80D26L × 2 85D26L × 2	95D31L × 2
		2800	KD-WY60	RD28T	1995	-		95D31L × 2	95D31L × 2	105D31L × 2 115D31L × 2	115D31L × 2
CI MA (F50)	G	4500	UA-GF50	VK45DE	2003	-		80D23L	80D23L	80D23L	110D26L

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
CIMA (F50)		3000	GH-HF50	VQ30DET	2003	-		80D23L	80D23L	80D23L	110D26L
CIMA (Y33)	G	4100	GF-FGDY33	VH41DE	1998	-		80D26R	80D26R	80D26R 85D26R	80D26R
			GF-FGNY33		1998	-		65D26R	80D26R	80D26R 85D26R	80D26R
			GF-FGY33		1998	-		65D26R	80D26R	80D26R 85D26R	80D26R
		4100	E-FGNY33		1997	-		65D26R	80D26R	80D26R 85D26R	-
			E-FGDY33		1996	1998		80D26R	80D26R	80D26R 85D26R	80D26R
			E-FGY33		1996	1998		65D26R	80D26R	80D26R 85D26R	80D26R
		3000	GF-FHY33	VQ30DET	1998	-		65D26R	80D26R	80D26R 85D26R	80D26R
			E-FHY33		1996	1998		65D26R	80D26R	80D26R 85D26R	80D26R
CIMA (Y32)	G	4100	E-FGNY32	VH41DE	1992	1996	4 WD	80D26R	80D26R	80D26R 85D26R	80D26R
			E-FGDY32		1991	1996	ACTIVE SUSPENSION SYSTEM	80D26R	80D26R	80D26R 85D26R	80D26R
					1995	1996		65D26R	80D26R	80D26R 85D26R	80D26R
					1991	1995		80D26R	80D26R	80D26R 85D26R	80D26R
		3000	E-FPY32		VG30DET	1993	1996		65D26R	80D26R	80D26R 85D26R
CIMA (Y31)	G	3000	E-FP(A)Y31	VG30DET	1989	1996		80D26R	80D26R	80D26R 85D26R	80D26R
				VG30DE	1989	1996		80D26R	80D26R	80D26R 85D26R	80D26R
CIVILIAN (W41)	D	4200	KK-BCW41	TD42	1999	-		95D31L × 2	95D31L × 2	105D31L × 2 115D31L × 2	95D31L × 2
					1999	-		95D31L × 2	95D31L × 2	105D31L × 2 115D31L × 2	95D31L × 2
			KK-BJW41		1999	-		95D31L × 2	95D31L × 2	105D31L × 2 115D31L × 2	95D31L × 2
					1999	-		95D31L × 2	95D31L × 2	105D31L × 2 115D31L × 2	95D31L × 2
			KK-BVW41		1999	-		95D31L × 2	95D31L × 2	105D31L × 2 115D31L × 2	95D31L × 2
CIVILIAN	D	4200	KC/U-RAW40	TD42	1993	1999		95D31R × 2	95D31R × 2	105D31R × 2	95D31R × 2
			4200		KC/U-RGW40	1988	1999		95D31R × 2	95D31R × 2	105D31R × 2
		TD42T		1995		1999		95D31R × 2	95D31R × 2	105D31R × 2	95D31R × 2
		4200	KC/U-RW40	1988	1999		95D31R × 2	95D31R × 2	105D31R × 2	95D31R × 2	
				KC/U-RYW40	1988	1999		95D31R × 2	95D31R × 2	105D31R × 2	95D31R × 2
					TD42T	1995	1999		95D31R × 2	95D31R × 2	105D31R × 2

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
CIVILIAN		3500	KC-B(G)W40	ED35	1995	1999		55D23R × 2	55D23R × 2	65D23R × 2 75D23R × 2	95D31R × 2
			U-B(G)W40		1990	1995		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2
		3300	N-MW40	ED33	1982	1990		55D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2
SILVIA (S15)	G	2000	GF-S15	SR20DE	1999	-		34B19R	38B19R	40B19R 42B19R	60B24R
				SR20DET	1999	-	AT	46B24R	46B24R	55B24R 60B24R	60B24R
					1999	-	MT	34B19R	38B19R	40B19R 42B19R	60B24R
SILVIA (S14)	G	2000	E-CS14	SR20DET	1995	1999		46B24R	46B24R	55B24R 60B24R	80D26R
					1993	1995	K' s WITH HIGH CASE	55D23R	55D23R	75D23R 80D23R	80D26R
				SR20DE	1993	1995		34B19R	38B19R	40B19R 42B19R	80D26R
					1993	1995	Q' s WITH FOG LAMP	46B24R	46B24R	55B24R 60B24R	80D26R
			E-S14	SR20DET	1993	1995		46B24R	46B24R	55B24R 60B24R	80D26R
				SR20DE	1993	1995		34B19R	38B19R	40B19R 42B19R	80D26R
SILVIA (S13)	G	2000	E-(K)PS13	SR20DET	1992	1993	CLUB K' s	46B24R	46B24R	55B24R 60B24R	80D26R
					1992	1993	AT	34B19R	38B19R	40B19R 42B19R	80D26R
					1992	1993	MT	34B19R	38B19R	40B19R 42B19R	80D26R
					1991	1992		46B24R	46B24R	55B24R 60B24R	80D26R
				SR20DE	1992	1993	CLUB Q' s	46B24R	46B24R	55B24R 60B24R	80D26R
					1991	1993	AT	34B19R	38B19R	40B19R 42B19R	80D26R
					1991	1993	MT	34B19R	38B19R	40B19R 42B19R	80D26R
				1800	E-KS13	SR18DET	1988	1991		34B19R	38B19R
		SR18DE	1988			1991	AT	34B19R	38B19R	40B19R 42B19R	80D26R
						1988	1991	MT	34B19R	38B19R	40B19R 42B19R
SKYLINE (V35)	G	3500	UA-CPV35	VQ35DE	2003	-	coupe	55B24L	55B24L	60B24L	80D23L
			UA-PV35		2002	-	G T-8 C V T-M 8	110D26L	-	-	-
SKYLINE (R34)	G	2600	GF-BNR34	RB26DETT	1999	-	GTR	FT-LA19LT	-	-	-
		2500	GF-ENR34	RB25DE	1989	-	MT	34B19R	38B19R	40B19R 42B19R	60B24R
					1989	-	AT	46B24R	46B24R	55B24R 60B24R	60B24R
					1989	-	MT	34B19R	38B19R	40B19R 42B19R	60B24R
			RB25DET		1989	-	AT	46B24R	46B24R	55B24R 60B24R	60B24R

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
SKYLINE (R34)					1989	-	MT	34B19R	38B19R	40B19R 42B19R	60B24R
		2000	GF-ENR34	RB25DE	1989	-	AT	46B24R	46B24R	55B24R 60B24R	60B24R
			GF-HR34		1989	-	AT	46B24R	46B24R	55B24R 60B24R	60B24R
					1989	-	MT	34B19R	38B19R	40B19R 42B19R	60B24R
SKYLINE (R33)	G	2600	E-BCNR33	RB26DETT	1995	1998	GT-R	SB-LB20L	FT-LB20L	-	(SB-LD26L)
			E-ECR33	RB25DE(T)	1996	1998	SEDAN	34B19R	38B19R	40B19R 42B19R	80D26R
		1993			1996		SB-LB20L	FT-LB20L	-	(SB-LD26L)	
		E-ENR33	RB25DE	1996	1998	SEDAN	34B19R	38B19R	40B19R 42B19R	80D26R	
				1993	1996		SB-LB20L	FT-LB20L	-	(SB-LD26L)	
		E-ER33		1996	1998	SEDAN	34B19R	38B19R	40B19R 42B19R	80D26R	
	1993			1996		SB-LB20L	FT-LB20L	-	(SB-LD26L)		
	2000	E-HR33	RB20E	1996	1998	SEDAN	34B19R	38B19R	40B19R 42B19R	80D26R	
				1993	1996		SB-LB20L	FT-LB20L	-	(SB-LD26L)	
	SKYLINE (R32)	G	2600	E-BNR32	RB26DETT	1989	1995	GT-R	34B19R	38B19R	40B19R 42B19R
E-E(C)R32				RB25DE	1991	1993	GtS25	34B19R	38B19R	40B19R 42B19R	80D26R
2000			E-HCR32	RB20DE	1989	1993		34B19R	38B19R	40B19R 42B19R	80D26R
				RB20DET	1989	1993		34B19R	38B19R	40B19R 42B19R	80D26R
			E-HNR32		1991	1993	4WD	34B19R	38B19R	40B19R 42B19R	80D26R
			E-HR32	RB20(D)E	1989	1993		34B19R	38B19R	40B19R 42B19R	80D26R
1800		E-FR32	CA18i	1989	1993		34B19R	38B19R	40B19R 42B19R	80D26R	
SKYLINE (R31)	G	2000	E-HR31	RB20DET	1985	1989		34B19R	38B19R	40B19R 42B19R	80D26R
				RB20DE	1985	1989		34B19R	38B19R	40B19R 42B19R	80D26R
				RB20E	1985	1989		34B19R	38B19R	40B19R 42B19R	80D26R
				RB20ET	1985	1989		34B19R	38B19R	40B19R 42B19R	80D26R
		E-WLJR31	1987	-	AT	34B19R	38B19R	40B19R 42B19R	55D23R		
			1987	-	MT	34B19R	38B19R	40B19R 42B19R	55B24R		
		1800	E-(W)FJR31	CA18S	1986	1989	AT	34B19R	38B19R	40B19R 42B19R	55D23R
					1986	1989	MT	34B19R	38B19R	40B19R 42B19R	55B24R
STAGEA (MB5)	G	2500	GH-MB5	VQ25DD	2004	-		55B24L	55B24L	60B24L	80D23L
			GH-NMB5		2004	-	4WD	55B24L	55B24L	60B24L	80D23L
STAGEA (WB4)	G	2500	GF-WGC34	RB25DE	1998	-		46B24R	46B24R	55B24R 60B24R	80D26R

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
STAGEA (W34)			GF-WGNC34	RB25DET	1998	-		46B24R	46B24R	55B24R 60B24R	80D26R	
				RB25DE	1998	-		46B24R	46B24R	55B24R 60B24R	80D26R	
					1998	-	MULTI A V	80D26R	80D26R	85D26R 90D26R	80D26R	
				RB25DET	1998	-	25 t R S	46B24R	46B24R	55B24R 60B24R	80D26R	
					1998	-	25 t R S, MULTI A V	80D26R	80D26R	85D26R 90D26R	80D26R	
			1998	-	25 t X	80D26R	80D26R	85D26R 90D26R	80D26R			
			E-WGNC34	RB25DET	1996	1998		46B24R	46B24R	55B24R 60B24R	80D26R	
				RB25DE	1996	1998		46B24R	46B24R	55B24R 60B24R	80D26R	
			E-WGC34		1996	1998		46B24R	46B24R	55B24R 60B24R	80D26R	
			2000	GF-WHC34	RB20DE	1998	-		46B24R	46B24R	55B24R 60B24R	80D26R
				E-WHC34	RB20E	1996	1998		46B24R	46B24R	55B24R 60B24R	80D26R
CEDRIC / GLORIA (Y33)	G	3000	E-HBY33	VQ30DET	1995	-		65D26R	80D26R	80D26R 85D26R	80D26R	
					1995	-		65D26R	80D26R	80D26R 85D26R	80D26R	
			E-HY33	VQ30DE	1995	-		65D26R	80D26R	80D26R 85D26R	80D26R	
				VG30DE	1995	-		65D26R	80D26R	80D26R 85D26R	80D26R	
		E-PY33	VG30DE	1995	-		65D26R	80D26R	80D26R 85D26R	80D26R		
		2500	E-MY33	VQ25DE	1996	-		65D26R	80D26R	80D26R 85D26R	80D26R	
			E-ENY33	RB25DET	1996	-	4 WD TURBO	80D26R	80D26R	80D26R 85D26R	80D26R	
2000	E-Y33	VG20E	1996	-		65D26R	80D26R	80D26R 85D26R	80D26R			
CEDRIC / GLORIA (Y33)	D	2800	KD-UY33	RD28	1995	-		75D31R	95D31R	105D31R 115D31R	95D31R	
CEDRIC / GLORIA (Y32)	G	3000	E-PAY32	VG30DET	1991	1995		80D26R	80D26R	80D26R 85D26R	80D26R	
					1991	1995		80D26R	80D26R	80D26R 85D26R	80D26R	
			E-PY32		1991	1995		80D26R	80D26R	80D26R 85D26R	80D26R	
				VG30DE	1991	1995		80D26R	80D26R	80D26R 85D26R	80D26R	
				VG30E	1991	1995		80D26R	80D26R	80D26R 85D26R	80D26R	
	2000	E-Y32	VG20E	1991	1995		80D26R	80D26R	80D26R 85D26R	80D26R		
				1991	1995		80D26R	80D26R	80D26R 85D26R	80D26R		
	D	2800	Q/Y-UY32	RD28	1991	1995		75D31R	95D31R	105D31R 115D31R	95D31R	
CEDRIC / GLORIA (Y31)	G	3000	E-P(A) Y31	VG30E	1989	-		80D26R	80D26R	80D26R 85D26R	80D26R	
				VG30ET	1989	-		80D26R	80D26R	80D26R 85D26R	80D26R	
		2000	E-(C) Y31	VG20DET	1989	-		80D26R	80D26R	80D26R 85D26R	80D26R	
				VG20E	1989	-		80D26R	80D26R	80D26R 85D26R	80D26R	
	D	2800	KD-C(U) Y31	RD28	1995	-		75D31R	95D31R	105D31R 115D31R	115D31R	
					1995	-	SALES CAR	75D31R	95D31R	105D31R 115D31R	115D31R	

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
CEDRIC / GLORIA (Y31)			Y-C(U)Y31		1993	1995		75D31R	95D31R	105D31R 115D31R	115D31R
			Y-UJY31		1993	1995	SALES CAR	75D31R	95D31R	105D31R 115D31R	115D31R
			Q-C(U)Y31		1989	1993		75D31R	95D31R	105D31R 115D31R	115D31R
			Q-UJY31		1987	1993	SALES CAR	75D31R	95D31R	105D31R 115D31R	115D31R
	L	2000	E-(C)MŶY31	RB20P	1993	-		55D23R	55D23R	65D23R 75D23R	80D26R
					1991	1993		55D26R	65D26R	75D26R 80D26R	80D26R
			E-NJY31	CA20	1987	1991	SALES CAR	55D26R	65D26R	75D26R 80D26R	80D26R
			E-QJY31	NA20P	1993	-		55D23R	55D23R	65D23R 75D23R	80D26R
				1991	1993		55D26R	65D26R	75D26R 80D26R	80D26R	
CEDRIC / GLORIA (Y30)	G	3000	E-PY30	VG30ET	1983	1987		46B24R	46B24R	55B24R 60B24R	80D26R
				VG30E	1983	1987		46B24R	46B24R	55B24R 60B24R	80D26R
		2000	E-WY30	VG20E	1987	-	WAGON SGL	46B24R	46B24R	55B24R 60B24R	80D26R
					1987	-		34B19R	38B19R	40B19R 42B19R	80D26R
			GA-VY30	VG20E	1995	-		34B19R	38B19R	40B19R 42B19R	80D26R
			L/Y-VNY30	CA20	1983	-	VAN 4 WD	34B19R	38B19R	40B19R 42B19R	80D26R
			T-VY30	VG20E	1983	-	VAN	34B19R	38B19R	40B19R 42B19R	80D26R
	D	2800	Q-WUY30	RD28	1987	-		75D31R	95D31R	105D31R 115D31R	115D31R
					1987	-	VAN	75D31R	95D31R	105D31R 115D31R	115D31R
CEFIRO (A33)	G	2500	GF-PA33	VQ20DD	1998	-		55D23L	55D23L	75D23L 80D23L	80D26L
					1998	-	MULTI A V	65D26L	80D26L	85D26L 90D26L	80D26L
		2000	GF-A33	VQ20DE	1998	-		55D23L	55D23L	75D23L 80D23L	80D26L
					1998	-	MULTI A V	65D26L	80D26L	85D26L 90D26L	80D26L
CEFIRO (A32)	G	3000	E-HA32	VQ30DE	1994	1997	WITH AV SYSTEM	65D26L	80D26L	85D26L 90D26L	80D26L
					1994	1997		55D23L	55D23L	75D23L 80D23L	80D26L
			E-WHA32		1997	1998	WAGON WITH AV SYSTEM	65D26L	80D26L	85D26L 90D26L	80D26L
					1997	1998	WAGON	55D23L	55D23L	75D23L 80D23L	80D26L
		2500	E-PA32	VQ25DE	1994	1998	WITH AV SYSTEM	65D26L	80D26L	85D26L 90D26L	80D26L
					1994	1998		55D23L	55D23L	75D23L 80D23L	80D26L
		E-WPA32	1997		1998	WAGON WITH AV SYSTEM	65D26L	80D26L	85D26L 90D26L	80D26L	
			1997		1998	WAGON	55D23L	55D23L	75D23L 80D23L	80D26L	
		2000	E-A32	VQ20DE	1994	1998		55D23L	55D23L	75D23L 80D23L	80D26L
					1997	1998	WAGON WITH AV SYSTEM	65D26L	80D26L	85D26L 90D26L	80D26L
		E-WA32		1997	1998		65D26L	80D26L	85D26L 90D26L	80D26L	

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA									
CEFIRO (A32)					1997	1998	WAGON	55D23L	55D23L	75D23L 80D23L	80D26L									
CEFIRO (A31)	G	2500	E-E(C)A31	RB25DE	1992	1994	REAR W PER / W T H SPOILER	34B19R	38B19R	40B19R 42B19R	80D26R									
					1992	1994		55D23R	55D23R	75D23R 80D23R	80D26R									
		2000	E-LA31	RB20DE	1992	1994	REAR W PER / W T H SPOILER	34B19R	38B19R	40B19R 42B19R	80D26R									
					1992	1994		55D23R	55D23R	75D23R 80D23R	80D26R									
					RB20DET	1992	1994	REAR W PER / W T H SPOILER	34B19R	38B19R	40B19R 42B19R	80D26R								
						1992	1994		55D23R	55D23R	75D23R 80D23R	80D26R								
				RB20E	1992	1994	REAR W PER / W T H SPOILER	34B19R	38B19R	40B19R 42B19R	80D26R									
					1992	1994		55D23R	55D23R	75D23R 80D23R	80D26R									
				E-LCA31/LNA31	RB20DET	1992	1994	REAR W PER / W T H SPOILER	34B19R	38B19R	40B19R 42B19R	80D26R								
						1992	1994		55D23R	55D23R	75D23R 80D23R	80D26R								
			E-NA31		1990	1992		34B19R	38B19R	40B19R 42B19R	80D26R									
			E-(C)A31	RB20DE(T)	1988	1992		34B19R	38B19R	40B19R 42B19R	80D26R									
					1988	1992		34B19R	38B19R	40B19R 42B19R	80D26R									
			SERENA (C24)	G	2500	UA-RC24	QR25DE	2003	-		55D23L	55D23L	75D23L 80D23L	80D26L						
						UA-TC24	QR20DE	2003	-		55D23L	55D23L	75D23L 80D23L	80D26L						
					UA-TNC24				2003	-	4WD	55D23L	55D23L	75D23L 80D23L	80D26L					
SERENA	G	2000	E-KB(C)C23	SR20DE	1997	-		55D23R	55D23R	75D23R 80D23R	80D26R									
					1991	1997		46B24R	46B24R	55B24R 60B24R	80D26R									
					1991	-		46B24R	46B24R	55B24R 60B24R	80D26R									
			E-KBNC23	GA16DE	1991	-		46B24R	46B24R	55B24R 60B24R	55D23R									
					1994	-		46B24R	46B24R	55B24R 60B24R	55D23R									
			T-VAJC23	GA16DS	1991	1996		28B19R	38B19R	40B19R 42B19R	55D23R									
		D	2000	KD-KV(N)C23	CD20ET	1997	-		95D31R	95D31R	105D31R 115D31R	115D31R								
								1995	-		95D31R	95D31R	105D31R 115D31R	80D26R						
												KB/Q-VVJC23	CD20	1994	-		95D31R	95D31R	105D31R 115D31R	115D31R
												Y-KV(N)C23	CD20T	1993	1995		95D31R	95D31R	105D31R 115D31R	115D31R
												Q-KV(N)C23		1991	1993		95D31R	95D31R	105D31R 115D31R	115D31R
												Q-KVJC23	CD20	1991	1993		95D31R	95D31R	105D31R 115D31R	115D31R

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA					
DATSUN TRUCK (D22)	G	2000	GA-LFMD22	KA24E	1997	-		34B19R	38B19R	40B19R 42B19R	55D23R					
			GA-QD22	NA20S	1997	-		34B19R	38B19R	40B19R 42B19R	55D23R					
	D	3200	KC-LFMD22	QD32	1997	-		75D31R	95D31R	105D31R 115D31R	80D26R+L					
			2700	KC-BD22	TD27	1997	-		75D31R	95D31R	105D31R 115D31R	80D26R+L				
DATSUN TRUCK (D21)	G	2000	GA-Q(G)D21	NA20S	1995	-		34B19R	38B19R	40B19R 42B19R	75D26R					
			GA-QMD21		1995	-		34B19R	38B19R	40B19R 42B19R	75D26R					
			T-Q(G)21		1989	1995	1t (LONG)	34B19R	38B19R	40B19R 42B19R	75D26R					
			T-QMD21		1989	1995	4WD 500kg	34B19R	38B19R	40B19R 42B19R	75D26R					
			T-QYD21		1989	1992		34B19R	38B19R	40B19R 42B19R	75D26R					
		1800	L-DD21	Z18	1985	1987	1t	34B19R	38B19R	40B19R 42B19R	75D26R					
			L-DMD/DYD21		1985	1987	4WD	34B19R	38B19R	40B19R 42B19R	75D26R					
		1600	T-(G)D21	NA16S	1989	1995		34B19R	38B19R	40B19R 42B19R	75D26R					
			L-C(G)D21	Z16	1985	1989		34B19R	38B19R	40B19R 42B19R	75D26R					
	D	2700	KC-LBMD21	TD27T	1995	1997		80D26R+L	80D26R+L	85D26R+L 90D26R+L	80D26R+L					
					1995	1997		80D26R+L	80D26R+L	85D26R+L 90D26R+L	80D26R+L					
			KC-BMD21	TD27	1995	1997		75D31R	95D31R	105D31R 115D31R	80D26R+L					
					1995	1997		75D31R	95D31R	105D31R 115D31R	80D26R+L					
S-BMD21	TD27	1992	1995	FLOOR SHIFT	95D31R	95D31R	105D31R 115D31R	80D26R+L								
							1989	1992	COLD DISTRICT 1PC SPECIFICATION	75D31R	95D31R	105D31R 115D31R	95D31R			
							1989	1992	COLD DISTRICT 2PCS SPECIFICATION	75D31R	95D31R	105D31R 115D31R	80D26R+L			
							1992	1995	COLUMN SHIFT SYSTEM	95D31R	95D31R	105D31R 115D31R	80D26R+L			
							1992	1995	FLOOR SHIFT, TURBO	95D31R	95D31R	105D31R 115D31R	80D26R+L			
							2300	S-P(G)D21	TD23	1989	1992	COLD DISTRICT 1PC SPECIFICATION	75D31R	95D31R	105D31R 115D31R	95D31R
										1989	1992	COLD DISTRICT 2PCS SPECIFICATION	75D31R	95D31R	105D31R 115D31R	80D26R+L
										1989	1992	COLD DISTRICT 1PC SPECIFICATION	75D31R	95D31R	105D31R 115D31R	95D31R
							U-PGD21			1989	1992					

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
DATSUN TRUCK (D21)					1989	1992	COLD DISTRICT 2PCS SPECIFICATION	75D31R	95D31R	105D31R 115D31R	80D26R+L
TIIDA	G	1500	DBA-C11	HR15DE	2004	-		34B19L	38B19L	40B19L 44B19L	55B24L
			DBA-NC11		2004	-	e4WD	34B19L	38B19L	40B19L 44B19L	55B24L
			DBA-NC11		2004	-	e4WD NAVIGATION SECTION	46B24L	46B24L	55B24L 60B24L	55B24L
			DBA-C11		2004	-	NAVI	46B24L	46B24L	55B24L 60B24L	55B24L
TIINO (V10)	G	1800	UA-V10	QG18DE	2002	-		34B19L	38B19L	40B19L 44B19L	55D23L
		2000	GF-HV10	SR20DE	1998	-		46B24L	46B24L	55B24L 60B24L	80D26L
		1800	GF-V10	QR18DE	1998	-	NAVI	55B24L	55B24L	60B24L	80D26L
					1998	-		28B19L	38B19L	40B19L 42B19L	65D26L
					1998	-	NAVI	34B19L	38B19L	40B19L 42B19L	65D26L
TERRANO (50)	G	3300	GF-LR50	VG33E	1999	-		55D23R	55D23R	75D23R 80D23R	80D26R
			GF-LUR50		1999	-		55D23R	55D23R	75D23R 80D23R	80D26R
			E-LR50		1995	1997		55D23R	55D23R	75D23R 80D23R	80D26R
	D	3200	KD-RR50	QD32ETi	1996	1999		115D31R	115D31R	-	80D26R+L
		3000	KH-TR50	ZD30DDTi	1999	-		115D31R	115D31R	-	-
		2700	KD-PR50	TD27ETi	1995	1999	AT	95D31R	95D31R	105D31R 115D31R	80D26R+L
1995	1999				MT	95D31R	95D31R	105D31R 115D31R	75D23R+L		
TERRANO	G	3000	E-WHYD21	VG30E	1989	1995		55D23R	55D23R	75D23R 80D23R	80D26R
			Y/Q-WBYD21		1989	1995		95D31R	95D31R	105D31R 115D31R	80D26R+L
	D	2700	Y-LBYD21	TD27T	1993	1995		95D31R	95D31R	105D31R 115D31R	80D26R+L
			S-VBYD21		1989	1993		95D31R	95D31R	105D31R 115D31R	80D26R+L
TEANA (J31)	G	3500	UA-PJ31	VQ35DE	2003	-		55D23L	55D23L	75D23L 80D23L	80D23L
			CBA-PJ31		2004	-		55D23L	55D23L	75D23L 80D23L	80D23L
	2500	UA-TNJ31	QR25DE	2003	-	4WD	55D23L	55D23L	75D23L 80D23L	80D23L	
				2004	-	4WD	55D23L	55D23L	75D23L 80D23L	80D23L	
	2300	UA-J31	VQ23DE	2003	-		55B24L	55B24L	60B24L	80D23L	
				2003	-	CARWINGS	55D23L	55D23L	75D23L 80D23L	80D23L	
		CBA-J31	VQ23DE	2004	-		55B24L	55B24L	60B24L	80D23L	
				2004	-	CARWINGS	55D23L	55D23L	75D23L 80D23L	80D23L	
TEANA	G	3500	UA-PJ31	VQ35DE	2003	-		55D23L	65D23L	75D23L 80D23L	80D23L
			2500		UA-TNJ31	QR25DE	2003	-	4WD	55D23L	65D23L
	2300	UA-J31	VQ23DE	2003	-		55B24L	55B24L	60B24L	80D23L	
				2003	-	CARWINGS	55D23L	65D23L	75D23L 80D23L	80D23L	
PAO	G	1000	E-PK10	MA10S	1989	1989		28B17L	34B17L	38B19L 40B19L	46B24L

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
VANETTE VAN / TRUCK	G	1800	GA-SE88MV/TN	F8	1996	-		34B19L	38B19L	40B19L 42B19L	55D23L	
			GA-SS88HN/MV		1996	-		34B19L	38B19L	40B19L 42B19L	55D23L	
			T-SE/SS28MN		1996	-		55D23L	55D23L	75D23L 80D23L	55D23L	
		1500	T-SE58TN	D5	1994	-		28B19L	38B19L	40B19L 42B19L	46B24L	
			T-SS58VN		1994	-		28B19L	38B19L	40B19L 42B19L	46B24L	
	D	2200	KB-SE28MN	R2	1994	-		55D23L × 2	55D23L × 2	75D23L × 2 80D23L × 2	55D23L × 2	
					KB-SE28TN	1994	-		80D26L	80D26L	85D26L 90D26L	55D23L × 2
					KB-SS28VN	1994	-		80D26L	80D26L	85D26L 90D26L	55D23L × 2
			U-SE28MN		1994	-		55D23L × 2	55D23L × 2	75D23L × 2 80D23L × 2	55D23L × 2	
			U-SS28VN		1994	-		80D26L	80D26L	85D26L 90D26L	55D23L × 2	
VANETTE/ LARGO/ WAGON / VAN (C22)	G	2000	E-KMG(N)C22	CA20S	1989	1993		34B19R	38B19R	40B19R 42B19R	80D26R	
					E-KMNC22	1988	1992		34B19R	38B19R	40B19R 42B19R	80D26R
					E-KMC22	1987	1992		34B19R	38B19R	40B19R 42B19R	80D26R
			T-FJNC22		NA20S	1990	-		34B19R	38B19R	40B19R 42B19R	55D23R
			L-RJNC22		Z20S	1988	1990		34B19R	38B19R	40B19R 42B19R	55D23R
		1800	E-KHG(N)C22	CA18ET	1987	1993		34B19R	38B19R	40B19R 42B19R	80D26R	
		1500	E-KP(J)C22	A15S	1988	1992		28B19R	38B19R	40B19R 42B19R	55D23R	
					L/T-VPGJC22	1988	-		28B19R	38B19R	40B19R 42B19R	55D23R
					L/T-VPJC22	1988	-		28B19R	38B19R	40B19R 42B19R	55D23R
					T-P(G)JC22	1988	-		28B19R	38B19R	40B19R 42B19R	55D23R
	1200	T-(V)JC22	A12S	1988	-		28B19R	38B19R	40B19R 42B19R	55D23R		
	D	2000	KB-VUJC22	LD20T II	1992	-	AT	95D31R	95D31R	105D31R 115D31R	115D31R	
					1992	-	MT	75D31R	95D31R	105D31R 115D31R	115D31R	
				Q-KUC22	LD20(T) II	1988	1991	AT	95D31R	95D31R	105D31R 115D31R	115D31R
						1988	1991	MT	75D31R	95D31R	105D31R 115D31R	115D31R
KB-UNJ(N)C22				LD20 II	1992	-	AT	95D31R	95D31R	105D31R 115D31R	115D31R	
					1992	-	MT	75D31R	95D31R	105D31R 115D31R	115D31R	
Q-KUG(N)C22					1989	1993	AT	95D31R	95D31R	105D31R 115D31R	115D31R	
					1989	1993	MT	75D31R	95D31R	105D31R 115D31R	115D31R	
Q-KUJNC22				LD20T II	1988	1991	AT	95D31R	95D31R	105D31R 115D31R	115D31R	
					1988	1991	MT	75D31R	95D31R	105D31R 115D31R	115D31R	

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA									
VANETTE/ LARGO/ WAGON/VAN (C22)			Q-KUJC22	LD20 II	1988	1991	AT	95D31R	95D31R	105D31R 115D31R	115D31R									
					1988	1991	MT	75D31R	95D31R	105D31R 115D31R	115D31R									
						KB-UJC22	1992	1994		75D31R	95D31R	105D31R 115D31R	115D31R							
						KB-UGJ(N)C22	1992	1994		75D31R	95D31R	105D31R 115D31R	115D31R							
						S-VUGJ(N)C22	1989	-	AT	95D31R	95D31R	105D31R 115D31R	115D31R							
							1989	-	MT	75D31R	95D31R	105D31R 115D31R	115D31R							
						S-UGJ(N)C22	1988	-		75D31R	95D31R	105D31R 115D31R	115D31R							
						S-UJC22	1988	-		75D31R	95D31R	105D31R 115D31R	115D31R							
						S-VUJ(N)C22	1988	-	AT	95D31R	95D31R	105D31R 115D31R	115D31R							
							1988	-	MT	75D31R	95D31R	105D31R 115D31R	115D31R							
PULSAR (N15)	G	1800	E-HN15	SR18DE	1995	1996	AT	55B24L	55B24L	60B24L	80D26L									
					1995	1996	MT	34B19L	38B19L	40B19L 42B19L	80D26L									
						E-HNN15	1996	-		80D26L	80D26L	85D26L 90D26L	80D26L							
			1600		E-JN15	1997	-		34B19L	38B19L	40B19L 42B19L	80D26L								
		1997				-	N1	55B24L	55B24L	60B24L	80D26L									
		E-EN15			1995	1996	AT	34B19L	38B19L	40B19L 42B19L	80D26L									
					1995	1996	MT	34B19L	38B19L	40B19L 42B19L	55D23L									
					1500	E-FN(N)15	GA15DE	1995	-	AT	34B19L	38B19L	40B19L 42B19L	80D26L						
1995	-			MT				34B19L	38B19L	40B19L 42B19L	55D23L									
D	2000			KD-SN(N)15		CD20		1995	-		95D31L	95D31L	105D31L 115D31L	95D31L						
								PULSAR (N14)	G	2000	E-RNN14	SR20DET	1990	1995	GTI-R	34B19L	38B19L	40B19L 42B19L	80D26L	
													1800	E-HN14	SR18DE	1992	1995	AT	55B24L	55B24L
										1992	1995					MT	34B19L	38B19L	40B19L 42B19L	80D26L
1990	1992	AT	46B24L	46B24L	55B24L 60B24L	80D26L														
1990	1992	MT	34B19L	38B19L	40B19L 42B19L	80D26L														
1600	E-EN14	GA16DE	1991	1995	AT	28B19L	38B19L			40B19L 42B19L	80D26L									
			1991	1995	MT	28B19L	38B19L			40B19L 42B19L	55D23L									
			GA16DS	1990	1991	AT	28B19L			38B19L	40B19L 42B19L		80D26L							
				1990	1991	MT	28B19L	38B19L	40B19L 42B19L	55D23L										
1500	E-FN14	GA15DS	1990	1995	AT	28B19L	38B19L	40B19L 42B19L	80D26L											
			1990	1995	MT	28B19L	38B19L	40B19L 42B19L	55D23L											
	E-FNN14		1991	1995	AT	28B19L	38B19L	40B19L 42B19L	80D26L											
			1991	1995	MT	28B19L	38B19L	40B19L 42B19L	55D23L											
1300	E-EN14	GA13DS	1990	1995		AT	28B19L	38B19L	40B19L 42B19L	80D26L										

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
PULSAR (N14)					1990	1995	MT	28B19L	38B19L	40B19L 42B19L	55D23L
	D	1700	X-SN14	CD17	1992	1995		95D31L	95D31L	105D31L 115D31L	95D31L
					1991	1992		95D31L	95D31L	105D31L 115D31L	115D31L
			Q-SN14		1990	1991		95D31L	95D31L	105D31L 115D31L	95D31L
PULSAR / LANGLEY / LIBERTA VILLA (N13)	G	1600	E- (B) EN13	CA16DE	1988	1990		34B19L	38B19L	40B19L 42B19L	55D23L
		1500	E- (B) FN13	GA15E/S	1988	1990	AT	28B19L	38B19L	40B19L 42B19L	80D26L
	1988				1990	MT	28B19L	38B19L	40B19L 42B19L	55D23L	
				E- (B) FNN13		1988	1990	AT	28B19L	38B19L	40B19L 42B19L
1988						1990	MT	28B19L	38B19L	40B19L 42B19L	55D23L
		1300	E-N13	E13S	1988	1990	AT	28B19L	38B19L	40B19L 42B19L	80D26L
					1988	1990	MT	28B19L	38B19L	40B19L 42B19L	55D23L
D	1700	Q- (B) SN13	CD17	1988	1990		75D31L	95D31L	105D31L 115D31L	95D31L	
FIGARO	G	1000	E-FK10	MA10	1991	-		28B17L	34B17L	38B19L 40B19L	46B24L
FUGA (Y50)	G	3500	CBA-PY50	VQ35DE	2004	-		80D23L	80D23L	80D23L	110D26L
			CBA-Y50		2004	-		80D23L	80D23L	80D23L	110D26L
		2500	CBA-PNY50	VQ25DE	2004	-		80D23L	80D23L	80D23L	110D26L
FAIR LADY Z (Z33)	G	3500	UA-HZ33	VQ35DE			ROAD STAR 6MT · 5AT	55B24L	55B24L	60B24L	80D23L
					2003	-					
			CBA-HZ33		2004	-		55B24L	55B24L	60B24L	80D23L
			CBA-Z33		2004	-		55B24L	55B24L	60B24L	80D23L
FAIR LADY Z (Z32)	G	3000	GF-GCZ32	VG30DETT	1998	-	AT	55D23L	55D23L	75D23L 80D23L	80D26L
					1998	-	MT	55D23L	55D23L	75D23L 80D23L	65D26L
			GF-GZ32	VG30DE	1998	-	AT	55D23L	55D23L	75D23L 80D23L	80D26L
					1998	-	MT	55D23L	55D23L	75D23L 80D23L	65D26L
			GF-Z32	VG30DETT	1998	-		55D23L	55D23L	75D23L 80D23L	65D26L
					1998	-		55D23L	55D23L	75D23L 80D23L	65D26L
			E- (G) CZ32		1989	1998	AT	55D23L	55D23L	75D23L 80D23L	80D26L
					1989	1998	MT	55D23L	55D23L	75D23L 80D23L	80D26L
			E- (G) Z32	VG30DE	1989	1998	AT	55D23L	55D23L	75D23L 80D23L	80D26L
					1989	1998	MT	55D23L	55D23L	75D23L 80D23L	80D26L
			E-Z32		1989	1998	AT	55D23L	55D23L	75D23L 80D23L	80D26L
					1989	1998	MT	55D23L	55D23L	75D23L 80D23L	80D26L
FAIR LADY Z (Z31)	G	3000	E-H(G) Z31	VG30DE	1986	1989		55D23L	55D23L	75D23L 80D23L	80D26L
				VG30ET	1983	1989		55D23L	55D23L	75D23L 80D23L	80D26L
		2000	E- (G) Z31	VG20ET	1983	1989		36B20L	40B19L	42B19L 44B20L	80D26L

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
FAIR LADY Z (Z31)			E-P(G)Z31	RB20DET	1985	1989		46B24L	46B24L	55B24L 60B24L	80D26L
PRIMERA (P12)	G	2500	TA-RP12	QR25DD	2003	-	CVT-MB	46B24L	46B24L	55B24L 60B24L	80D23L
			TA-WRP12		2003	-	CVT-MB	46B24L	46B24L	55B24L 60B24L	80D23L
		2000	UA-TP12	QR20DE	2003	-		46B24L	46B24L	55B24L 60B24L	80D23L
			UA-WTP12		2003	-		46B24L	46B24L	55B24L 60B24L	80D23L
			UA-TNP12		2003	-	4WD	46B24L	46B24L	55B24L 60B24L	80D23L
			UA-WTNP12		2003	-	4WD	46B24L	46B24L	55B24L 60B24L	80D23L
		1800	UA-QP12	QG18DE	2003	-		46B24L	46B24L	55B24L 60B24L	55D23L
PRIMERA (P11)	G	2000	GF-HNP11	SR20DE	1998	-	AT	46B24L	46B24L	55B24L 60B24L	65D26L
					1998	-	MT	34B19L	38B19L	40B19L 42B19L	65D26L
			GF-HP11	SR20DE	1998	-	MT	34B19L	38B19L	40B19L 42B19L	65D26L
					1998	-	HYPER-C V T	46B24L	46B24L	55B24L 60B24L	80D26L
			SR20VE	SR20VE	1998	-	HYPER-C V T	55B24L	55B24L	60B24L	80D26L
					GF-WHNP11	SR20DE	1998	-	AT	46B24L	46B24L
			1998	-	MT		34B19L	38B19L	40B19L 42B19L	65D26L	
			GF-WHP11	SR20DE	1998	-	MT	34B19L	38B19L	40B19L 42B19L	65D26L
					1998	-	HYPER-C V T	46B24L	46B24L	55B24L 60B24L	80D26L
			SR20VE	SR20VE	1998	-	HYPER-C V T	55B24L	55B24L	60B24L	80D26L
					E-FHP11	SR20DE	1997	-	UK	80D26L	80D26L
			E-HNP11	1995	-			55B24L	55B24L	60B24L	80D26L
			E-WHP11	SR20DE	1997	-	WAGON	46B24L	46B24L	55B24L 60B24L	80D26L
					SR20VE	1997	-	WAGON NEO-VVL	46B24L	46B24L	55B24L 60B24L
			E-HP11	SR20DE	1995	-	AT	46B24L	46B24L	55B24L 60B24L	80D26L
					1995	-	MT	34B19L	38B19L	40B19L 42B19L	80D26L
					1800	E-P11	SR18DE	1995	1998	AT	46B24L
					1995	1998	MT	34B19L	38B19L	40B19L 42B19L	65D26L
			GF-QP11	QG18DD	1998	-	HYPER-C V T	46B24L	46B24L	55B24L 60B24L	80D26L
		QG18DE		1998	-	AT	46B24L	46B24L	55B24L 60B24L	65D26L	
			GF-WQP11		1998	-	MT	34B19L	38B19L	40B19L 42B19L	65D26L
					1998	-	AT	46B24L	46B24L	55B24L 60B24L	65D26L
					1998	-	MT	34B19L	38B19L	40B19L 42B19L	65D26L

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA				
PRIMERA (P10)	G	2000	E-FHP10	SR20DE	1991	1997	Imported car	80D26L	80D26L	85D26L 90D26L	-				
			E-H(N) P10		1992	1995	4WD WITHOUT SPOILER	55B24L	55B24L	60B24L	80D26L				
					1990	1995	AT	46B24L	46B24L	55B24L 60B24L	80D26L				
					1990	1995	MT	34B19L	38B19L	40B19L 42B19L	80D26L				
		1800	E-P10	SR18DE/Di	1990	1995	AT	46B24L	46B24L	55B24L 60B24L	80D26L				
					1990	1995	MT	34B19L	38B19L	40B19L 42B19L	80D26L				
BLUEBIRD SYLPHY (G10)	G	2000	GH-TG10	QR20DD	2003	-		46B24L	46B24L	55B24L 60B24L	80D23L				
			1800	UA-QG10	QG18DE	2003	-		34B19L	38B19L	40B19L 44B19L	55D23L			
		TA-QNG10		2003		-	4WD	34B19L	38B19L	40B19L 44B19L	55D23L				
		1500	UA-FG10	QG15DE	2003	-		34B19L	38B19L	40B19L 44B19L	55D23L				
					2003	-		34B19L	38B19L	40B19L 44B19L	55D23L				
BLUEBIRD (U14)	G	2000	GF-HNU14	SR20DE	1998	-		55B24L	55B24L	60B24L	65D26L				
					1998	-	MT	34B19L	38B19L	40B19L 42B19L	65D26L				
					1998	-	HYPER-C V T	46B24L	46B24L	55B24L 60B24L	80D26L				
			E-H(N) U14	SR20VE	1998	-	HYPER-C V T	55B24L	55B24L	60B24L	80D26L				
				SR20DE	1996	-	4WD	55B24L	55B24L	60B24L	80D26L				
					1996	-	AT	46B24L	46B24L	55B24L 60B24L	80D26L				
		1800	GF-ENU14	SR18DE	1998	-		55B24L	55B24L	60B24L	65D26L				
					GF-QU14	QG18DD	1998	-	HYPER-C V T	46B24L	46B24L	55B24L 60B24L	80D26L		
							E-E(N) U14	SR18DE	1998	-	AT	46B24L	46B24L	55B24L 60B24L	65D26L
									1998	-	MT	34B19L	38B19L	40B19L 42B19L	65D26L
				QG18DE	1998	-	AT	46B24L	46B24L	55B24L 60B24L	65D26L				
					1998	-	MT	34B19L	38B19L	40B19L 42B19L	65D26L				
					E-E(N) U14	SR18DE	1996	-	4WD	55B24L	55B24L	60B24L	80D26L		
							1996	-	AT	46B24L	46B24L	55B24L 60B24L	80D26L		
							1996	-	MT	34B19L	38B19L	40B19L 42B19L	80D26L		
D	2000	KD-SU14	CD20	1996	-		95D31L	95D31L	105D31L 115D31L	95D31L					
BLUEBIRD (U13)	G	2400	E-PU13	KA24DE	1993	1996		55B24L	55B24L	60B24L	80D26L				
			E-H(N) U13	SR20DET SR20DE	1991	1996		55D23L	55D23L	75D23L 80D23L	80D26L				
		1991			1996	AT	55B24L	55B24L	60B24L	80D26L					
		1991			1996	MT	46B24L	46B24L	55B24L 60B24L	80D26L					
		1800	E-E(N) U13	SR18DE	1991	1996	AT	55B24L	55B24L	60B24L	80D26L				
					1991	1996	MT	46B24L	46B24L	55B24L 60B24L	80D26L				
			E-TEU13		1991	1993	INSTRUCTION CAR AT	55B24L	55B24L	60B24L	80D26L				
					1991	1993	INSTRUCTION CAR MT	46B24L	46B24L	55B24L 60B24L	80D26L				
		1600	E-U13	GA16DS	1991	1996	AT	46B24L	46B24L	55B24L 60B24L	55D23L				
					1991	1996	MT	28B19L	38B19L	40B19L 42B19L	55D23L				

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
BLUEBIRD (U13)	D	2000	KD/Q-SNU13	CD20	1991	1993		95D31L	95D31L	105D31L 115D31L	95D31L
			KD/Q-SU13		1991	1993	AT	95D31L	95D31L	105D31L 115D31L	115D31L
			X-SNU13		1991	1993	MF	95D31L	95D31L	105D31L 115D31L	95D31L
			X-SU13		1993	1995		95D31L	95D31L	105D31L 115D31L	95D31L
			X-SU13		1993	1995	AT	95D31L	95D31L	105D31L 115D31L	115D31L
			X-SU13		1993	1995	MF	95D31L	95D31L	105D31L 115D31L	95D31L
			X-TSU13		1991	1993	INSTRUCTION CAR AT	95D31L	95D31L	105D31L 115D31L	115D31L
				1991	1993	INSTRUCTION CAR MF	95D31L	95D31L	105D31L 115D31L	95D31L	
BLUEBIRD (U12)	G	2000	E-HNU12	SR20DET	1989	1991		55D23L	55D23L	75D23L 80D23L	80D26L
				SR20DE	1989	1991		34B19L	38B19L	40B19L 42B19L	80D26L
			E-HU12	1989	1991		34B19L	38B19L	40B19L 42B19L	80D26L	
			E-HAU12	1991	-	AUSSIE	80D26L	80D26L	85D26L 90D26L	80D26L	
	1800	E-E(N)U12	SR18Di	1989	1991		34B19L	38B19L	40B19L 42B19L	80D26L	
		E-RU12	CA18i	1989	1991	INSTRUCTION CAR	34B19L	38B19L	40B19L 42B19L	55D23L	
	D	2000	Q-SU12	LD20 II	1989	1991	AT	95D31L	95D31L	105D31L 115D31L	115D31L
					1989	1991	MF	75D31L	95D31L	105D31L 115D31L	115D31L
Q-TSU12			1989		1991	INSTRUCTION CAR	95D31L	95D31L	105D31L 115D31L	115D31L	
PRAIRIE (M12)	G	2000	GF-PM12	SR20DE	1998	-		46B24L	46B24L	55B24L 60B24L	80D26L
			GF-PNMI12		1998	-		46B24L	46B24L	55B24L 60B24L	80D26L
PRAIRIE	G	2400	E-H(N)M11	KA24E	1992	1995		34B19R	38B19R	40B19R 42B19R	80D26L
					1990	1992		34B19L	38B19L	40B19L 42B19L	80D26L
	2000	E-(N)M11	CA20S	1992	1995		34B19R	38B19R	40B19R 42B19R	80D26L	
				1990	1992		34B19L	38B19L	40B19L 42B19L	80D26L	
	E-P(N)M11	SR20DE	1995	1998		46B24L	46B24L	55B24L 60B24L	80D26L		
PRESAGE (U31)	G	3500	UA-PU31	QR35DE	2003	-		55D23L	55D23L	75D23L 80D23L	80D23L
			UA-PNU31		2003	-	4WD	80D23L	80D23L	80D23L	80D23L
	2500	UA-TU31	QR25DE	2003	-		46B24L	46B24L	55B24L 60B24L	80D23L	
		UA-TNU31		2003	-	4WD	80D23L	80D23L	80D23L	80D23L	
PRESAGE	G	3000	GF-HU30	VQ30DE	1998	-		55D23L	55D23L	75D23L 80D23L	80D26L
			GF-NU30		1998	-		55D23L	55D23L	75D23L 80D23L	80D26L
		GF-U30	1998	-		55D23L	55D23L	75D23L 80D23L	80D26L		
	D	2500	KH-VNU30	YD25DDTi	1998	-		110D26L	-	-	115D31L
			KH-VU30		1998	-		110D26L	-	-	115D31L
PRESIDENT (F50)	G	4500	UA-PGF50	VK45DE	2003	-		80D23L	80D23L	80D23L	110D26L
PRESIDENT	G	4500	GF-JG50	VH45DE	1998	-		95D31R	95D31R	105D31R 115D31R	-

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
PRESIDENT			GF-JHG50		1998	-		95D31R	95D31R	105D31R 115D31R	-
			GF-PG50		1998	-		95D31R	95D31R	105D31R 115D31R	-
			GF-PHG50		1998	-		95D31R	95D31R	105D31R 115D31R	-
			E-P(H)G50		1992	1998		95D31R	95D31R	105D31R 115D31R	95D31R
			E-J(H)G50		1990	1998		95D31R	95D31R	105D31R 115D31R	95D31R
		4400	E-H252	Y44E	1981	1990		55D23R	55D23R	75D23R 80D23R	55D23R
PRESEA (R11)	G	2000	E-HR11	SR20DE		-	WITH NAVIGATION	80D26L	80D26L	85D26L 90D26L	-
					1997	-					
					1995	-	WITH AV SYSTEM AT	55D23L	55D23L	75D23L 80D23L	80D26L
					1995	-	WITH AV SYSTEM MT	55B24L	55B24L	60B24L	80D26L
					1995	-	AT	46B24L	46B24L	55B24L 60B24L	80D26L
		1995	-	MT	34B19L	38B19L	40B19L 42B19L	80D26L			
		1800	E-PR11	SR18DE		-	WITH AV SYSTEM AT	55D23L	55D23L	75D23L 80D23L	80D26L
					1995	-	WITH AV SYSTEM MT	55B24L	55B24L	60B24L	80D26L
					1995	-	AT	46B24L	46B24L	55B24L 60B24L	80D26L
			E-PR11		1995	-	MT	34B19L	38B19L	40B19L 42B19L	80D26L
		1500	E-R11	GA15DE		-	AT, WITH NAVIGATION	65D26L	65D26L	75D23L 80D23L	65D26L
					1997	-	MT, WITH NAVIGATION	55D23L	55D23L	75D23L 80D23L	55D23L
1995	-				AT	46B24L	46B24L	55B24L 60B24L	80D26L		
1995	-				MT	34B19L	38B19L	40B19L 42B19L	55D23L		
PRESEA	G	2000	E-HR10	SR20DE	1990	1995	AT	55B24L	55B24L	60B24L	80D26L
					1990	1995	MT	34B19L	38B19L	40B19L 42B19L	80D26L
		1800	E-PR10	SR18DE/Di	1990	1995	AT	46B24L	46B24L	55B24L 60B24L	80D26L
					1990	1995	MT	34B19L	38B19L	40B19L 42B19L	80D26L
		1500	E-R10	CA/GA15DS	1990	1995	AT	28B19L	38B19L	40B19L 42B19L	80D26L
					1990	1995	MT	28B19L	38B19L	40B19L 42B19L	55D23L
MARCH (K12)	G	1200	CBA-AK12	CR12DE	2004	-		34B19L	38B19L	40B19L 44B19L	55B24L
			CBA-BNK12	CR14DE	2004	-	e4WD	46B24L	46B24L	55B24L 60B24L	55B24L
MARCH (K11)	G	1300	GF-HK11	CG13DE	1999	-		28B19L	38B19L	40B19L 42B19L	46B24L
					1999	-	WITH POWER STEER	46B24L	46B24L	55B24L 60B24L	46B24L
			1997		1999	CABRIOLET	46B24L	46B24L	55B24L 60B24L	55D23L	
			1995		-		28B19L	38B19L	40B19L 42B19L	46B24L	

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
MARCH (K11)		1000	GF- K11	CG10DE	1992	1995		28B17L	34B17L	38B19L 40B19L	46B24L
					1999	-		28B19L	38B19L	40B19L 42B19L	46B24L
					1999	-	WITH POWER STEER	46B24L	46B24L	55B24L 60B24L	46B24L
					1995	1999		28B19L	38B19L	40B19L 42B19L	46B24L
					1992	1995		28B17L	34B17L	38B19L 40B19L	46B24L
MARCH (K10)	G	1000	E- K10	MA10ET	1989	1992		28B17L	34B17L	38B19L 40B19L	46B24L
				MA10S	1989	1992		28B17L	34B17L	38B19L 40B19L	46B24L
		900	E-EK10	MA09	1988	1992	SUPER TURBO	28B17L	34B17L	38B19L 40B19L	46B24L
MAXIMA (J30)	G	3000	E-PJ30	VE30	1991	1992		46B24L	46B24L	55B24L 60B24L	80D26L
			E-J30		1988	1991		46B24L	46B24L	55B24L 60B24L	80D26L
MISTRAL (R20)	D	2700	KD- (K) R20	TD27B	1996	-		95D31R	95D31R	105D31R 115D31R	80D26R+L
			Y- R20		1994	1997		95D31R	95D31R	105D31R 115D31R	80D26R × 2
MURANO (Z50)	G	3500	CBA- PZ50	VQ35DE	2004	-		55D23L	55D23L	75D23L 80D23L	80D23L
			CBA- PNZ50		2004	-	4WD	55D23L	55D23L	75D23L 80D23L	80D23L
		2500	CBA- TZ50	QR25DE	2004	-		55D23L	55D23L	75D23L 80D23L	80D23L
MCO (G21)	G	660	UA-MG21S	K6A	2004	-		28B17L	34B17L	38B19L 40B19L	38B19L
			LA-MG21S		2004	-	4WD	28B17L	34B17L	38B19L 40B19L	38B19L
			TA-MG21S		2004	-	4WD TURBO	28B17L	34B17L	38B19L 40B19L	38B19L
					2004	-	TURBO	28B17L	34B17L	38B19L 40B19L	38B19L
MCO	G	660	UA-MG21S	K6A	2002	-		28B17L	38B19L	40B19L 42B19L 44B19L	38B20L
			LA-MG21S		2002	-	4WD	28B17L	38B19L	40B19L 42B19L 44B19L	38B20L
			TA-MG21S		2002	-	4WD TURBO	28B17L	38B19L	40B19L 42B19L 44B19L	38B20L
					2002	-	TURBO	28B17L	38B19L	40B19L 42B19L 44B19L	-
RASHEEN (B14)	G	2000	E-RKNB14	SR20DE	1998	-	FORZA	80D26L	80D26L	85D26L 90D26L	80D26L
		1800	E-RHNB14	SR18DE	1997	-		34B19L	38B19L	40B19L 42B19L	80D26L
		1500	E-RFNB14	GA15DE	1994	-		28B19L	38B19L	40B19L 42B19L	80D26L
LARGO	G	2400	E- (N) CW30	KA24DE	1993	-		46B24L	46B24L	55B24L 60B24L	80D26L
			E- (N) W30		1993	-		46B24L	46B24L	55B24L 60B24L	80D26L
	D	2000	KD- V(N) W30	CD20ETi	1995	-		95D31L	95D31L	105D31L 115D31L	115D31L
			Y- V(N) W30	CD20Ti	1993	1995		95D31L	95D31L	105D31L 115D31L	115D31L
LIBERTY	G	2000	UA- RMI2	QR20DE	2002	-		46B24L	55B24L	60B24L	80D23L
			UA- RNM12		2002	-	4WD	46B24L	55B24L	60B24L	-
R' NESSA	G	2400	GF- PNN30	KA24DE	1998	-		55D23L	55D23L	75D23L 80D23L	80D26L

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
R' NESSA		2000	E-PNN30		1997	1998		55D23L	55D23L	75D23L 80D23L	80D26L	
			GF-N30	SR20DE	1998	-		55B24L	55B24L	60B24L	65D26L	
					1998	-	G LIMITED	55B24L	55B24L	60B24L	80D26L	
					1998	-	X, X LIMITED	55D23L	55D23L	75 D 23L 80D23L	-	
					1998	-	TYPE X	55D23L	55D23L	75 D 23L 80D23L	65D26L	
					1998	-	CAR NAVIGATION	55D23L	55D23L	75 D 23L 80D23L	65D26L	
			GF-NN30	SR20DET	1998	-	4 W D	55D23L	55D23L	75 D 23L 80D23L	80D26L	
			E-N30	SR20DET	1997	1998		55D23L	55D23L	75D23L 80D23L	80D26L	
			E-NN30	SR20DE	1997	1998		55D23L	55D23L	75D23L 80D23L	80D26L	
REGURUS	G	3300	GF-JLR50	VG33E	1999	-		55D23R	55D23R	75D23R 80D23R	80D26R	
			E-JLR50		1996	1999		55D23R	55D23R	75D23R 80D23R	80D26R	
	D	3200	KD-JRR50	QD32ETi	1996	1999		95D31R	95D31R	105D31R 115D31R	80D26R+L	
			3000	KH-JTR50	ZD30DDEi	1999	-		115D31R	115D31R	-	(110D26R × 2)
LEOPARD (Y33)	G	3000	E-JHBY33	VQ30DET	1996	-		65D26R	80D26R	80D26R 85D26R	80D26R	
			E-JHY33		1996	-		65D26R	80D26R	80D26R 85D26R	80D26R	
				VQ30DE	1996	-		65D26R	80D26R	80D26R 85D26R	80D26R	
			E-JPY33	VG30E	1996	-		65D26R	80D26R	80D26R 85D26R	80D26R	
LEOPARD/ J • FE	G	4100	E-JGBY32	VH41DE	1992	1996		80D26R	80D26R	80D26R 85D26R	80D26R	
		3000	E-JPY32	VG30DE	1992	1996		55D23R	55D23R	75D23R 80D23R	80D26R	
LEOPARD (F31)	G	3000	E-UF31	VG30DET	1988	1992		55D23R	55D23R	75D23R 80D23R	80D26R	
				VG30DE	1988	1992		55D23R	55D23R	75D23R 80D23R	80D26R	
		2000	E-GF31	VG20DET	1988	1992		46B24R	46B24R	55B24R 60B24R	80D26R	
				VG20E	1986	1992		34B19R	38B19R	40B19R 42B19R	80D26R	
LAUREL (C35)	G	2500	E-GC35	RB25DE	1997	-		46B24R	46B24R	55B24R 60B24R	80D26R	
				RB25DET	1997	-		46B24R	46B24R	55B24R 60B24R	80D26R	
			E-GCC35	1997	-		46B24R	46B24R	55B24R 60B24R	80D26R		
			E-GNC35	RB25DE	1997	-		46B24R	46B24R	55B24R 60B24R	80D26R	
	2000	E-HC35	RB20DE	1997	-		46B24R	46B24R	55B24R 60B24R	80D26R		
			D	2800	KD-SC35	RD28	1997	-		75D31R	95D31R	105D31R 115D31R
LAUREL (C34)	G	2500	E-G(C)34	RB25DET	1994	1996		46B24R	46B24R	55B24R 60B24R	80D26R	
				RB25DE	1993	1996		46B24R	46B24R	55B24R 60B24R	80D26R	
		2000	E-GNC34	RB25DE	1993	1996		46B24R	46B24R	55B24R 60B24R	80D26R	
				E-HC34	RB20	1993	1996		46B24R	46B24R	55B24R 60B24R	80D26R
					D	2800	Y-SC34	RD28	1992	1996		75D31R

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
LAUREL (C33)	G	2500	E-EC(C)33	RB25DE	1991	1993	WITH HEATER, MIRROR	80D26R	80D26R	80D26R 85D26R	80D26R	
					1991	1993		46B24R	46B24R	55B24R 60B24R	80D26R	
	G	2000	E-HC(C)33	RB20DET	1991	1993	WITH HEATER, MIRROR	80D26R	80D26R	80D26R 85D26R	80D26R	
					1991	1993		46B24R	46B24R	55B24R 60B24R	80D26R	
					1988	1991		34B19R	38B19R	40B19R 42B19R	80D26R	
					1991	1993	WITH HEATER, MIRROR	80D26R	80D26R	80D26R 85D26R	80D26R	
					1991	1993		46B24R	46B24R	55B24R 60B24R	80D26R	
					1988	1991		34B19R	38B19R	40B19R 42B19R	80D26R	
	G	1800	E-FC33	CA18i	1991	1993	WITH HEATER, MIRROR	80D26R	80D26R	85D26R 90D26R	80D26R	
					1988	1993		34B19R	38B19R	40B19R 42B19R	80D26R	
			E-TFC33		1991	-	INSTRUCTION CAR	34B19R	38B19R	40B19R 42B19R	80D26R	
	D	2800	Q-SC33	RD28	1991	1993	WITH HEATER, MIRROR	115D31R	115D31R	-	115D31R	
					1988	1993		95D31R	95D31R	105D31R 115D31R	115D31R	
			Q-TSC33		1991	-	INSTRUCTION CAR	95D31R	95D31R	105D31R 115D31R	115D31R	
AD VAN / SUNNY CALIFORNIA (Y10)	G	1500	E-WF(N)Y10	GA15DE/DS	1990	-	AT	28B19L	38B19L	40B19L 42B19L	80D26L	
					1990	-	MT	28B19L	38B19L	40B19L 42B19L	55D23L	
			E-WFGY10		GA15DE	1995	-		28B19L	38B19L	40B19L 42B19L	80D26L
					GA15DS	1992	1995	AT	28B19L	38B19L	40B19L 42B19L	80D26L
			E-WFGY10		GA15DS	1992	1995	MT	28B19L	38B19L	40B19L 42B19L	55D23L
			R-VFGY10		1992	-	AT	28B19L	38B19L	40B19L 42B19L	80D26L	
					1992	-	MT	28B19L	38B19L	40B19L 42B19L	55D23L	
			R-VF(N)Y10		1990	-	AT	28B19L	38B19L	40B19L 42B19L	80D26L	
					1990	-	MT	28B19L	38B19L	40B19L 42B19L	55D23L	
			1300		E-WY10	GA13DS	1990	-	AT	28B19L	38B19L	40B19L 42B19L
	1990	-		MT			28B19L	38B19L	40B19L 42B19L	55D23L		
	D	2000		KD/WX-WEY10	CD20	1994	-		75D31L	95D31L	105D31L 115D31L	115D31L
						1990	-		75D31L	95D31L	105D31L 115D31L	115D31L
						1990	-		75D31L	95D31L	105D31L 115D31L	115D31L
						1990	-		75D31L	95D31L	105D31L 115D31L	115D31L
1990						-		75D31L	95D31L	105D31L 115D31L	115D31L	
Q-WSY10	1990	-		75D31L	95D31L	105D31L 115D31L	115D31L					
AD VAN	G	1500	R-VHB11	E15S	1988	1990	AT	28B19L	38B19L	40B19L 42B19L	80D26L	

NISSAN / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA			
AD VAN					1988	1990	MT	28B19L	38B19L	40B19L 42B19L	55D26L			
					1300	R-VB11	E13S	1988	1990	AT	28B19L	38B19L	40B19L 42B19L	80D26L
								1988	1990	MT	28B19L	38B19L	40B19L 42B19L	55D26L
	D	1700	X-WSY10	CD17	1991	-		75D31L	95D31L	105D31L 115D31L	115D31L			
					1988	1990		75D31L	95D31L	105D31L 115D31L	95D31L			
Be-1 (K10)	G	1000	E-BK10	MA10	1987	1987		28B17L	34B17L	38B19L 40B19L	46B24L			
180SX (S13)	G	2000	E-RPS13	SR20DE	1996	-	AT	34B19R	38B19R	40B19R 42B19R	80D26R			
					1996	-	MT	34B19R	38B19R	40B19R 42B19R	80D26R			
			E- (K) RPS13	SR20DET	1995	-	WITH HIGH CASE	34B19R	38B19R	40B19R 42B19R	80D26R			
					1994	1995		80D26R	80D26R	85D26R 90D26R	80D26R			
					1992	1994	AT	34B19R	38B19R	40B19R 42B19R	80D26R			
					1992	1994	MT	34B19R	38B19R	40B19R 42B19R	80D26R			
		1800	E- (K) RS13	CA18DET	1989	1992	AT	34B19R	38B19R	40B19R 42B19R	80D26R			
							1989	1992	MT	34B19R	38B19R	40B19R 42B19R	80D26R	

NISSAN DIESEL / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
CONDOR	D	7000	U-MK210	FE6	1992	-		65D23R × 2	65D23R × 2	75D23R × 2	95D31R × 2	
			U-MK250		1992	-		65D23R × 2	65D23R × 2	75D23R × 2	95D31R × 2	
			U-CMB9		1992	-		65D23R × 2	65D23R × 2	75D23R × 2	95D31R × 2	
		6900	P-CL80	FE6	1985	-		65D23R × 2	65D23R × 2	75D23R × 2	95D31R × 2	
					P-CMB7	1985	-		65D23R × 2	65D23R × 2	75D23R × 2	95D31R × 2
			P-CMB8	1988	-		65D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
			P-CP87	1988	-		65D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
			P-CP80	1985	1988		65D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2		
TRACTOR	D	26500	KC-CK631	RH10	1998	-		145F51 × 2	150F51 × 2	170F51 × 2	-	
			KC-CW631	RH10F	1997	-		145F51 × 2	150F51 × 2	170F51 × 2	-	
		21200	KC-CK551	RH8	1997	-		145F51 × 2	150F51 × 2	170F51 × 2	-	
		18000	KC-CK531	RG8	1997	-		145F51 × 2	150F51 × 2	170F51 × 2	-	
		17000	KC-CK541	RF8	1997	-		145F51 × 2	150F51 × 2	170F51 × 2	-	
			KC-CK521		1997	-		145F51 × 2	150F51 × 2	170F51 × 2	-	
		12500	KC-CK451	PF6	1997	-		145F51 × 2	150F51 × 2	170F51 × 2	-	
BYSON TRUCK	D	3300	U-MC341	-	1989	-		65D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	95D31R × 2	
			U-YC341		1989	-	12V	115F51	115F51	130F51 150F51	95D31R × 2	
					1989	-	24V	75D31R × 2	75D31R × 2	95D31R × 2 105D31R × 2	95D31R × 2	
TRACTOR	D	21200	U-CD620	RF10	1992	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
					1992	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			W-CK620	RF10	1990	-		145F51 × 2	150F51 × 2	170F51 × 2	155G51 × 2	
					1990	-		145F51 × 2	150F51 × 2	170F51 × 2	155G51 × 2	
			P-CK67	RF10	1987	1989		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
					1987	1989		145G51 × 2	145G51 × 2	155G51 × 2 180G51 × 2	155G51 × 2	
			KC-CG55	RH8	1997	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
					1997	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			18900	U-CW610	RE10	1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
						1990	-		145F51 × 2	150F51 × 2	170F51 × 2	155G51 × 2
		W-CW610		1990	-		145F51 × 2	150F51 × 2	170F51 × 2	155G51 × 2		
		P-CK66		1983	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
		P-CV66		1983	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
		P-CW66		1983	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
		18000	U-CD530	RG8	1992	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
					1992	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			U-CW530	RG8	1997	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
					1997	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
			P-CW60	RD8	1983	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			17000	U-CD520	RF8	1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
						1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
		U-CG520		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
		U-CV520		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
U-CW520	1990	-			115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2				
W-CK520	1990	-			115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2				
P-CD54	1986	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2					

NISSAN DIESEL / MODEL	ENGINE TYPE	DISPLACEMENT (CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA	
TRUCK	D	17000	P-CK54	RF8	1986	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			P-CV54		1986	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			P-CW54		1986	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			P-CZ54		1986	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			WD153		1989	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			WD300		1989	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
		15100	U-CD510	RE8	1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			U-CW510		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			P-SD53		1983	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			P-CW53		1983	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
		12500	U-CW450	PF6	1992	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			U-CD450		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			U-CG450		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			U-CK450		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			U-CV450		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			KC-CV45		1997	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-	
		11700	P-LG46	PE6	1986	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
			P-CD46		1984	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2	
	P-CF46		1984		1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
	P-CK46		1984		1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
	P-CV46		1984		1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
	P-CW46		1984		1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
	P-LW46		1984		1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
	P-CK31		1983		1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
	9200		U-CD320		NF6	1990	-		115E41R × 2	120E41R × 2	130E41R × 2	-
			U-CG320			1990	-		115E41R × 2	120E41R × 2	130E41R × 2	-
			U-CV320			1990	-	Tank lorry	115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
						1990	-		115E41R × 2	120E41R × 2	130E41R × 2	-
			KC-CV32			1997	-		115E41 × 2	120E41R × 2	130E41R × 2	-
	BUS		D		7000	KC-RN210	FE6	1997	-		115F51 × 2	115F51 × 2
	BUS	D	21200	KC-RA550	RH8	1998	-		190H52 × 2	190H52 × 2	210H52 × 2 225H52 × 2	-
			18000	KA-RA531	RG8	1998	-		190H52 × 2	190H52 × 2	210H52 × 2 225H52 × 2	-

HINO / MODEL	ENGINE TYPE	DISPLACEMENT(CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TRUCK	D	21000	KC-FS4F	F21C	1994	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FR4F		1994	-		115F51 × 2	115F51 × 2	130F51 × 2 2150F51 × 2	-
			KC-FW4F		1994	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
		20000	KC-FS3F	F20C	1994	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FW3F		1994	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FR3F		1994	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
		17000	KC-GN1F	F17D	1994	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
		13000	KC-FS1	K13C	1994	-		145F51 × 2	150F51 × 2	170F51 × 2	-
			KC-FR1K		1994	-		145F51 × 2	150F51 × 2	170F51 × 2	-
			KC-FN1K		1994	-		145F51 × 2	150F51 × 2	170F51 × 2	-
			KC-FW1K		1994	-		145F51 × 2	150F51 × 2	170F51 × 2	-
		11000	KC-FR2P	P11C	1994	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-FN2P		1994	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
			KC-GN2P		1994	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	-
		TRUCK	D	20000	U-RU3F	F20C	1994	-		190H52 × 2	190H52 × 2
18000	U-RU2F			F17E	1994	-		190H52 × 2	190H52 × 2	210H52 × 2 225H52 × 2	-
RANGER	D	8000	KC-FF1J	J08C	1994	-		65D23R × 2	65D23R × 2	75D23R × 2	115F51 × 2
			KC-FG1J		1994	-		65D23R × 2	65D23R × 2	75D23R × 2	115F51 × 2
			KC-GD1J		1994	-		65D23R × 2	65D23R × 2	75D23R × 2	115F51 × 2
			KC-GD1J		1994	-	SEM TRACTOR	65D23R × 2	65D23R × 2	75D23R × 2	150F51 × 2
			KC-GX1		1997	-		65D23R × 2	65D23R × 2	75D23R × 2	115F51 × 2
		7400	U-FC3H	H07D	1992	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2

HINO / MODEL	ENGINE TYPE	DISPLACEMENT(CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA		
RANGER			U- FD3HGAA		1992	-	MULTI PURPOSE LOADING	115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2		
			U- FD3H		1992	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2		
			U- FD3W		1992	-	CRANE CAR	65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2		
			U- FT3H		1992	-	FULL WHEEL DRIVE	65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2		
			U- FX3H		1992	-	FULL WHEEL DRIVE	65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2		
		6700	U- FD2H	H07C-TI	1992	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2		
				H07C	1989	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2		
		6500	U- FD1H	H06C-TI	1992	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2		
		6000	U- FD3W	W06E	1989	-		65D23R × 2	65D23R × 2	75D23R × 2	130F51 × 2		
			P- KD16		1983	-		65D23R × 2	65D23R × 2	75D23R × 2	150F51 × 2		
		5800	P- FC14	W06D	1984	1990		65D23R × 2	65D23R × 2	75D23R × 2	150F51 × 2		
				4000	U- FB2W	W04D	1992	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2
					P- FT11		1984	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2
					P- KM5		1983	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2
P- FB11	1984				1990			65D23R × 2	65D23R × 2	75D23R × 2	150F51 × 2		
P- FC11	1984				1990			65D23R × 2	65D23R × 2	75D23R × 2	150F51 × 2		
3800	P- FB14			W04C	1984	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2		
3700	U- HV1			14B	1988	-		65D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	80D26R × 2		
3400	P- HV7			13B	1984	-		65D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2	80D26R × 2		
3000	U- FB2W			H07D	1990	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2		
RANGER	D	3000	U- FC3H	H07D	1990	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2		
			U- FC3W		1990	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2		
			U- FT3H		1990	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2		
			U- GK1H		1990	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2		
			U- FD3H		1990	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2		
			U- FD3W		1990	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2		
			U- FF2H		1990	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2		
			U- FF3H		1990	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2		
			U- FG1H		1990	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2		
			U- GD2H		1990	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2		
			U- GD3H		1990	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2		

HINO / MODEL	ENGINE TYPE	DISPLACEMENT(CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
RANGER			U-SD2H		1990	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2
			W-SD2H		1990	-		65D23R × 2	65D23R × 2	75D23R × 2	80D26R × 2
			N-HV9	B	1984	-			48D26R × 2	65D26R × 2	75D26R × 2 80D26R × 2
TRUCK	D	25000	W-SS2V	V25C	1993	-		145F51 × 2	150F51 × 2	170F51 × 2	155G51 × 2
		22000	U-FN1V	V22D	1993	-		145F51 × 2	150F51 × 2	170F51 × 2	155G51 × 2
			U-SF1V		1993	-	FULL TRACTOR	145F51 × 2	150F51 × 2	170F51 × 2	155G51 × 2
			W-SH1V		1993	-	POLE TRACTOR	145F51 × 2	150F51 × 2	170F51 × 2	155G51 × 2
		21500	P-SH72	V22C	1987	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	190H52 × 2
			P-SS72		1987	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	190H52 × 2
		20900	P-SH69	V21C	1987	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	190H52 × 2
			P-SS69		1987	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	190H52 × 2
		20000	W-SH3F	F20C	1993	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	155G51 × 2
		19900	P/K-SH71	EV700	1984	-		165G51 × 2	180G51 × 2	195G51 × 2	195G51 × 2
			P-SS71		1984	-		165G51 × 2	180G51 × 2	195G51 × 2	195G51 × 2
		19700	U-FS3FWBA	F20C	1992	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
			U-FW3FWBA		1992	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
		17200	U-FP2FWBA	E17E	1992	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	190H52 × 2
					U-FW2FRBA		1992	-	Transportati on for heavy machinery	115F51 × 2	115F51 × 2
U-FW2FWBA	1992				-			115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	190H52 × 2
P-SH66	F17C				1987	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	190H52 × 2
P-SS66					1987	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	190H52 × 2

HINO / MODEL	ENGINE TYPE	DISPLACEMENT(CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TRUCK			P- FR60		1983	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
			P- FS60	EF500	1983	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
		13300	U- FH2KTBA	K13D	1992	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
		P- CN27	EK200	1984	-		145F51 × 2	150F51 × 2	170F51 × 2	195G51 × 2	
		P- SH27	EK100	1984	-		145F51 × 2	150F51 × 2	170F51 × 2	195G51 × 2	
			P- NS27	EK100	1983	-		145F51 × 2	150F51 × 2	170F51 × 2	195G51 × 2
			P- CG27	EK100	1984	1990		145F51 × 2	150F51 × 2	170F51 × 2	195G51 × 2
			P- NU27	EK100	1984	1987		145F51 × 2	150F51 × 2	170F51 × 2	195G51 × 2
			P- FH27	EK100	1983	1990		115F51 × 2	150F51 × 2	170F51 × 2	195G51 × 2
			P- FN27	EK100	1983	1990		145F51 × 2	150F51 × 2	170F51 × 2	195G51 × 2
			P- FP27	EK100	1983	1990		145F51 × 2	150F51 × 2	170F51 × 2	195G51 × 2
			P- FR27	EK100	1983	1990		145F51 × 2	150F51 × 2	170F51 × 2	195G51 × 2
			P- FS27	EK100	1983	1990		145F51 × 2	150F51 × 2	170F51 × 2	195G51 × 2
			P- FW27	EK100	1983	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
			P- GN27	EK100	1983	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
		12900	U- FN1KWBA	K13C	1992	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
			U- FR1KWBA	K13C	1992	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
			P- SH33	K13C	1987	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
			P- FN33	K13C	1986	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
			P- FR33	K13C	1986	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
			P- FS33	K13C	1986	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
		10500	U- FN2PWBA	P11C	1992	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2

HINO / MODEL	ENGINE TYPE	DISPLACEMENT(CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TRUCK			U- FR2PWBG		1992	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
			U- FH2K		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U- FN1F		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U- FN1K		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U- FN2F		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U- FN2K		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U- FP2K		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U- FQ1F		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U- FN1P		1989	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U- FP1F		1989	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U- FP1P		1989	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
						9400	P- FH22	EM100	1983	1990	
8800	P- FW28	EP100		1986		1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
TRUCK	D	8800	P- FN28	EP100	1984	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
			P- FP28	EP100	1984	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
			P- FR28	EP100	1984	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
			P- GN28	EP100	1984	1990		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2

HINO / MODEL	ENGINE TYPE	DISPLACEMENT(CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TRUCK		6500	P-KK19	H06C(T)	1983	-		65D23R × 2	65D23R × 2	75D23R × 2	170F51 × 2
		6400	P-SD17	H07C	1983	-		65D23R × 2	65D23R × 2	75D23R × 2	170F51 × 2
			U-FR1F		1989	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U-FR1K		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U-FR1P		1989	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U-FR2F		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U-FR2K		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U-FS1F		1989	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U-FS1K		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U-FS2F		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U-FS2K		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U-FS3F		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U-FS2F		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U-FW1F		1989	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U-FW1K		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U-FW2F		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U-FW2K		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			F-FZ1F		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2

HINO / MODEL	ENGINE TYPE	DISPLACEMENT(CC)	BODY TYPE	ENGINE MODEL	YEAR FROM	YEAR TO	SPECIFICATION	FOR NEW CAR	STANDARD	HIGH-POWER	FOR COLD AREA
TRUCK			U- GN1F		1989	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U- GN1P		1989	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
			U- GN2K		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	145G51 × 2
BUS	D	6700	P- RJ17	H07C	1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
			P- RR17		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
		6500	P- RR19		1990	-		115F51 × 2	115F51 × 2	130F51 × 2 150F51 × 2	195G51 × 2
		5800	P- AC14	W06D	1990	-		95E41R × 2	100E41R × 2	110E41R × 2 120E41R × 2	115F51 × 2
		4000	P- AB11	W04D	1990	-		65D23R × 2	65D23R × 2	75D23R × 2	120E41R × 2
			P- RB11		1990	-		65D23R × 2	65D23R × 2	75D23R × 2	120E41R × 2
		3900	U- RB1W	W04C	1990	-		65D23R × 2	65D23R × 2	75D23R × 2	120E41R × 2
			P- RB14		1990	-		65D23R × 2	65D23R × 2	75D23R × 2	120E41R × 2
BUS	D	13300	P- HT27	EK200	1990	-		145G51 × 2	145G51 × 2	155G51 × 2 180G51 × 2	195G51 × 2
			P- HU27		1990	-		145G51 × 2	145G51 × 2	155G51 × 2 180G51 × 2	195G51 × 2
		11600	P- HT22	ER200	1990	-		190H52 × 2	190H52 × 2	210H52 × 2 225H52 × 2	-
			P- HU22		1990	-		190H52 × 2	190H52 × 2	210H52 × 2 225H52 × 2	-
		9400	P- RT22	EM100	1990	-		190H52 × 2	190H52 × 2	210H52 × 2 225H52 × 2	-
			P- RU22		1990	-		190H52 × 2	190H52 × 2	210H52 × 2 225H52 × 2	-